

'POLYCAB' PVC insulated unsheathed bright annealed bare copper conductor single core industrial cable & PVC insulated, PVC round sheathed multicore industrial cables for voltage grade upto 1100V as per IS694:1990 (POLYCAB IND FLEXIBLE (FRLS) INSULATED CABLE) 5CORE TO 24CORE (RATE PER METER)

COND. AREA SQ. MM.	COND. CONST. (NO./DIA.MM.)	AMP	1 CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.50	16/0.20	05	16.90	42.40	58.20	74.45	96.80	116.00	130.00	154.00	192.00	224.00	258.00	294.00	340.00	429.00
0.75	24/0.20	08	23.70	56.75	78.75	101.25	137.00	166.00	186.00	217.00	273.00	318.00	373.00	420.00	496.00	620.00
1.00	32/0.20	13	29.85	72.15	100.10	129.45	176.50	212.25	240.00	279.00	345.00	412.00	478.00	544.00	640.00	801.00
1.50	30/0.25	17	42.90	98.40	141.45	183.50	241.00	293.00	329.00	381.00	486.00	572.00	675.00	779.00	905.00	1159.00
2.50	50/0.25	24	70.60	163.00	223.00	301.00	392.00	474.00	543.00	645.00	792.00	951.00	1105.00	1263.00	1463.00	1895.00
4.00	56/0.30	30	108.75	239.00	343.00	457.00	621.00	743.00	897.00	-----	-----	-----	-----	-----	-----	-----
6.00	84/0.30	38	163.00	352.00	506.00	671.00	913.00	1098.00	-----	-----	-----	-----	-----	-----	-----	-----
10.00	80/0.40	52	284.00	601.00	884.00	1165.00	1576.00	POLYCAB INDUSTRIAL FLEXIBLE (FRLS) INSULATED CABLE								
16.00	126/0.4	70	449.00	948.00	1387.00	1831.00	2422.00									
25.00	196/0.4	88	698.00	1581.00	2299.00	3003.00	4396.00	SIZE SQMM	SINGLE CORE	Size sqmm	Cond No. /dia mm)	Amp	2 CORE	3 CORE	4 CORE	
35.00	276/0.4	110	977.00	2202.00	3196.00	4200.00	6027.00	0.50	17.30	0.50	16/2	5	45.10	60.80	77.05	
50.00	396/0.4	145	1393.00	3122.00	4552.00	6012.00	8725.00	0.75	24.35	0.75	24/2	8	60.15	81.95	104.50	
70.00	354/0.5	215	1969.00	4438.00	6314.00	8347.00	11932.00	1.00	30.20	1.00	32/2	13	75.35	103.80	133.00	
95.00	484/0.5	260	2596.00	-----	9127.00	12040.00	-----	1.50	43.25	1.50	30/25	17	102.50	146.00	187.00	
120.00	608/0.5	305	3414.00	-----	11589.00	15295.00	-----	2.50	71.60	2.50	50/25	24	168.00	230.00	309.00	
150.00	750/0.5	355	4273.00	-----	14487.00	19122.00	-----	4.00	110.50	4.00	56/3	30	245.00	352.00	464.00	
185.00	925/0.5	415	5418.00	-----	17840.00	23581.00	-----	6.00	165.00	6.00	84/3	38	361.00	515.00	681.00	
240.00	1210/0.5	500	6939.00	-----	23031.00	30486.00	-----	10.00	290.00	10.00	80/4	52	611.00	897.00	1185.00	
300.00	1527/0.5	585	8683.00	-----	28738.00	38056.00	-----			16.00	126/4	70	974.00	1419.00	1866.00	
400.00	2036/0.5	695	11570.00	-----	38291.00	50406.00	-----			25.00	196/4	88	1614.00	2345.00	3067.00	
										35.00	276/4	110	2246.00	3258.00	4291.00	
										50.00	396/4	145	3189.00	4641.00	6127.00	
										70.00	354/5	215	4525.00	6439.00	8514.00	

PRICE-LIST POLYCAB INDUSTRIAL CABLES

PRICE LIST DATED: 1 ST DEC

W.E.F.: 2ND DEC 2025

POLYCAB TELEPHONE & SWITCHBOARD CABLES				"POLYCAB" CO-AXIAL CABLES			POLYCAB INDUSTRIAL BRAIDED-UNARMoured SCREEN CABLES								
NO.OF PAIRS	UN-ARMoured (0.50MM)	UN-ARMoured (0.40MM)	ARMoured (0.50MM)				CORES	16/.20MM 0.5sqmm	24/.20MM 0.75sqmm	32/.20MM 1.0sqmm	48/.20MM 1.5sqmm	80/.20MM 2.5sqmm	54/.30MM 4 sqmm	84/.30MM 6 sqmm	
RATE PER METER				ITEM	RATE OF COIL OF			2	123.00	150.00	170.00	206.00	311.00	462.00	599.00
1	13.15	9.40	----		100 Mtrs. Unar-moured	305 Mtrs. Unar-	PER Mtr. Armoured	3	143.00	187.00	230.00	284.00	416.00	655.00	916.00
2	23.30	16.40	129	RG-59	2650	8065	-----	4	177.00	230.00	279.00	348.00	525.00	800.00	1114.00
3	34.55	24.15	----					5	224.00	275.00	321.00	422.00	706.00	-----	-----
4	45.50	30.90	----					6	237.00	321.00	366.00	495.00	792.00	4Cx10	1867.00
5	56.40	38.00	147	RG-6	3315	10175	109.49	7	255.00	358.00	416.00	548.00	894.00	4Cx16	3011.00
10	109.65	-----	280					8	297.00	426.00	473.00	632.00	933.00	4Cx25	4765.00
20	212.65	-----	445					10	377.00	471.00	629.00	794.00	1043.00	-----	-----
50	550.65	-----	-----	RG-6 CCS	2170	6610	-----	12	426.00	531.00	675.00	894.00	1221.00	-----	-----
100	1076.25	-----	-----					14	471.00	629.00	792.00	1071.00	1468.00	-----	-----
								16	504.00	732.00	889.00	1182.00	1728.00		
				RG-11 CCS	4385	13355	-----	19	599.00	868.00	1049.00	1468.00	2231.00		
								24	724.00	969.00	1315.00	1798.00	2796.00		

POLYCAB CCTV CABLES			
SIZE	RATE PER 90MTRS COIL	RATE PER 180MTRS COIL	RATE PER 300MTRS COIL
3+1	4395	8790	14650
4+1	4775	9550	15917
ARMoured 150.47/- PER METER			

UNARMoured 3+1 = 48.83 PER METER

UNARMoured 4+1 = 53.06 PER METER

POLYCAB INDUSTRIAL SPEAKER WIRE OXYGEN FREE (Rate per 90 Meter)			
SIZE	RATE	SIZE	RATE
23/36	2330	23/38	1580
40/36	3560	40/38	2615
70/36	4835	70/38	3555

1 sq.mm	4235	-----	-----
1.5 sq.mm	6295	-----	-----
2.5 sq.mm	10450	-----	-----

INDUSTRIAL CABLE (MULTISTRAND)				
SQMM	AMP.	FR (90 Mtrs)	FR 300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	FR LSH 300 Mtrs (0.75-2.5) 200 Mtrs (4-16)
0.75	7	1760	7120	7260
1.00	12	2365	9205	9365
1.50	16	3455	13455	13715
2.50	22	5465	22290	22670
4.00	29	7995	23175	23435
6.00	37	11945	34190	34615
10.00	45	-----	59025	59645
16.00	68	-----	92875	93790

POLYCAB JELLYFILLED TELEPHONE CABLES		
NO.OF PAIRS	UN-ARMoured (0.50MM)	ARMoured (0.50MM)
RATE PER METER		
5	127	184
10	199	295
20	334	430
50	735	925
100	-----	1963
200	-----	3605

SERVICE CABLES		
NO. OF CORES	SQ. MM	Rate per mtr
2	2.5	88.50
2	4	119.00
2	6	157.00
2	10	228.00
2	16	332.00

POLYCAB 3CORE FLAT SUBMERSIBLE CABLES		
Conductor Area sqmm	Conductor Construction (no/dia,mm)	RATE PER MTR
1.50	22/.3	114.85
2.50	36/.3	178.40
4.00	56/.3	266.40
6.00	84/0.3	394.75
10.00	80/0.4	686.20
16.00	126/0.4	1065.65
25.00	196/0.4	1667.00
35.00	276/0.4	2308.50
50.00	396/0.4	-----

POLYCAB LAN (COMPUTER CABLES)				
SIZE	UTP UNARMoured Rate per 305 mtr	UTP ARMoured Rate per mtr	STP UNARMoured Rate per 305 mtr	STP ARM Rate per mtr
CAT-5E	14180	-----	-----	-----
CAT-6	15340	131.43	23560	143.72
CAT 6-A (GOLD)	-----	-----	-----	-----

POLYCAB WELDING CABLES		
Conductor Area sqmm	Conductor Construction No.dia mm	RATE PER METER
16.00	120	532.00
25.00	160	832.00
35.00	230	1149.00
50.00	400	1631.00
70.00	600	2307.00
95.00	700	3038.00
120.00	1110	3887.00

Str/SoilId PVC/XLPE Indulated Core/Pair/Triad/Quad lald up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMOURED INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	147	0.75	171	1	190	1.5	227	2.5	311
PAIR	2	0.5	214	0.75	257	1	296	1.5	368	2.5	527
PAIR	3	0.5	257	0.75	322	1	384	1.5	490	2.5	728
PAIR	4	0.5	307	0.75	391	1	472	1.5	616	2.5	925
PAIR	5	0.5	359	0.75	464	1	568	1.5	752	2.5	1144
PAIR	6	0.5	414	0.75	540	1	657	1.5	877	2.5	1334
PAIR	7	0.5	454	0.75	592	1	738	1.5	1013	2.5	1522
PAIR	8	0.5	509	0.75	676	1	834	1.5	1123	2.5	1723
PAIR	10	0.5	609	0.75	803	1	1007	1.5	1370	2.5	2102
PAIR	12	0.5	691	0.75	938	1	1185	1.5	1604	2.5	2505
PAIR	14	0.5	759	0.75	1052	1	1329	1.5	1853	2.5	2854
PAIR	16	0.5	866	0.75	1159	1	1502	1.5	2070	2.5	3240
PAIR	19	0.5	985	0.75	1371	1	1749	1.5	2420	2.5	3798
PAIR	24	0.5	1230	0.75	1722	1	2178	1.5	3041	2.5	4774

Str/SoilId Cu PVC/XLPE Indulated Pair/Triad/Quad lald up together with Al Inner sheathed Mylar/Drain Wire PVC Inner Sheathed Unarmoured PVC Outer Sheathed Instrumentation Cable.

OVERALL SHIELDED-ARMOURED INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
TRIAD	1	0.5	178	0.75	214	1	241	1.5	300	2.5	414
TRIAD	2	0.5	296	0.75	367	1	407	1.5	525	2.5	759
TRIAD	3	0.5	367	0.75	462	1	527	1.5	692	2.5	1023
TRIAD	4	0.5	441	0.75	567	1	659	1.5	869	2.5	1291
TRIAD	5	0.5	510	0.75	678	1	789	1.5	1065	2.5	1585
TRIAD	6	0.5	589	0.75	784	1	926	1.5	1229	2.5	1862
TRIAD	7	0.5	651	0.75	869	1	1033	1.5	1385	2.5	2122
TRIAD	8	0.5	733	0.75	955	1	1156	1.5	1570	2.5	2420
TRIAD	10	0.5	868	0.75	1185	1	1406	1.5	1934	2.5	2984
TRIAD	12	0.5	988	0.75	1361	1	1647	1.5	2258	2.5	3531
TRIAD	14	0.5	1123	0.75	1555	1	1883	1.5	2596	2.5	4066
TRIAD	16	0.5	1245	0.75	1733	1	2117	1.5	2941	2.5	4610
TRIAD	19	0.5	1436	0.75	2014	1	2465	1.5	3435	2.5	5406
TRIAD	24	0.5	1778	0.75	2521	1	3080	1.5	4326	2.5	6802
QUAD	1	0.5	204	0.75	249	1	287	1.5	357	2.5	511

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

PRICE-LIST NO-7

DATE:- 2ND DEC 2025

CORES	0.5 sq.mm (16/2)	0.75 sq.mm (24/2)	1.0 sq.mm (32/2)	1.5 sq.mm (30/25)	2.5 sq.mm (50/25)
2	70.20	89.90	108.00	141.25	220.00
3	87.10	119.00	143.00	191.00	305.00
4	108.00	144.00	183.00	256.00	384.00
5	133.00	178.00	217.00	295.00	485.00
6	153.00	202.00	253.00	357.00	580.00
7	167.00	237.00	293.00	402.00	687.00
8	190.00	256.00	327.00	449.00	768.00

CORES	0.5 sq.mm (16/2)	0.75 sq.mm (24/2)	1.0 sq.mm (32/2)	1.5 sq.mm (30/25)	2.5 sq.mm (50/25)
10	226.00	317.00	402.00	555.00	938.00
12	267.00	371.00	475.00	658.00	1152.00
14	311.00	435.00	549.00	757.00	-----
16	350.00	488.00	618.00	876.00	-----
19	402.00	580.00	730.00	1016.00	-----
24	498.00	713.00	902.00	1299.00	-----
Packing 100/300 mtrs. Coils & 2000 mtrs. drums • Note: 3% extra charges for drum packing.					

PVC ARMoured Cables with COPPER Conductor 650/1100 V. Grade conforming to IS:7098 (Pt-1) 1988 PVC/XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. Grade conforming to IS:7098 (Pt-1) 1988

COPPER ARMoured CABLES.2XWY/2XFY

ALUMINIUM ARMoured CABLES. A2XWY/A2XFY

No.Of Cores	1.5 sq. mm	2.5 sq. mm	Cross Section in sq.mm	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	Cross Section in sq.mm	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2	252.00	356.00							2.5	-----	205.00	229.00	-----	255.00
3	321.00	460.00	4	495.00	663.00	850.00	1246.00	1570.00	4	-----	233.00	250.00	-----	291.00
4	396.00	594.00	6	697.00	957.00	1251.00	1812.00	2214.00	6	-----	283.00	309.00	-----	369.00
5	482.00	729.00	10	1108.00	1557.00	2033.00	2756.00	-----	10	-----	358.00	399.00	-----	507.00
6	573.00	858.00	16	1643.00	2277.00	3007.00	3953.00	-----	16	230.00	407.00	429.00	-----	542.00
7	631.00	968.00	Cross Section in	1 CORE	3 CORE	3.5 CORE	4 CORE	5 CORE	25	303.00	435.00	571.00	663.00	710.00
8	807.00	1181.00							35	367.00	542.00	726.00	806.00	919.00
10	919.00	1360.00							50	452.00	702.00	944.00	1092.00	1228.00
12	1021.00	1580.00							70	578.00	940.00	1294.00	1472.00	1668.00
14	1169.00	1837.00							95	693.00	1161.00	1594.00	1846.00	2080.00
16	1307.00	2087.00							120	804.00	1386.00	2000.00	2312.00	2612.00
19	1550.00	2457.00							150	958.00	1704.00	2455.00	2740.00	3212.00
24	1939.00	3076.00	120	6171.00	17813.00	21878.00	23892.00	----	185	1177.00	2048.00	3039.00	3469.00	3951.00
27	2156.00	3450.00	150	7676.00	22654.00	26466.00	30348.00	----	240	1454.00	2715.00	3881.00	4357.00	5102.00
30	2405.00	4149.00	185	9438.00	28796.00	33692.00	38464.00	----	300	1790.00	3328.00	4796.00	5360.00	6289.00
37	3120.00	4847.00	240	12125.00	37405.00	43488.00	49619.00	----	400	2261.00	4322.00	6130.00	6847.00	7850.00
44	3644.00	5660.00	300	15118.00	47144.00	54521.00	63095.00	----	500	2817.00	5835.00	8218.00	9678.00	10852.00
61	5364.00	8206.00	400	19762.00	60552.00	68909.00	84351.00	----	630	3475.00	7178.00	10447.00	11859.00	14246.00

H.T. XLPE ARMoured ALUMINIUM CABLES

RATE PER METER

Cross Section in sq. mm			6.6 KV (UE) 11 KV (E)	6.6 KV (UE) 11 KV (E) Round Wire	22 KV (E)	22 KV (E) Round Wire	33 KV (E)	33 KV (E) Round Wire
3	X	35	1774.00	2218.00	-----	-----	-----	-----
3	X	50	2120.00	2650.00	-----	-----	-----	-----
3	X	70	2583.00	3229.00	-----	-----	-----	-----
3	X	95	2930.00	3663.00	4042.00	5053.00	5355.00	6694.00
3	X	120	3538.00	4423.00	4541.00	5676.00	6037.00	7546.00
3	X	150	4144.00	5180.00	5208.00	6510.00	6489.00	8111.00
3	X	185	4725.00	5906.00	5879.00	7349.00	7244.00	9055.00
3	X	240	5725.00	7156.00	6940.00	8675.00	8556.00	10695.00
3	X	300	6771.00	8464.00	8138.00	10173.00	9659.00	12074.00
3	X	400	8473.00	10591.00	9869.00	12336.00	11708.00	14635.00