



INDEX

Myrah Touch.....	01
Myrah	09
Trivo	24
Fiana.....	29
Petra	35
Lighting.....	41
MCB	56
Wires.....	59
Insulation Tape.....	70
PVC Conduit.....	71
Fan	73





SWITCH ON THE FUTURE

myrah[®] TOUCH



TOUCH THE future

This is the start of a new future. A brighter, smarter, more elegant future.

A future that has been imagined to impress and engineered to surpass the ordinary.

This is the world of Myrah Touch – a new range of switches that will revolutionize the way you live.



THE SCIENCE OF **simplicity**

The source of Myrah's genius is its simplicity. And yet, some of the most remarkable engineering and advanced technology go behind the creation of every switch; rewarding you with a luxury most essential: effortlessness.

WHEN **form** FOLLOWS FUNCTION


Very rarely do science and art arrive at the same conclusion for something beautiful to take shape. With a futuristic mirror finish, sharp contrasting chrome edges and a blue LED accent (easy to locate even in the dark) you can't help but agree, Myrah touch is one such instance.

A TOUCH OF **class**

Myrah touch comes in mirror finish of Black, & metal finish of Black, Aluminum & Champagne with chrome accent. Available in configuration of 1, 2, 3 and 4 switches per panel, as easy-access two-way switches in configurations of 1 and 2 switches per panel.

This is elegance made simple!





switch moods WITH A TOUCH

A warm and cozy setting for the book lover. A soft, mellow vibe for those unwinding front of the TV. An intensely intimate ambience for the romantic at heart. What ever mood you imagine, the Myrah touch dimmer responds with perfect lighting

Specifications:

- 8-step linear speed
- Intuitive finger control
- Operating voltage - 230V
- Operating frequency - 50Hz
- Max load

WITH **world class** SPECIFICATIONS

To match the requirement of the new age hotel room- these switches let guests make their preferences known to hotel staff and visitors. Imagine a switch that lets you go from 'Do Not Disturb' to 'Make my Room' in the blink of an eye! A master switch or a light symbol cluster makes it a delightful indulgence for the hotel guests - An intelligent investment for the hospitality industry



MIRROR - FINISH



45201-MRB



45202-MRB



45203-MRB



45204-MRB



45211-MRB



45212-MRB



45221-MRB



45231-MRB



45232-MRB



45301-MRB



45501-MRB



45502-MRB



45503-MRB



45504-MRB



45505-MRB



IR Remote

(Works with IR-Remote)

Mirror Black With BLUE LED	Description	Module	Specs	M.R.P. ₹	P.K.G.
45201-MRB	1 Gang 1 Way 2M	2M	230V/50Hz	6500	5
45202-MRB	2 Gang 1 Way 2M	2M	230V/50Hz	6800	5
45203-MRB	3 Gang 1 Way 2M	2M	230V/50Hz	7100	5
45204-MRB	4 Gang 1 Way 2M	2M	230V/50Hz	7400	5
45221-MRB	1 Gang Bell Push 2M	2M	230V/50Hz	6700	5
45211-MRB	1 Gang 2 Way 2M	2M	230V/50Hz	6700	5
45212-MRB	2 Gang 2 Way 2M	2M	230V/50Hz	7000	5
45231-MRB	3 Gang Fan Regulator 2M	2M	230V/50Hz	7400	5
45232-MRB	3 Gang Light Dimmer 2M	2M	300W/50Hz	7400	5
45301-MRB	1 Gang 20A DP 2M	2M	230V/50Hz	7200	5

HOSPITALITY RANGE

45501-MRB	3 Gang DND/MMR/Bell 2M	2M	230V/50Hz	7200	5
45502-MRB	2 Gang DND/MMR/2M	2M	230V/50Hz	6900	5
45503-MRB	2 Gang Curtain Control 2M	2M	230V/50Hz	7100	5
45504-MRB	1 Gang Master 20A 2M	2M	230V/50Hz	7400	5
45505-MRB	4 Gang Light Symbol 2M	2M	230V/50Hz	7800	5
45241-RC	IR-Remote Control for Touch		IR	2600	5

Technical Specifications

Operating Voltage: 120V to 280V

Operating Frequency: 50Hz

LOAD (Watt) for Switch

Incandescent Lamp: 400W Max. **FTL (Tube Lights) :** 160W Max.

CFL: 100W Max. **LED Lights:** 60W Max. **Spot Light:** 200W Max.

Can Use: TV/CD/DVD Player/Home Theatre

Do Not Use: Iron/Hair Dryer/Geyser

HSN CODE: 8536

METAL - FINISH



45201-CH



45202-CH



45203-CH



45204-CH



45211-CH



45212-CH



45221-CH



45231-CH



45232-CH



45301-CH



45501-CH



45502-CH



45503-CH



45504-CH



45505-CH

(Does not Work with IR-Remote)

Metal Black With BLUE LED	Metal Aluminium With BLUE LED	Metal Champagne With BLUE LED	Description	Module	Specs	M.R.P. ₹	P.K.G.
45201-BK	45201-AL	45201-CH	1 Gang 1 Way 2M	2M	230V/50Hz	6500	5
45202-BK	45202-AL	45202-CH	2 Gang 1 Way 2M	2M	230V/50Hz	6800	5
45203-BK	45203-AL	45203-CH	3 Gang 1 Way 2M	2M	230V/50Hz	7100	5
45204-BK	45204-AL	45204-CH	4 Gang 1 Way 2M	2M	230V/50Hz	7400	5
45221-BK	45221-AL	45221-CH	1 Gang Bell Push 2M	2M	230V/50Hz	6700	5
45211-BK	45211-AL	45211-CH	1 Gang 2 Way 2M	2M	230V/50Hz	6700	5
45212-BK	45212-AL	45212-CH	2 Gang 2 Way 2M	2M	230V/50Hz	7000	5
45231-BK	45231-AL	45231-CH	3 Gang Fan Regulator 2M	2M	230V/50Hz	7400	5
45232-BK	45232-AL	45232-CH	3 Gang Light Dimmer 2M	2M	300W/50Hz	7400	5
45301-BK	45301-AL	45301-CH	1 Gang 20A DP 2M	2M	230V/50Hz	7200	5

HOSPITALITY RANGE

45501-BK	45501-AL	45501-CH	3 Gang DND/MMR/Bell 2M	2M	230V/50Hz	7200	5
45502-BK	45502-AL	45502-CH	2 Gang DND/MMR/2M	2M	230V/50Hz	6900	5
45503-BK	45503-AL	45503-CH	2 Gang Curtain Control 2M	2M	230V/50Hz	7100	5
45504-BK	45504-AL	45504-CH	1 Gang Master 20A 2M	2M	230V/50Hz	7400	5
45505-BK	45505-AL	45505-CH	4 Gang Light Symbol 2M	2M	230V/50Hz	7800	5

Technical Specifications

Operating Voltage: 120V to 280V

Operating Frequency: 50Hz

LOAD (Watt) for Switch

Incandescent Lamp: 400W Max. **FTL (Tube Lights):** 160W Max.

CFL: 100W Max. **LED Lights:** 60W Max. **Spot Light:** 200W Max.

Can Use: TV/CD/DVD Player/Home Theatre

Do Not Use: Iron/Hair Dryer/Geyser

HSN CODE: 8536

MIRROR FINISH

Mirror Black - MRB



METAL FINISH

Metal Black - BK



Metal Champagne - CH



Metal Aluminium - AL



MYRAH MIRROR FINISH

Recreating elegance, class and beauty. With a touch of Science and simplicity.

For those who prefer the futuristic mirror finish and the sharp contrasting edges in chrome, we present the Myrah Mirror finish plates. These unique plates help you install all the Myrah accessories needed to give your home a similar look to that of GreatWhite Touch.

Module	Mirror Black	M.R.P. ₹	P.K.G.
2M	40802-MRB	347.00	5
3M	40803-MRB	483.00	5
4M	40804-MRB	641.00	5
6M	40806-MRB	903.00	5
8H M	40828-MRB	982.00	5
8V M	40808-MRB	982.00	5
12M	40812-MRB	1271.00	5
18M	40818-MRB	1523.00	5

HSN CODE: 8538

MYRAH METAL FINISH

Recreating elegance, class and beauty. With a touch of Science and simplicity.

Modern dreams are made of metal. Myrah metal finish plates add an elegant touch to your home while complementing other fittings. They are a great addition to your home for a contemporary look. These unique plates help you create an aura of steely sophistication for your precious spaces.

Module	Metal Black	Metal Aluminium	Metal Champagne	M.R.P. ₹	P.K.G.
2M	40802-BK	40802-AL	40802-CH	347.00	5
3M	40803-BK	40803-AL	40803-CH	483.00	5
4M	40804-BK	40804-AL	40804-CH	641.00	5
6M	40806-BK	40806-AL	40806-CH	903.00	5
8H M	40828-BK	40828-AL	40828-CH	982.00	5
8V H	40808-BK	40808-AL	40808-CH	982.00	5
12M	40812-BK	40812-AL	40812-CH	1271.00	5
18M	40818-BK	40818-AL	40818-CH	1523.00	5

Please Refer to Myrah Catalogue & Price list for all other accessories.

HSN CODE: 8538



GreatWhite[®]
Electricals

myrah[®]
IMAGINATION UNLIMITED



myrah®

We imagine; therefore we are, an offspring of our dreams, pushing forever. Welcome yourself inside the contours of your imagination to a dream home that reflects your aura. Myrah, in its world of unlimited imagination tickles your senses with unparalleled choice of materials, finishes, textures and colors to reflect what you've dreamt of.

Welcome to the world of imagination unlimited. Welcome yourself to the world of Myrah.



CODE	DESCRIPTION	MRP	PKG
White/Titanium		White Titanium	
10A Switches Slim		HSN CODE: 8536	
40101-SWH/TI	10AX 1 Way Switch	120.00	140.00 20
40102-SWH/TI	10AX 2 Way Switch	149.00	171.00 20
40111-SWH/TI	10AX 1 Way Switch With LED	157.00	182.00 20
40104-SWH/TI	10AX 1 Way Switch with FAN Mark	149.00	171.00 20
40105-SWH/TI	10AX 1 Way Switch with LIGHT Mark	149.00	171.00 20
40103-SWH/TI	10A Bell Push Switch	149.00	182.00 20
40112-SWH/TI	10A Bell Push Switch with LED	157.00	182.00 20
10A Switches Mega		HSN CODE: 8536	
40201-SWH/TI	10AX 1 Way Switch	149.00	171.00 10
40202-SWH/TI	10AX 2 Way Switch	165.00	190.00 10
40211-SWH/TI	10AX 1 Way Switch With LED	169.00	195.00 10
40203-SWH/TI	10A Bell Push Switch	165.00	216.00 10
40212-SWH/TI	10A Bell Push Switch with LED	187.00	216.00 10
20A Switches Slim		HSN CODE: 8536	
40121-SWH/TI	20A 1 Way Switch	166.00	193.00 20
40122-SWH/TI	20A 2 Way Switch	190.00	220.00 20
40123-SWH/TI	20A 1 Way Switch With LED	204.00	237.00 20
		20A tested up to 25A	
20A Switches Mega		HSN CODE: 8536	
40221-SWH/TI	20A 1 Way Switch	199.00	231.00 10
40222-SWH/TI	20A 2 Way Switch	220.00	253.00 10
40223-SWH/TI	20A 1 Way Switch With LED	226.00	259.00 10
		20A tested up to 25A	
Power Switches		HSN CODE: 8536	
40224-SWH/TI	20A D.P. Switch With LED	240.00	275.00 20
40225-SWH/TI	32A D.P. Switch With LED	309.00	358.00 10
		32A tested up to 40A	
Sockets		HSN CODE: 8536	
40231-WH/TI	6A, 2 Pin F/R Socket	116.00	132.00 20
40232-WH/TI	10A, 3 Pin UNI Socket	153.00	176.00 10
40234-WH/TI	10A, Multi Socket	156.00	182.00 10
Power Sockets		HSN CODE: 8536	
40241-WH/TI	16A, 3 Pin Soc. With ISI	240.00	275.00 10
40242-WH/TI	10 & 20A, Twin Socket	273.00	314.00 10
40243-WH/TI	6, 10, 13A Combi Socket	273.00	314.00 10
40244-WH/TI	25A, 3 Pin Socket	332.00	383.00 10
40245-WH/TI	10 & 20A, Twin Socket (Flat Surface)	248.00	285.00 10
Speed Controller & Dimmer		HSN CODE: 8536	
40131-WH/TI	Mini EME 120/280V	429.00	493.00 10
40251-WH/TI	Mega EME 120/280V	567.00	655.00 10
40132-WH/TI	Mini Dimmer 300W, 240V	429.00	493.00 10
40252-WH/TI	Mega Dimmer 650W, 240V	567.00	655.00 10
40253-WH/TI	Mega Dimmer 1000W, 240V	759.00	875.00 10



40145-TI 40141-TI 40142-TI 40143-TI 40144-TI



40151-TI 40152-TI 40153-TI 40155-TI 40156-TI



40146-TI 40148-TI 40149-TI 40150-TI



Inside Room Outside Room

40303-TI



40304-TI 40305-TI 40308-TI 40309-TI



40226-TI 40227-TI 40228-TI



CODE	DESCRIPTION	MRP	PKG
White/Titanium		White	Titanium

Accessories

HSN CODE: 8536

40145-WH/TI	Blanking Off plate single (2pcs.)	62.00	72.00	40	1
40141-WH/TI	Cord Outlet	111.00	128.00	20	1
40142-WH/TI	TV Outlet	136.00	157.00	20	
40143-WH/TI	Bell Indicator	249.00	286.00	20	2
40144-WH/TI	Buzzer (Single Module)	224.00	259.00	20	2

1 HSN:8538 2 HSN:8531

Support Modules

HSN CODE: 8536

40151-WH/TI	Fuse Unit	141.00	163.00	20	
40152-WH/TI	Night Lamp	95.00	109.00	20	1
40153-WH/TI	Pyramid Lamp	101.00	117.00	20	1
40155-WH/TI	Volume Controller (10 Step)	330.00	385.00	10	
40156-WH/TI	USB Charger 2500 mA	1200.00	1250.00	10	2
40157-WH/TI	2.6A Double USB Charger	1500.00	1550.00	10	2

1 HSN:8531 2 HSN:8504

Communication Supports

HSN CODE: 8536

40146-WH/TI	RJ-11 With Shutter Single	136.00	157.00	20	
40148-WH/TI	RJ-45 Single Receptor	136.00	157.00	20	
40149-WH/TI	RJ-45 Single Cat5e	392.00	451.00	10	
40150-WH/TI	RJ-45 Single Cat6	567.00	652.00	10	
40158-WH/TI	HDMI UNIT	900.00	930.00	10	1

1 HSN:8504

Hotel & Hospitality

HSN CODE: 8536

40303-WH/TI	DND Unit Combination 2nos DND/MMR Switches 1nos Bell Push, 1nos DND/ MMR Indicator	1953.00	2244.00	5	
40304-WH/TI	Shaver Socket Transformer	2640.00	2877.00	1	
40305-WH/TI	Down Light - 3 Module	515.00	592.00	5	1
40307-WH/TI	32A Mechanical Key Tag	726.00	836.00	5	
40308-WH/TI	30A Time Delay Switch	2585.00	2739.00	5	
40309-WH/TI	Down Light - 2 Module	374.00	396.00	10	1

1 HSN:9405

Power Unit

HSN CODE: 8536

40226-WH/TI	16A Motor Starter	512.00	589.00	10	
40227-WH/TI	20A Motor Starter	512.00	589.00	10	
40228-WH/TI	25A Motor Starter	512.00	589.00	10	

MCB (SP 'C' Series)

HSN CODE: 8536

40417-WH/TI	6A SP 'C' series			10	
40418-WH/TI	10A SP 'C' series			10	
40419-WH/TI	16A SP 'C' series			10	
40420-WH/TI	20A SP 'C' series	352.00	373.00	10	
40421-WH/TI	25A SP 'C' series			10	
40422-WH/TI	32A SP 'C' series			10	



CODE	DESCRIPTION	MRP		PKG
White/Titanium		White	Titanium	
MCB (DP 'C' Series)		HSN CODE: 8536		
40429-WH/TI	6A DP'C' series			10
40430-WH/TI	10A DP'C' series			10
40431-WH/TI	16A DP'C' series			10
40432-WH/TI	20A DP'C' series	730.00	751.00	10
40433-WH/TI	25A DP'C' series			10
40434-WH/TI	32A DP'C' series			10



M-Touch Switches

44201-TI	1 Gang 1 Way Switch 2M	2700.00	5
44202-TI	2 Gang 1 Way Switch 2M	3100.00	5
44204-TI	4 Gang 1 Way Switch 2M	3500.00	5
44211-TI	1 Gang 2 Way Switch 2M	2700.00	5
44212-TI	2 Gang 2 Way Switch 2M	3000.00	5
44221-TI	1 Gang Bell Push Switch 2M	2700.00	5

M-Touch Speed/Light Control Regulator

44231-TI	7 Step Fan Regulator 2M	3300.00	5
44232-TI	650W Light Dimmer 2M	3000.00	5

M-Touch Hotel & Hospitality

44301-TI	20A SP Switch 2M	3100.00	5
44501-TI	DND/MMR/Bell-Outside 2M	3300.00	5
44502-TI	DND/MMR-Inside 2M	3300.00	5
44503-TI	Curtain Switch 2M	3300.00	5
44504-TI	20A Master Switch	3100.00	5



40101-WH 40102-WH 40111-WH 40104-WH 40105-WH 40103-WH 40112-WH



40201-BK 40202-BK 40211-BK 40203-BK



40121-WH 40122-WH 40123-WH



40221-BK 40222-BK 40223-BK



40224-WH 40225-WH



40231-BK 40232-BK 40234-BK



40241-WH(16A) 40244-WH(25A) 40242-WH 40243-WH 40245-TI

CODE	DESCRIPTION	MRP		PKG
White/Black		White	Black	

10A Switches Slim

HSN CODE: 8536



40101-WH/BK	10AX 1 Way Switch	120.00	140.00	20
40102-WH/BK	10AX 2 Way Switch	149.00	171.00	20
40111-WH/BK	10AX 1 Way Switch With LED	157.00	182.00	20
40104-WH/BK	10AX 1 Way Switch with FAN Mark	149.00	171.00	20
40105-WH/BK	10AX 1 Way Switch with LIGHT Mark	149.00	171.00	20
40103-WH/BK	10A Bell Push Switch	149.00	182.00	20
40112-WH/BK	10A Bell Push Switch with LED	157.00	182.00	20

10A Switches Mega

HSN CODE: 8536



40201-WH/BK	10AX 1 Way Switch	149.00	171.00	10
40202-WH/BK	10AX 2 Way Switch	165.00	190.00	10
40211-WH/BK	10AX 1 Way Switch With LED	169.00	195.00	10
40203-WH/BK	10A Bell Push Switch	165.00	216.00	10
40212-WH/BK	10A Bell Push Switch with LED	187.00	216.00	10

20A Switches Slim

HSN CODE: 8536



40121-WH/BK	20A 1 Way Switch	166.00	193.00	20
40122-WH/BK	20A 2 Way Switch	190.00	220.00	20
40123-WH/BK	20A 1 Way Switch With LED	204.00	237.00	20

20A tested up to 25A

20A Switches Mega

HSN CODE: 8536



40221-WH/BK	20A 1 Way Switch	199.00	231.00	10
40222-WH/BK	20A 2 Way Switch	220.00	253.00	10
40223-WH/BK	20A 1 Way Switch With LED	226.00	259.00	10

20A tested up to 25A

Power Switches

HSN CODE: 8536



40224-WH/BK	20A D.P. Switch With LED	240.00	275.00	20
40225-WH/BK	32A D.P. Switch With LED	309.00	358.00	10

32A tested up to 40A

Sockets

HSN CODE: 8536

40231-WH/BK	6A, 2 Pin F/R Socket	116.00	132.00	20
40232-WH/BK	10A, 3 Pin UNI Socket	153.00	176.00	10
40234-WH/BK	10A, Multi Socket	156.00	182.00	10

Power Sockets

HSN CODE: 8536

40241-WH/BK	16A, 3 Pin Soc. With ISI	240.00	275.00	10
40242-WH/BK	10 & 20A, Twin Socket	273.00	314.00	10
40243-WH/BK	6, 10, 13A Combi Socket	273.00	314.00	10
40244-WH/BK	25A, 3 Pin Socket	332.00	383.00	10
40245-WH/BK	10 & 20A, Twin Socket (Flat Surface)	248.00	285.00	10



CODE	DESCRIPTION	MRP	PKG
White/Black		White	Black

Speed Controller & Dimmer

HSN CODE: 8536

40131-WH/BK	Mini EME 120/280V	429.00	493.00	10
40251-WH/BK	Mega EME 120/280V	567.00	655.00	10
40132-WH/BK	Mini Dimmer 300W, 240V	429.00	493.00	10
40252-WH/BK	Mega Dimmer 650W, 240V	567.00	655.00	10
40253-WH/BK	Mega Dimmer 1000W, 240V	759.00	875.00	10

Accessories

HSN CODE: 8536

40145-WH/BK	Blanking Off plate single (2pcs.)	62.00	72.00	40 [1]
40141-WH/BK	Cord Outlet	111.00	128.00	20 [1]
40142-WH/BK	TV Outlet	136.00	157.00	20
40143-WH/BK	Bell Indicator	249.00	286.00	20 [2]
40144-WH/BK	Buzzer (Single Module)	224.00	259.00	20 [2]

[1] HSN: 8538 [2] HSN: 8531

Support Modules

HSN CODE: 8536

40151-WH/BK	Fuse Unit	141.00	163.00	20
40152-WH/BK	Night Lamp	95.00	109.00	20 [1]
40153-WH/BK	Pyramid Lamp	101.00	117.00	20 [1]
40155-WH/BK	Volume Controller (10 Step)	330.00	385.00	10
40156-WH/BK	USB Charger 2500 mA	1200.00	1250.00	10 [2]
40157-WH/BK	2.6A Double USB Charger	1500.00	1550.00	10 [2]

[1] HSN: 8531 [2] HSN: 8504

Communication Supports

HSN CODE: 8536

40146-WH/BK	RJ-11 With Shutter Single	136.00	157.00	20
40148-WH/BK	RJ-45 Single Receptor	136.00	157.00	20
40149-WH/BK	RJ-45 Single Cat5e	392.00	451.00	10
40150-WH/BK	RJ-45 Single Cat6	567.00	652.00	10
40158-WH/BK	HDMI UNIT	900.00	930.00	10 [1]

[1] HSN: 8504

Hotel & Hospitality

HSN CODE: 8536

40303-WH/BK	DND Unit Combination 2nos DND/MMR Switches 1nos Bell Push, 1nos DND/ MMR Indicator	1953.00	2244.00	5
40304-WH/BK	Shaver Socket Transformer	2640.00	2877.00	1
40305-WH/BK	Down Light - 3 Module	515.00	592.00	5 [1]
40307-WH/BK	32A Mechanical Key Tag	726.00	836.00	5
40308-WH/BK	30A Time Delay Switch	2585.00	2739.00	5
40309-WH/BK	Down Light - 2 Module	374.00	396.00	10 [1]

[1] HSN: 9405



40226-WH

40227-WH

40228-WH



40435-WH

40436-WH



CODE	DESCRIPTION	MRP		PKG
White/Black		White	Black	
	Power Unit	HSN CODE: 8536		
40226-WH/BK	16A Motor Starter	512.00	589.00	10
40227-WH/BK	20A Motor Starter	512.00	589.00	10
40228-WH/BK	25A Motor Starter	512.00	589.00	10
	MCB (SP 'C' Series)	HSN CODE: 8536		
40417-WH/BK	6A SP 'C' series			10
40418-WH/BK	10A SP 'C' series			10
40419-WH/BK	16A SP 'C' series	352.00	373.00	10
40420-WH/BK	20A SP 'C' series			10
40421-WH/BK	25A SP 'C' series			10
40422-WH/BK	32A SP 'C' series			10
	MCB (DP 'C' Series)	HSN CODE: 8536		
40429-WH/BK	6A DP 'C' series			10
40430-WH/BK	10A DP 'C' series			10
40431-WH/BK	16A DP 'C' series	730.00	751.00	10
40432-WH/BK	20A DP 'C' series			10
40433-WH/BK	25A DP 'C' series			10
40434-WH/BK	32A DP 'C' series			10
	MCB Protected Power Socket	HSN CODE: 8536		
40435-WH	25A With Surface J.Box	893.00		5
40436-WH	25A Without Surface J.Box	830.00		5
	PVC Conceal Junction Box.	HSN CODE: 8538		
20901	1M & 2M Conceal J. Box		Prices as per separate list	10
20903	3M Conceal J. Box			10
20904	4M Conceal J. Box			10
20906	6M & 7M Conceal J. Box			10
20907	8M & 9M Conceal J. Box(Horizontal)			5
20908	8M Conceal J. Box(Vertical)			5
20912	12M Conceal J. Box			5
20916	16M Conceal J. Box			5
20918	18M Conceal J. Box			5
	Surface Junction Box	HSN CODE: 8538		
20701	1M & 2M Surface J. Box		Prices as per separate list	10
20703	3M Surface J. Box			10
20704	4M Surface J. Box			10
20706	6M & 7M Surface J. Box			10
20707	8M & 9M Surface J. Box(Horizontal)			5
20708	8M Surface J. Box(Vertical)			5
20712	12M Surface J. Box			5
20716	16M Surface J. Box			5
20718	18M Surface J. Box			5
	Metal Junction Box	HSN CODE: 8538		
18-Gauge			Prices as per separate list	
20801	20801-18G	1M & 2M Metal J. Box		10
20803	20803-18G	3M Metal J. Box		10
20804	20804-18G	4M Metal J. Box		10
20806	20806-18G	6M & 7M Metal J. Box		10
20807	20807-18G	8M & 9M Metal J. Box(Horizontal)		5
20808	20808-18G	8M Metal J. Box(Vertical)		5
20812	20812-18G	12M Metal J. Box		5
20816	20816-18G	16M Metal J. Box		5
20818	20818-18G	18M Metal J. Box		5

Prices as per
separate listPrices as per
separate listPrices as per
separate list

VIDA



Glossy Ivory



Metallic Grey

EDGE



Chrome Solid White



Liquid Chocolate

GLOSSY FINISH



Glossy White



Glossy Ivory


METALLIC FINISH



Metallic Grey



Metallic Silver



Vertical + Horizontal mounting*

VIDA (With Support Frame)

MODULE	GLOSSY WHITE	GLOSSY IVORY	MRP. Rs.	PKG.
1M	40601WH	40601GI	95.00	20
2M	40602WH	40602GI	95.00	20
3M	40603WH	40603GI	121.00	20
New 3M (2+1)	40603WH-P	—	121.00	20
4M	40604WH	40604GI	147.00	20
New 4M (2X2)*	40604WH-P	—	147.00	20
6M (2X3)*	40606WH	40606GI	224.00	10
7M Fits on 6M J.Box	40607WH	40607GI	224.00	10
8M H(2X4)*	40628WH	40628GI	278.00	10
8M V	40608WH	40608GI	278.00	5
New 88M Universal Fits on 6M & 8M J.Box	40628WH-X	—	278.00	10
9M Fits on 8M J.Box	40609WH	40609GI	278.00	10
12M (2X6)* Fits on 12M J.Box	40612-WH-P	—	331.00	5
14M Fits on 12M J.Box	40614WH	40614GI	331.00	5
18M Fits on 16M J.Box	40618WH	40618GI	415.00	5
18M (2X9)* Fits on 18M J.Box	40618-WH-P	—	415.00	5
21M Fits on 18M J.Box	40621WH	40621GI	436.00	5
MODULE	METALLIC GREY	METALLIC SILVER	MRP. Rs.	PKG.
1M	40601MGY	40601MSL	175.00	20
2M	40602MGY	40602MSL	175.00	20
3M	40603MGY	40603MSL	211.00	20
4M	40604MGY	40604MSL	242.00	20
6M (2x3)*	40606MGY	40606MSL	332.00	10
7M Fits on 6M J.Box	40607MGY	40607MSL	332.00	10
8M H(2X4)*	40628MGY	40628MSL	428.00	10
8M V	40608MGY	40608MSL	428.00	5
9M Fits on 8M J.Box	40609MGY	40609MSL	428.00	10
14M Fits on 12M J.Box	40614MGY	40614MSL	503.00	5
18M Fits on 16M J.Box	40618MGY	40618MSL	602.00	5
21M Fits on 18M J.Box	40621MGY	40621MSL	678.00	5

VIDA
(With Support Frame)

HAIRLINE FINISH


Hairline Silver




Hairline Brown

MODULE	HAIRLINE SILVER	HAIRLINE BROWN	MRP. Rs.	PKG.
1M	40601HS	40601HB	175.00	20
2M	40602HS	40602HB	175.00	20
3M	40603HS	40603HB	211.00	20
4M	40604HS	40604HB	242.00	20
6M (2x3)*	40606HS	40606HB	332.00	10
7M Fits on 6M J.Box	40607HS	40607HB	332.00	10
8M H(2X4)*	40628HS	40628HB	428.00	10
8M V	40608HS	40608HB	428.00	5
9M Fits on 8M J.Box	40609HS	40609HB	428.00	10
14M Fits on 12M J.Box	40614HS	40614HB	503.00	5
18M Fits on 16M J.Box	40618HS	40618HB	602.00	5
21M Fits on 18M J.Box	40621HS	40621HB	678.00	5

WOODEN FINISH


Wood Walnut

MODULE	WALNUT	MRP. Rs.	PKG.
1M	40601WL	175.00	20
2M	40602WL	175.00	20
3M	40603WL	211.00	20
4M	40604WL	242.00	20
6M (2x3)*	40606WL	332.00	10
7M Fits on 6M J.Box	40607WL	332.00	10
8M H(2X4)*	40628WL	428.00	10
8M V	40608WL	428.00	5
9M Fits on 8M J.Box	40609WL	428.00	10
14M Fits on 12M J.Box	40614WL	503.00	5
18M Fits on 16M J.Box	40618WL	602.00	5
21M Fits on 18M J.Box	40621WL	678.00	5



Vertical + Horizontal mounting*

HSN CODE: 8538

LIQUID GLASS (Without Support Frame) For X series Support Frame

EDGE (Without Support Frame)



Liquid White - LWX



Liquid Green - LGX



Liquid Ivory - LIX



Liquid Rust - LRX



Liquid Chocolate - LCX



Liquid Black - LBX

MODULE	LIQUID WHITE	LIQUID GREEN	LIQUID IVORY	MRP. Rs.	PKG.
1M	40701LWX	40701LGX	40701LIX	638.00	5
2M	40702LWX	40702LGX	40702LIX	638.00	5
3M	40703LWX	40703LGX	40703LIX	940.00	5
4M	40704LWX	40704LGX	40704LIX	1245.00	5
6M	40706LWX	40706LGX	40706LIX	1769.00	5
8H M	40728LWX	40728LGX	40728LIX	1906.00	5
8V M	40708LWX	40708LGX	40708LIX	1906.00	5
12M	40712LWX	40712LGX	40712LIX	2468.00	5
18M	40718LWX	40718LGX	40718LIX	2657.00	5
MODULE	LIQUID RUST	LIQUID CHOCOLATE	LIQUID BLACK	MRP. Rs.	PKG.
1M	40701LRX	40701LCX	40701LBX	638.00	5
2M	40702LRX	40702LCX	40702LBX	638.00	5
3M	40703LRX	40703LCX	40703LBX	940.00	5
4M	40704LRX	40704LCX	40704LBX	1245.00	5
6M	40706LRX	40706LCX	40706LBX	1769.00	5
8H M	40728LRX	40728LCX	40728LBX	1906.00	5
8V M	40708LRX	40708LCX	40708LBX	1906.00	5
12M	40712LRX	40712LCX	40712LBX	2468.00	5
18M	40718LRX	40718LCX	40718LBX	2657.00	5

HSN CODE: 8538

BEVELLED GLASS (Without Support Frame)

For X series Support Frame

EDGE

(Without Support Frame)



Bevelled Copper - BCO



Bevelled White - BWH



Bevelled Bronze - BBZ



Bevelled Vermillion - BVR



Bevelled Grey - BGY



Bevelled Blue - BBL



Bevelled Brown - BBR



Bevelled Olive Green - BOG



Bevelled Green - BGR

MODULE	BEVELLED COPPER	BEVELLED WHITE	BEVELLED BRONZE	BEVELLED VERMILLION	MRP. Rs.	PKG.
1M	40701BCO	40701BWH	40701BBZ	40701BVR	683.00	5
2M	40702BCO	40702BWH	40702BBZ	40702BVR	683.00	5
3M	40703BCO	40703BWH	40703BBZ	40703BVR	987.00	5
4M	40704BCO	40704BWH	40704BBZ	40704BVR	1318.00	5
6M	40706BCO	40706BWH	40706BBZ	40706BVR	1859.00	5
8H M	40728BCO	40728BWH	40728BBZ	40728BVR	2006.00	5
8V M	40708BCO	40708BWH	40708BBZ	40708BVR	2006.00	5
12M	40712BCO	40712BWH	40712BBZ	40712BVR	2615.00	5
18M	40718BCO	40718BWH	40718BBZ	40718BVR	2888.00	5

MODULE	BEVELLED GREY	BEVELLED BLUE	BEVELLED BROWN	BEVELLED OLIVE GREEN	BEVELLED GREEN	MRP. Rs.	PKG.
1M	40701BGY	40701BBL	40701BBR	40701BOG	40701BGR	683.00	5
2M	40702BGY	40702BBL	40702BBR	40702BOG	40702BGR	683.00	5
3M	40703BGY	40703BBL	40703BBR	40703BOG	40703BGR	987.00	5
4M	40704BGY	40704BBL	40704BBR	40704BOG	40704BGR	1318.00	5
6M	40706BGY	40706BBL	40706BBR	40706BOG	40706BGR	1859.00	5
8H M	40728BGY	40728BBL	40728BBR	40728BOG	40728BGR	2006.00	5
8V M	40708BGY	40708BBL	40708BBR	40708BOG	40708BGR	2006.00	5
12M	40712BGY	40712BBL	40712BBR	40712BOG	40712BGR	2615.00	5
18M	40718BGY	40718BBL	40718BBR	40718BOG	40718BGR	2888.00	5

MIRROR & METAL FINISH (Without Support Frame) For X series Support Frame

EDGE (Without Support Frame)



Mirror Black - MRB



Metal Black - BK



Metal Aluminium - AL



Metal Champagne - CH

MODULE	MIRROR BLACK	METAL BLACK	METAL ALUMINIUM	METAL CHAMPAGNE	MRP. Rs.	PKG.
2M	40802-MRB	40802-BK	40802-AL	40802-CH	347.00	5
3M	40803-MRB	40803-BK	40803-AL	40803-CH	483.00	5
4M	40804-MRB	40804-BK	40804-AL	40804-CH	641.00	5
6M	40806-MRB	40806-BK	40806-AL	40806-CH	903.00	5
8H M	40828-MRB	40828-BK	40828-AL	40828-CH	982.00	5
8V M	40808-MRB	40808-BK	40808-AL	40808-CH	982.00	5
12M	40812-MRB	40812-BK	40812-AL	40812-CH	1271.00	5
18M	40818-MRB	40818-BK	40818-AL	40818-CH	1523.00	5

CHROME

EDGE (Without Support Frame)



Solid White - CSW



Stripe Grey - CSX



Chrome Titanium - CTI



Chrome Black - CBK

MODULE	SOLID WHITE	STRIPE GREY	MRP. Rs.	CHROME TITANIUM	CHROME BLACK	MRP. Rs.	PKG.
1M	40701CSW	40701CSX	121.00	40701CTI	40701CBK	190.00	10
2M	40702CSW	40702CSX	121.00	40702CTI	40702CBK	190.00	10
3M	40703CSW	40703CSX	147.00	40703CTI	40703CBK	225.00	10
4M	40704CSW	40704CSX	194.00	40704CTI	40704CBK	275.00	10
6M	40706CSW	40706CSX	273.00	40706CTI	40706CBK	360.00	10
8V M	40708CSW	40708CSX	357.00	40708CTI	40708CBK	485.00	5
8H M	40728CSW	40728CSX	357.00	40728CTI	40728CBK	485.00	10
12M	40712CSW	40712CSX	462.00	40712CTI	40712CBK	605.00	5
18M	40718CSW	40718CSX	656.00	40718CTI	40718CBK	650.00	5

HSN CODE: 8538

X series Support FRAME



1 & 2 Module



3 Module



4 Module



6 Module




8H Module



8V Module




12 Module



18 Module


MODULE	CODE	DESCRIPTION	MRR. Rs.	PKG.
1M & 2M	40501-X	1M & 2M X Series Support Frame	63.00	20
3M	40503-X	3M X Series Support Frame	77.00	20
4M	40504-X	4M X Series Support Frame	87.00	20
6M	40506-X	6M X Series Support Frame	118.00	20
8H M	40528-X	8H M X Series Support Frame	160.00	10
8V M	40508-X	8V M X Series Support Frame	160.00	10
12 M	40512-X	12 M X Series Support Frame	206.00	10
18M	40518-X	18 M X Series Support Frame	278.00	10



GreatWhite®
Electricals

TRIVO®

STYLISH | RELIABLE | UNIQUE.





50101-WH 50102-WH 50111-WH 50103-WH 50112-WH



50201-WH 50202-WH 50211-WH



50203-WH 50212-WH



50121-WH 50122-WH 50123-WH



50225-WH



50231-WH 50234-WH 50235-WH



50241-WH(16A) 50242-WH 50243-WH

CODE	DESCRIPTION	MRP	PKG
------	-------------	-----	-----

6A / 10A Switches Slim

HSN CODE: 8536



50101-WH	10AX 1 Way Switch	102.00	20
50102-WH	10AX 2 Way Switch	124.00	20
50111-WH	10AX 1 Way Switch With LED	132.00	20
50103-WH	10A Bell Push Switch	124.00	20
50112-WH	10A Bell Push Switch with LED	132.00	20

10A Switches Mega

HSN CODE: 8536



50201-WH	10AX 1 Way Switch	124.00	10
50202-WH	10AX 2 Way Switch	139.00	10
50211-WH	10AX 1 Way Switch With LED	142.00	10
50203-WH	10A Bell Push Switch	139.00	10
50212-WH	10A Bell Push Switch with LED	157.00	10

20A Switches Slim

HSN CODE: 8536



50121-WH	20A 1 Way Switch	140.00	20
50122-WH	20A 2 Way Switch	160.00	20
50123-WH	20A 1 Way Switch With LED	171.00	20

Power Switch

HSN CODE: 8536



50225-WH	32A D.P. Switch With LED	260.00	10
----------	--------------------------	--------	----

32A tested up to 40A

Sockets

HSN CODE: 8536

50231-WH	6A, 2 Pin F/R Socket	97.00	20
50234-WH	10A, Multi Socket	132.00	10
50235-WH	6A 2 in 1 Socket	99.00	10
50241-WH	16A, 3 Pin Soc. With ISI	201.00	10
50242-WH	10 & 20A, Twin Socket	229.00	10
50243-WH	6, 10, 13A Combi Socket	229.00	10



50131-WH 50251-WH 50132-WH 50252-WH



50141-WH 50142-WH 50143-WH 50144-WH 50145-WH



50150-WH 50151-R 50305-WH 50156-WH 50254-WH



50146-WH 50147-WH 50148-WH 50149-WH 50158-WH



Inside Room Outside Room

50303-WH



50301M-WH 50302-WH 50301E-WH 50304-WH



CODE	DESCRIPTION	MRP	PKG
------	-------------	-----	-----

Speed Controller & Dimmer HSN CODE: 8536

50131-WH	Mini EME 120/280V	361.00	10
50251-WH	Mega EME 120/280V	509.00	10
50132-WH	Mini Dimmer 300W, 240V	361.00	10
50252-WH	Mega Dimmer 650W, 240V	509.00	10

Accessories HSN CODE: 8536

50141-WH	Cord Outlet	94.00	20 ①
50142-WH	TV Outlet	114.00	20
50143-WH	Bell Indicator	209.00	20 ②
50144-WH	Buzzer (Single Module)	135.00	20 ②
50145-WH	Blanking Off plate single (2pcs.)	52.00	40 ①

① HSN:8538 ② HSN:8531

Support Modules HSN CODE: 8536

50150-WH	Fuse Unit	118.00	20
50151-R	Night Lamp (Red)	79.00	20 ②
50305-WH	Down Light -2 Module	344.00	10 ③
50156-WH	USB Charger - 2500mA	1170.00	10 ①
50254-WH	Volume Controller (10Step)	318.00	10

① HSN:8504 ② HSN:8531 ③ HSN:9405

Communication Supports HSN CODE: 8536

50146-WH	RJ-11 With Shutter Single	114.00	20
50147-WH	RJ-45 Receptor (Frame Only)	114.00	20
50148-WH	RJ-45 Single Cat5e	329.00	10
50149-WH	RJ-45 Single Cat6	549.00	10
50158-WH	HDMI Unit	870.00	10 ①

① HSN:8504

Hotel & Hospitality HSN CODE: 8536

50301M-WH	32A DP Key Tag Switch (Mechanical)	664.00	5
50302-WH	Key Tag Only	124.00	40 ①
50301E-WH	30A DP Key Tag Switch (Electronic)	2585.00	5
50303-WH	DND Unit Combination-2 Module	837.00	5
50304-WH	Shaver Socket with Transformer	2772.00	1

① HSN:8538

Over Load Protector HSN CODE: 8536

50226-WH	16A SPMS	520.00	10
50227-WH	20A SPMS	520.00	10
50228-WH	25A SPMS	520.00	10

MCB (SP 'C' Series) HSN CODE: 8536

50431-WH	6 A SP 'C' series	281.00	10
50432-WH	10 A SP 'C' series	281.00	10
50433-WH	16 A SP 'C' series	281.00	10
50434-WH	20 A SP 'C' series	281.00	10
50435-WH	25 A SP 'C' series	281.00	10
50436-WH	32 A SP 'C' series	281.00	10

CODE DESCRIPTION MRP PKG

MCB (DP 'C' Series)

HSN CODE: 8536

50441-WH	6A DP 'C' series	458.00	10
50442-WH	10A DP 'C' series	458.00	10
50443-WH	16A DP 'C' series	458.00	10
50444-WH	20A DP 'C' series	458.00	10
50445-WH	25A DP 'C' series	458.00	10
50446-WH	32A DP 'C' series	458.00	10

MCB Protected Power Socket

HSN CODE: 8536

50437-WH	25A with Surface J.Box	891.00	5
50438-WH	25A without Surface J.Box	836.00	5

50437-WH

50438-WH

Twin Plate

MODULE	1M	2M	3M	3M (2+1)	4M	4M (2x2)	6M	7M	8M	8M - V	9M - H	12M	16M	18M
WHITE	50601-WH	50602-WH	50603-WH	50603-WH-P (2+1)	50604-WH	50604-WH-P (2x2)	50606-WH (2x3)	50607-WH	50628-WH (2x4)	50608-WH-V	50609-WH-H	50612-WH	50616-WH	50618-WH
MRP	80/-	80/-	102/-	102/-	124/-	124/-	168/-	168/-	212/-	212/-	212/-	267/-	289/-	311/-
PKG	20	20	20	20	20	20	10	10	10	5	10	5	5	5



1Module



2 Module



3 Module



3 Module (2+1)



4 Module



4 Module (2x2)



6 Module



8V Module



9 Module




8H Module



18 Module



12 Module



16 Module



Enzo White-WH



Enzo Matt Black-MB



Enzo Ice Silver-IS



Enzo White Chrome-WHC



Enzo Matt Black Gold-MBG



Enzo Bronze Chrome-BRC



Enzo Metallic Grey-MSG

MODULE	1M	2M	3M	3M(2+1)	4M	6M	8HM	8VM	12M	16M	18M
WHITE MRP	50701-WH 84.00	50702-WH 84.00	50703-WH 107.00	50703-WH-P 107.00	50704-WH 130.00	50706-WH 176.00	50728-WH 223.00	50708-WH 223.00	50712-WH 280.00	50716-WH 304.00	50718-WH 327.00
MATT BLACK MRP	50701-MB TBA	50702-MB TBA	50703-MB TBA	NA	50704-MB TBA	50706-MB TBA	50728-MB TBA	50708-MB TBA	50712-MB TBA	50716-MB TBA	50718-MB TBA
ICE SILVER MRP	50701-IS TBA	50702-IS TBA	50703-IS TBA	NA	50704-IS TBA	50706-IS TBA	50728-IS TBA	50708-IS TBA	50712-IS TBA	50716-IS TBA	50718-IS TBA
WHITE CHROME MRP	50701-WHC 90.00	50702-WHC 90.00	50703-WHC 114.00	50703-WHC-P 114.00	50704-WHC 138.00	50706-WHC 188.00	50728-WHC 244.00	50708-WHC 244.00	50712-WHC 290.00	50716-WHC 319.00	50718-WHC 339.00
MATT BLACK GOLD	50701-MBG	50702-MBG	50703-MBG	NA	50704-MBG	50706-MBG	50728-MBG	50708-MBG	50712-MBG	50716-MBG	50718-MBG
MATT BRONZE CHROME	50701-BRC	50702-BRC	50703-BRC	NA	50704-BRC	50706-BRC	50728-BRC	50708-BRC	50712-BRC	50716-BRC	50718-BRC
METALLIC GREY	50701-MSG	50702-MSG	50703-MSG	NA	50704-MSG	50706-MSG	50728-MSG	50708-MSG	50712-MSG	50716-MSG	50718-MSG
MRP	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA
PKG	20/200	20/200	20/200	20/200	20/200	10/100	10/100	5/50	5/50	5/50	5/50



1 Module



2 Module



3 Module



3 Module (2+1)



4 Module




6 Module




8HM Module



8V Module



12 Module



16 Module



18 Module



Vertical + Horizontal mounting*

FIANA[®]
Smart meets Beautiful.





20101 20102 20103 20111 20112



20201 20202 20203 20211 20212



20121 20122 20123



20221 20222 20223



20224 20225



20231 20232 20233 20234 20236



20241 20242 20243



20131 20251 20132 20252 20253

CODE	DESCRIPTION	MRP	PKG
------	-------------	-----	-----

6A / 10A Switches Slim

HSN CODE: 8536



20101	10AX 1 Way Switch	96.00	20
20102	10AX 2 Way Switch	119.00	20
20103	10A Bell Push	119.00	20
20104	10AX 1 Way Switch with Mark	119.00	20
20111	10AX 1 Way Switch With LED	125.00	20
20112	10A Bell Push with LED	125.00	20

10A Switches Dura

HSN CODE: 8536



20201	10AX 1 Way Switch	119.00	10
20202	10AX 2 Way Switch	132.00	10
20203	10A Bell Push	132.00	10
20211	10AX 1 Way Switch With LED	135.00	10
20212	10A Bell Push with LED	150.00	10

20A Switches Slim

HSN CODE: 8536



20121	20A 1 Way Switch	133.00	20
20122	20A 2 Way Switch	152.00	20
20123	20A 1 Way Switch With LED	163.00	20

20A tested up to 25A

20A Switches Dura

HSN CODE: 8536



20221	20A 1 Way Switch	160.00	10
20222	20A 2 Way Switch	176.00	10
20223	20A 1 Way Switch With LED	180.00	10

20A tested up to 25A

Power Switch

HSN CODE: 8536



20224	20A D.P. Switch With LED	191.00	20
20225	32A D.P. Switch With LED	248.00	10

32A tested up to 40A

Sockets

HSN CODE: 8536



20231	6A 2 Pin F/R Socket	92.00	20
20232	6A 3 Pin Socket With ISI	122.00	10
20233	10A Uni. Socket	122.00	10
20234	10A Multi Socket	126.00	10
20235	6A 2 in 1 Socket	99.00	10
20236	3 Pin Flat Pin Socket	185.00	10

Power Sockets

HSN CODE: 8536



20241	16A, 3 Pin Soc. With ISI	191.00	10
20242	10 & 20A Twin Soc.	218.00	10
20243	6, 10, 13A Combi Soc.	218.00	10

Power Speed Controller & Dimmer

HSN CODE: 8536



20131	Mini EME 120/280V	343.00	20
20251	Mega EME 120/280V	485.00	10
20132	Mini Dimmer 300W, 240V	330.00	20
20252	Mega Dimmer 650W, 240V	452.00	10
20253	Mega Dimmer 1000W, 240V	607.00	10



CODE	DESCRIPTION	MRP	PKG
Accessories		HSN CODE: 8536	
20141	Cord Outlet	89.00	20 [1]
20142	TV Outlet	109.00	20
20143	Bell Indicator	199.00	20
20261	Buzzer Dura	129.00	10 [2]
20144	Blanking Off plate Single (2pc)	50.00	50 [1]
20262	Blanking Off plate Dura	44.00	50 [1]

[1] HSN:8538 [2] HSN:8531



Communication Supports		HSN CODE: 8536	
20145	RJ - 11 W/O Shutter 2 line	125.00	20
20146	RJ - 11 With Shutter Single	109.00	20
20147	RJ - 45 Receptor (Frame only)	109.00	20
20148	RJ - 45 Cat 5e	314.00	10
20149	RJ - 45 Cat 6	523.00	10
20158	HDMI Unit	870.00	10 [1]

[1] HSN:8504



Support Modules		HSN CODE: 8536	
20150	Fuse Unit	112.00	20
20151 - R	Night Lamp (RED)	76.00	20 [2]
20155	Volume Controller (10 Step)	318.00	10
20156	USB Charger - 2500mA	930.00	10 [1]

[1] HSN:8504 [2] HSN:8531



Hotel & Hospitality		HSN CODE: 8536	
20301	32A DP Key Tag Switch	633.00	5
20302	Key Tag Only	119.00	40 [1]
20303	DND Unit Combination	798.00	5
20304	Shaver Socket Transformer	1485.00	1
20305	LED Down Light - 3 module	328.00	5 [2]
20308	30A Time Delay Switch (Electronic)	2574.00	5
20309	Down Light - 2M	330.00	10 [2]

[1] HSN:8538 [2] HSN:9405



MCB (SP 'C' Series)		HSN CODE: 8536	
20431	6 A SP 'C' series		
20432	10 A SP 'C' series		
20433	16 A SP 'C' series		
20434	20 A SP 'C' series	331.00	10
20435	25 A SP 'C' series		
20436	32 A SP 'C' series		



MCB (DP 'C' Series)		HSN CODE: 8536	
20441	6A DP 'C' series		
20442	10A DP 'C' series		
20443	16A DP 'C' series		
20444	20A DP 'C' series	709.00	10
20445	25A DP 'C' series		
20446	32A DP 'C' series		



Overload Protection		HSN CODE: 8536	
20226	16A SPMS	495.00	10
20227	20A SPMS	495.00	10
20228	25A SPMS	495.00	10

MCB Protected Power Socket		HSN CODE: 8536	
20437	25A with Surface J.Box	824.00	10
20438	25A without Surface J.Box	772.00	10

SOLO PLATE - FIANA

HSN CODE: 8538



WHITE - WH

MODULE	1M	2M	3M	4M	6M	8M - H	8M - V	12M	16M	18M
WHITE	20501-WH	20502-WH	20503-WH	20504-WH	20506-WH	20507-WH	20508-WH	20512-WH	20516-WH	20518-WH
MRP	53/-	53/-	62/-	72/-	114/-	135/-	135/-	177/-	198/-	209/-
PKG	20	20	20	20	10	10	5	5	5	5

SOLO PLATE - WITH SURFACE BOX

HSN CODE: 8538



WHITE - wBOX

MODULE	1M	2M	3M	4M	6M	8M - H	8M - V	12M	16M	18M
WHITE	20501-wBOX	20502-wBOX	20503-wBOX	20504-wBOX	20506-wBOX	20507-wBOX	20508-wBOX	20512-wBOX	20516-wBOX	20518-wBOX
MRP	112/-	112/-	133/-	155/-	221/-	267/-	265/-	355/-	391/-	417/-
PKG	10	10	10	10	10	5	5	5	5	5

TWIN PLATE - FIANA

HSN CODE: 8538



WHITE - WH



GLOSSY BLACK - BK



SILVER - SL



GOLD - GD



MARBLE - MB



BRIAR WOOD - WO

MODULE	1M	2M	3M	4M	4M (2x2)	6M	6M (2x3)	7M (2x4)	8M - H	8M - V	9M	12M	16M	18M
WHITE	20601-WH	20602-WH	20603-WH	20604-WH	20604-WH-P (2x2)	20606-WH	20606-WH-P (2x3)	20607-WH-P (2x4)	20607-WH	20608-WH	20609-WH	20612-WH	20616-WH	20618-WH
MRP	76/-	76/-	97/-	118/-	118/-	160/-	160/-	202/-	202/-	202/-	202/-	254/-	275/-	296/-
BLACK	20601-BK	20602-BK	20603-BK	20604-BK	-	20606-BK	-	-	20607-BK	20608-BK	20609-BK	20612-BK	20616-BK	20618-BK
MRP	80/-	80/-	101/-	123/-	-	177/-	-	-	210/-	210/-	210/-	271/-	294/-	315/-
SILVER	20601-SL	20602-SL	20603-SL	20604-SL	-	20606-SL	-	-	20607-SL	20608-SL	20609-SL	20612-SL	20616-SL	20618-SL
GOLD	20601-GD	20602-GD	20603-GD	20604-GD	-	20606-GD	-	-	20607-GD	20608-GD	20609-GD	20612-GD	20616-GD	20618-GD
MARBLE	20601-MB	20602-MB	20603-MB	20604-MB	-	20606-MB	-	-	20607-MB	20608-MB	20609-MB	20612-MB	20616-MB	20618-MB
BRIAR WOOD	20601-WO	20602-WO	20603-WO	20604-WO	-	20606-WO	-	-	20607-WO	20608-WO	20609-WO	20612-WO	20616-WO	20618-WO
MRP	167/-	167/-	215/-	251/-	-	356/-	-	-	481/-	481/-	523/-	584/-	616/-	656/-
PKG	20	20	20	20	20	10	10	10	10	5	10	5	5	5

f-Wood™

MODULAR PLATES




1 M




2 M




3 M




4 M




6 M




8 M




10 M




12 M




12 M - Small




12 M - Large



16 M - Small



16 M - Large



20 M

WOODEN PLATE - FIANA

HSN CODE: 8538

CODE	DESCRIPTION	SUITABLE FOR WOODEN BOXES		MRP	STD. PKD.
		SIZE IN INCH	SIZE IN MM		
20501 - FWH	1M Fiana F-Wood Plate (White)	4½ x 4½	127 x 127	83.00	10
20502 - FWH	2M Fiana F-Wood Plate (White)	4½ x 4½	127 x 127	83.00	10
20503 - FWH	3M Fiana F-Wood Plate (White)	4½ x 4½	127x 127	83.00	10
20504 - FWH	4M Fiana F-Wood Plate (White)	6½ x 4½	178 x 127	99.00	10
20506 - FWH	6M Fiana F-Wood Plate (White)	8½ x 4½	224 x 127	124.00	10
20508 - FWH-H	8M Fiana F-Wood Plate Horizontal (White)	10½ x 4½	277 x 127	165.00	10
20510 - FWH	10M Fiana F-Wood Plate (White)	12½ x 4½	318 x 127	181.00	10
20512-FWH-H	12M Fiana F-Wood Plate Horizontal (White)	15½ x 4½	389 x 127	235.00	5
20512-FWH-VS	12M Fiana F-Wood Plate Vertical Small (White)	8½ x 6½	224 x 184	192.00	5
20512-FWH-VL	12M Fiana F-Wood Plate Vertical Large (White)	8½ x 8½	216 x 216	227.00	5
20516-FWH-VS	16M Fiana F-Wood Plate Vertical Small (White)	10½ x 7½	277 x 184	238.00	5
20516-FWH-VL	16M Fiana F-Wood Plate Vertical Large (White)	10½ x 8½	267 x 216	262.00	5
20520-FWH-V	20M Fiana F-Wood Plate Vertical (White)	12½ x 6½	318 x 184	271.00	5

(Use with Fiana Accessories)

Plastic Surface Junction Box



CODE	DESCRIPTION	MRP	DIMENSION (L x W x D)	PKG
20701	1M & 2M Surface J. Box	55.00	85 x 85 x 52	10
20703	3M Surface J. Box	65.00	114 x 85 x 52	10
20704	4M Surface J. Box	76.00	145 x 85 x 52	10
20706	6M & 7M Surface J. Box	97.00	219 x 85 x 52	10
20707	8M & 9M Surface J. Box (Horizontal)	120.00	259 x 85 x 52	5
20708	8M Surface J. Box (Vertical)	118.00	145 x 153 x 52	5
20712	12M Surface J. Box	162.00	219 x 153 x 52	5
20716	16M Surface J. Box	174.00	259 x 153 x 52	5
20718	18M Surface J. Box	189.00	219 x 219 x 52	5

All Dimensions are in mm.

PVC Plastic Conceal Box



CODE	DESCRIPTION	MRP	DIMENSION (L x W x D)	PKG
20901	1M & 2M Conceal J. Box	50.00	78 x 77 x 50	10
20903	3M Conceal J. Box	59.00	103 x 77 x 50	10
20904	4M Conceal J. Box	69.00	138 x 77 x 50	10
20906	6M & 7M Conceal J. Box	89.00	212 x 77 x 50	10
20907	8M & 9M Conceal J. Box (Horizontal)	112.00	237 x 85 x 50	5
20908	8M Conceal J. Box (Vertical)	112.00	138 x 138 x 50	5
20912	12M Conceal J. Box	150.00	212 x 138 x 50	5
20916	16M Conceal J. Box	158.00	237 x 148 x 50	5
20918	18M Conceal J. Box	168.00	212 x 212 x 50	5

All Dimensions are in mm.

Metal Junction Box



CODE	CODE 18-Gauge	DESCRIPTION	MRP	MRP 18-Gauge	DIMENSION (L x W x D)	PKG
20801	20801-18G	1M & 2M Metal J. Box	60.00	78.00	75 x 79 x 46	10
20803	20803-18G	3M Metal J. Box	85.00	110.00	99 x 79 x 46	10
20804	20804-18G	4M Metal J. Box	102.00	130.00	135 x 79 x 53	10
20806	20806-18G	6M & 7M Metal J. Box	138.00	178.00	208 x 79 x 53	10
20807	20807-18G	8M & 9M Metal J. Box (Horizontal)	180.00	234.00	230 x 79 x 53	5
20808	20808-18G	8M Metal J. Box (Vertical)	180.00	228.00	135 x 132 x 56	5
20812	20812-18G	12M Metal J. Box	222.00	286.00	208 x 132 x 56	5
20816	20816-18G	16M Metal J. Box	238.00	322.00	230 x 143 x 56	5
20818	20818-18G	18M Metal J. Box	262.00	352.00	207 x 207 x 61	5

All Dimensions are in mm.



Step into a World
of Safety with us



PETRA[®]
POLYCARBONATE



10101

10102

10103



10111

10112

10113



10121

10122

10123



10201

10202

10203

10204

10205



10301

10302

10303

10306

10733

10739



10311

10312

10321

10322



10401

10402

10422

10451

WHITE BROWN DESCRIPTION MRP PKD

6A DELITE SWITCH

HSN CODE: 8536

10101-WH	10101-BR	Delite 1 Way Switch	20.00	20
10102-WH	10102-BR	Delite 2 Way Switch	26.00	20
10103-WH	10103-BR	Delite Bell Push	26.00	20

6A OMEGA SWITCH

HSN CODE: 8536

10111-WH	-	Omega 1 Way Switch	22.00	20
10112-WH	-	Omega 2 Way Switch	27.00	20
10113-WH	-	Omega Bell Push	27.00	20

6A DELLA SWITCH

HSN CODE: 8536

10121-WH	-	Della 1 Way Switch	20.00	20
10122-WH	-	Della 2 Way Switch	26.00	20
10123-WH	-	Della Bell Push	26.00	20

6A SOCKETS

HSN CODE: 8536

10201-WH	10201-BR	2 Pin Socket	25.00	20
10202-WH	-	3 Pin Socket	34.00	20
10203-WH	10203-BR	2 in 1 Socket	34.00	20
10204-WH	-	Multipurpose Socket	36.00	20
10205-WH	-	Combination Socket	51.00	10

ACCESSORIES

HSN CODE: 8536

10301-WH	10301-BR	Kit Kat Fuse	38.00	20
10341-WH	-	Kit Kat Fuse 16A	46.00	10
10302-WH	10302-BR	Night Lamp	30.00	20
10303-WH	10303-BR	RJ- 11 With shutter	55.00	20
10304-WH	-	RJ- 11 W/O Shutter 2 line	61.00	20
10306-WH	10306-BR	Mini T.V. Soc. Out let	34.00	20
10733-WH	-	Hanging Bed Switch	23.00	20
10739-WH	-	Hanging Bed Switch	23.00	20

HSN: 8531

DIMMERS & REGULATORS

HSN CODE: 8536

10311-WH	10311-BR	Mini EME	226.00	10
10312-WH	10312-BR	Mega EME	253.00	10
10321-WH	10321-BR	Mini Dimmer 300W, 240V	226.00	10
10322-WH	10322-BR	Mega Dimmer 300 W, 240V	253.00	10

20A POWER SWITCH

HSN CODE: 8536

10401-WH	10401-BR	1 Way Switch	76.00	10
10402-WH	10402-BR	2 Way Switch	95.00	10
10422-WH	-	32A D. P. Switch with Neon	138.00	10
10451-WH	-	Sleek 1 Way Switch (2 Hole)	81.00	10



WHITE BROWN DESCRIPTION MRP PKD

20A POWER SOCKET HSN CODE: 8536

10501-WH	-	3 Pin Socket	80.00	10
10502-WH	10502-BR	Twin Socket	80.00	10
10503-WH	-	Sleek Twin Socket	81.00	10

S.S. COMBINE W/O BOX HSN CODE: 8536

10601-WH	-	S.S. Combine (2 Hole)	133.00	10
10602-WH	10602-BR	S.S. Combine (4 Hole)	140.00	10

S.S. COMBINE WITH BOX HSN CODE: 8536

10603-WH	-	6/16A S.S. Combine (2 Hole) With Box	159.00	10
10607-WH	-	6/16A S.S. Combine (4 Hole) With Box	167.00	10

5-IN-1 W/O BOX HSN CODE: 8536

10605-WH	-	5 IN 1 (2 Hole)	176.00	10
10604-WH	10604-BR	5 IN 1 (4 Hole)	182.00	10
10609-WH	10609-BR	Jumbo 5 IN 1 (4 Hole) old type	193.00	10

5-IN-1 WITH BOX HSN CODE: 8536

10606-WH	10606-BR	5 IN 1 With Box (2 Hole)	193.00	10
10608-WH	10608-BR	5 IN 1 With Box (4 Hole)	201.00	10
10610-WH	-	Jumbo 5 IN 1 (4 Hole) old type With Box	210.00	10

6A S.S. COMBINE HSN CODE: 8536

10331-WH	-	6A S.S. Combine Mini	72.00	10
10332-WH	10332-BR	6A S.S. Combine Mini With Box	83.00	10

S.S. COMBINE HSN CODE: 8536

10001-WH		6A, 10A, 13A Combi Socket & Switch with Neon	178.00	10 •
10002-WH		10A & 20A Combi Socket & Switch with Neon	189.00	10 •
10003-WH		Two Combi Socket & Two Combi Switch with Neon	292.00	10 •

DP HSN CODE: 8536

10731-WH	10731-BR	Surface DP	108.00	10
10732-WH	10732-BR	Concealed DP	108.00	10
10734-WH	-	Revo MCB type D.P with indicator	318.00	10 •



10801



10802



10803



10804



10805



10806



10807



10808



10812



10813



10814



10815



10816



10817



10822/10827



10828/10823



10829/10825/10830



10831/10832/10833



10851/10852



10826

WHITE

DESCRIPTION

MRP PKD

Ding Dong / Electronic Bell HSN CODE: 8531

With Improved Sound and Clarity

10801	Smart Ding Dong Bell	108.00	10
10802	Milano Ding Dong Bell	108.00	10
10803	Della Ding Dong Bell	108.00	10
10804	Magneto Ding Dong Bell	148.00	10
10805	Ora Ding Dong Bell	159.00	10
10806	Curve Ding Dong Bell	143.00	10 ●
10807	Moon Ding Dong Bell	143.00	10 ●
10808	Wave Ding Dong Bell	143.00	10 ●
10812	Orix Electronic Bell Ding Dong	228.00	5
10813	Omega Electronic Bell (Multi tune)	228.00	5
10814	Verona Mantra Bell	318.00	5
10815	Stratus Multi tune Plus Ding Dong Bell with selector switch	318.00	5
10816	Grill Electronic Ding Dong Bell	228.00	10 ●
10817	Grid Electronic Multitune Bell	249.00	10 ●

Extension Cords HSN CODE: 8537

With Improved Pull out Mechanism

10827	6A Smart Extension cord 2 Pin (5 MTR)	260.00	5
10822	6A Smart Extension cord 3 Pin (4 MTR)	281.00	5
10828	6A Omega Extension cord 2 Pin (5 MTR)	239.00	5
10823	6A Omega Extension cord 3 Pin (4 MTR)	239.00	5
10829	6A Della Extension cord 2 Pin (5 MTR)	239.00	5
10825	6A Della Extension cord 2 Pin (7 MTR)	260.00	5
10830	6A Della Extension cord 3 Pin (4 MTR)	260.00	5
10831	6A Orix Extension Cord 2 Pin (5 MTR)	318.00	5
10832	6A Orix Extension Cord 2 Pin (7 MTR)	382.00	5
10833	6A Orix Extension Cord 3 Pin (4 MTR)	350.00	5
10851	6A Revo Extension Cord 2 pin (5 MTR)	353.00	5
10852	6A Revo Extension Cord 3 pin (4 MTR)	401.00	5
10826	16A Ora Extension cord 3 Pin (4 MTR)	461.00	1



WHITE/ORANGE BROWN	DESCRIPTION	MRP	PKD
Spike Guard		HSN CODE: 8537	
10901	Power Strip Spike Guard (4 switch & 4 socket)	429.00	5
10902	Power Strip Spike Guard (1switch & 4 socket)	366.00	5
10904	Stick Spike Guard (1switch & 4 socket)	429.00	5
10905	Turtle Spike Guard (1switch & 4 socket)	451.00	5
10906	Micra Spike Guard (1switch & 4 socket)	413.00	5 •
Plug Tops		HSN CODE: 8536	
10702-WH	- 2 Pin Top	19.00	30
10703-WH	- Male Female 2 Pin Top	38.00	30
10704-WH	10704-BR 6A 3 Pin Top	49.00	20
10704-OW	- 6A 3 Pin Top	49.00	20 •
10705-WH	10705-BR 16A 3 Pin Top	69.00	20
10709-WH	- 6A 3 Pin Top	56.00	20
10710-WH	- 16A 3 Pin Top	75.00	20
10735-WH	- Revo 6A 3 Pin Top with Indicator	51.00	20
10736-WH	- Revo 16A 3 Pin Top with Indicator	70.00	20
10740-WH	- Revo 2 Pin Adaptor	21.00	30
Multipurpose Adaptors		HSN CODE: 8536	
10706-WH	3 Pin Mini Multipurpose Adaptor for 6,10 & 13A	70.00	10
10707-WH	3 Pin Mega Multipurpose Adaptor for 6,10 & 13A	105.00	10
10708-WH	Super Power Adaptor 6/16A New Glossy Finish	143.00	10
10738-WH	Revo 2in1 3 Pin Adaptor	51.00	10
Night Lamp		HSN CODE: 8531	
10737-WH	Revo 2 Pin Night Lamp (LED)	48.00	10 •
10761-WH	Ganesh Night Lamp	157.00	10 •



WHITE	BROWN	DESCRIPTION	MRP	PKD
Lamp Holder / Ceiling Rose			HSN CODE: 8536	
10711-WH	10711-BR	Mini Ceiling Rose-2 Part	21.00	20
10712-WH	10712-BR	Mini Ceiling Rose-3 Part	27.00	20
10713-WH	10713-BR	Mega Ceiling Rose-2 Part	27.00	20
10714-WH	-	Ora-Mini Ceiling Rose-2 Part	21.00	20
10715-WH	-	Ora-Mini Ceiling Rose-3 Part	29.00	20
10716-WH	-	Ora-Mega Ceiling Rose-2 Part	29.00	20
10717-WH	-	Mini Modular Ceiling Rose (2 Part-4x4)	71.00	30
10718-WH	-	Mini Modular Ceiling Rose (3 Part-4x4)	74.00	30
10719-WH	-	Mega Modular Ceiling Rose (2 Part-4.75 x 4.75)	89.00	30
10721-WH	-	Batten Holder	30.00	30
10722-WH	-	Angle Holder	30.00	30
10723-WH	-	Ora Batten Holder	45.00	30
10724-WH	-	Ora Angle Holder	45.00	30
10726-WH	-	Mini Modular Batten Holder(4x4)	73.00	20
10727-WH	-	Mini Modular Angle Holder(4x4)	73.00	20
10728-WH	-	Mega Modular Batten Holder (4.75 x 4.75) with metal ring	76.00	20
10729-WH	-	Mega Modular Angle Holder (4.75 x 4.75) with metal ring	76.00	20
10730-WH	-	Mega Modular Blanking Plate (4.75 x 4.75)	57.00	30 □
10741-WH	-	Orix Batten Holder (aluminum ring)	34.00	30
10742-WH	-	Orix Angle Holder (aluminum ring)	34.00	30
10743-WH	10743-BR	Pendent Holder	29.00	30
10744-WH	-	Jumbo Batten Holder	37.00	30
10745-WH	-	Round Batten Holder	78.00	10
10746-WH	-	Round Blanking Plate	57.00	30 □

□ HSN: 8538

Porcelain Fuse			HSN CODE: 8536	
11001-KT		Porcelain Fuse 16 x 240V	45.00	10
11002-KT		Porcelain Fuse 16 x 415V	81.00	10
11003-KT		Porcelain Fuse 32 x 415V	148.00	5
11004-KT		Porcelain Fuse 63 x 415V	329.00	1
11005-KT		Porcelain Fuse 100 x 415V	578.00	1
11006-KT		Porcelain Fuse 200 x 415V	933.00	1
11007-KT		Porcelain Fuse 300 x 415V	1219.00	1

MCB (SP'C Series)			HSN CODE: 8536	
10433-WH		16A SP'C series	140.00	10 ●
10434-WH		20A SP'C series	140.00	10 ●
10435-WH		25A SP'C series	140.00	10 ●
10436-WH		32A SP'C series	140.00	10 ●

MCB (DP'C Series)			HSN CODE: 8536	
10443-WH		16A DP'C series	305.00	10 ●
10444-WH		20A DP'C series	305.00	10 ●
10445-WH		25A DP'C series	305.00	10 ●
10446-WH		32A DP'C series	305.00	10 ●

THE
FUTURE OF BRIGHT
LIGHTS & LUMINARIES



CONSUMER LIGHTING (INDOOR)

Night Lamps - Deco (Round)

DESCRIPTION	PRODUCT CODE	BASE TYPE	COLOUR TEMP. (CDL/WDL)	CASE LOT	MRP ₹
0.5W- White	LED-000502-WHB	B22	-	24	65/-
0.5W- Red	LED-000502-RDB	B22	-	24	65/-
0.5W- Blue	LED-000502-BLB	B22	-	24	65/-
0.5W- Yellow	LED-000502-YLB	B22	-	24	65/-
0.5W- Green	LED-000502-GRB	B22	-	24	65/-
0.5W- Orange	LED-000502-ORB	B22	-	24	65/-
0.5W- Pink	LED-000502-PKB	B22	-	24	65/-

Candle Frosted Bulbs

New Arrival

DESCRIPTION	PRODUCT CODE	BASE TYPE	COLOUR TEMP. (CDL/WDL)	CASE LOT	MRP ₹
5W	LED-005001-CFB/LED-005002-CFB	B22	6500K/2700K	20	425/-
	LED-005003-CFB/LED-005004-CFB	E14	6500K/2700K	20	425/-

Candle Clear Bulbs

New Arrival

DESCRIPTION	PRODUCT CODE	BASE TYPE	COLOUR TEMP. (CDL/WDL)	CASE LOT	MRP ₹
5W	LED-005001-CCB/LED-005002-CCB	B22	6500K/2700K	20	425/-
	LED-005003-CCB/LED-005004-CCB	E14	6500K/2700K	20	425/-

Bulbs

DESCRIPTION	PRODUCT CODE	BASE TYPE	COLOUR TEMP. (CDL/WDL)	CASE LOT	MRP ₹
3W	LED-BB-30001/LED-BB-30002	B22	6500K/2700K	40	190/-
	LED-BB-30003/LED-BB-30004	E27	6500K/2700K	40	
5W	LED-005001-B/LED-005002-B	B22	6500K/2700K	40	210/-
	LED-BB-30007/LED-BB-30008	E27	6500K/2700K	40	
7W	LED-007001-B/LED-007002-B	B22	6500K/2700K	40	220/-
	LED-BB-30009/LED-BB-30010	E27	6500K/2700K	40	
9W	LED-009001-B/LED-009002-B	B22	6500K/2700K	40	260/-
	LED-BB-30011/LED-BB-30012	E27	6500K/2700K	40	
12W	LED-012001-B/LED-012002-B	B22	6500K/2700K	40	430/-
	LED-BB-30013/LED-BB-30014	E27	6500K/2700K	40	
14W	LED-014001-B/LED-014002-B	B22	6500K/2700K	40	520/-
	LED-BB-30015/LED-BB-30016	E27	6500K/2700K	40	
18W	LED-18001-B/LED-18002-B	B22	6500K/2700K	20	650/-
	LED-18003-B/LED-18004-B	E27	6500K/2700K	20	
23W	LED-23001-B/LED-23002-B	B22	6500K/2700K	20	750/-
	LED-23003-B/LED-23004-B	E27	6500K/2700K	20	

High Wattage Bulbs

DESCRIPTION	PRODUCT CODE	BASE TYPE	COLOUR TEMP. (CDL/WDL)	CASE LOT	MRP ₹
26W	LED-26001-B/LED-26002-B	B22	6500K/2700K	12	1300/-
	LED-26003-B/LED-26004-B	E27	6500K/2700K	12	
36W	LED-36001-B/LED-36002-B	B22	6500K/2700K	12	1600/-
	LED-36003-B/LED-36004-B	E27	6500K/2700K	12	
45W	LED-45001-B/LED-45002-B	B22	6500K/2700K	12	2000/-
	LED-45003-B/LED-45004-B	E27	6500K/2700K	12	

Note:- Colour Temperature (CCT) Tolerance - +/- 300K TBA: To Be Announced

HSN CODE: 8539



CONSUMER LIGHTING (INDOOR)

T5 Batten

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
T5 - 1' 5W	LED-T5E-31101/LED-T5E-31102/ LED-T5E-31103	6500K/3000K/4000K	20	475/-
T5 - 2' 10W	LED-T5E-31104/LED-T5E-31105/ LED-T5E-31106	6500K/3000K/4000K	20	575/-
T5 - 4' 18W	LED-T5E-31107/LED-T5E-31108/ LED-T5E-31109	6500K/3000K/4000K	20	675/-
T5 - 4' 22W	LED-T5E-31110/LED-T5E-31111/ LED-T5E-31112	6500K/3000K/4000K	20	900/-

T5 Batten Round

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
T5 - 1' 6W	LED-T5ER-061/LED-T5ER-062/ LED-T5ER-063	6500K/3000K/4000K	20	525/-
T5 - 2' 12W	LED-T5ER-121/LED-T5ER-122/ LED-T5ER-123	6500K/3000K/4000K	20	625/-
T5 - 4' 20W	LED-T5ER-201/LED-T5ER-202/ LED-T5ER-203	6500K/3000K/4000K	20	750/-

T5 Batten - (Aluminum) Premium

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
T5 - 2' 12W	LED-121T52F/LED-122T52F/ LED-123T52F	6500K/3000K/4000K	20	900/-
T5 - 4' 24W	LED-T5PR-31004/LED-T5PR-31005/ LED-T5PR-31006	6500K/3000K/4000K	20	1200/-

T5 Multi-Colour Batten (3 in 1)

New Arrival

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
T5 - 4' 20W	LED-20MCCT-BTN	ALL 3 COLOUR (6500K/3000K/4000K)	20	900/-

Note:- Colour Changing by manual operation

T5 Tube

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
9W	LED-091T5TB/LED-092T5TB/ LED-093T5TB	6500K/3000K/4000K	20	750/-
18W	LED-181T5TB/LED-182T5TB/ LED-183T5TB	6500K/3000K/4000K	20	1500/-

T8 Batten - Premium

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
T8 - 4' 20W	LED-T8P-31404/LED-T8P-31405/ LED-T8P-31406	6500K/3000K/4000K	10	1200/-
T8 - 4' 36W	LED-361-T8PRB/LED-362-T8PRB LED-363-T8PRB	6500K/3000K/4000K	10	1800/-
T8 - 4' 40W	LED-401-T8PRB/LED-402-T8PRB LED-403-T8PRB	6500K/3000K/4000K	10	2000/-

T8 Tube - AL (Premium)

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
T8 - 2' Tube 10W	LED-T8TB-31201/LED-T8TB-31202/ LED-T8TB-31203	6500K/3000K/4000K	10	575/-
T8 - 4' Tube 16W	LED-161-T8TB/LED-162-T8TB/ LED-163-T8TB	6500K/3000K/4000K	10	900/-
T8 - 4' Tube 20W	LED-T8TB-31204/LED-T8TB-31205/ LED-T8TB-31206	6500K/3000K/4000K	10	1000/-

Note:- Colour Temperature (CCT) Tolerance - +/- 300K TBA: To Be Announced

HSN CODE: 9405



T8 Tube - Glass

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
4' - 20 W	LED-201T8TB-GLS/LED-202T8TB-GLS/ LED-203T8TB-GLS	6500K/3000K/4000K	20	400/-

4 Pin PLL Retrofit Tube

18W	LED-4PPL-31304/LED-4PPL-31305/ LED-4PPL-31306	6500K/3000K/4000K	20	700/-
-----	--	-------------------	----	-------

CONSUMER LIGHTING (INDOOR) - PANELS

Economy Panel

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
3W Round	LED-03E1-CP/LED-03E2-CP/ LED-03E3-CP	6000K/3000K/4000K	10	400/-
3W Square	LED-03E1-SP/LED-03E2-SP/ LED-03E3-SP	6000K/3000K/4000K	10	400/-
6W Round	LED-06RE1-CP/LED-06RE2-CP/ LED-06RE3-CP	6000K/3000K/4000K	10	800/-
6W Square	LED-06SE1-SP/LED-06SE2-SP/ LED-06SE3-SP	6000K/3000K/4000K	10	800/-
9W Round	LED-09RE1-CP/LED-09RE2-CP/ LED-09RE3-CP	6000K/3000K/4000K	10	900/-
9W Square	LED-09SE1-SP/LED-09SE2-SP/ LED-09SE3-SP	6000K/3000K/4000K	10	900/-
11W Round	LED-11RE1-CP/LED-11RE2-CP/ LED-11RE3-CP	6000K/3000K/4000K	10	1100/-
11W Square	LED-11SE1-SP/LED-11SE2-SP/ LED-11SE3-SP	6000K/3000K/4000K	10	1100/-
14W Round	LED-14RE1-CP/LED-14RE2-CP/ LED-14RE3-CP	6000K/3000K/4000K	10	1300/-
14W Square	LED-14SE1-SP/LED-14SE2-SP/ LED-14SE3-SP	6000K/3000K/4000K	10	1300/-
18W Round	LED-18RE1-CP/LED-18RE2-CP/ LED-18RE3-CP	6000K/3000K/4000K	10	1400/-
18W Square	LED-18SE1-SP/LED-18SE2-SP/ LED-18SE3-SP	6000K/3000K/4000K	10	1400/-

Slim Panel (Thermo Plastic)

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
3W Round	LED-031ESP-RD/LED-032ESP-RD/ LED-033ESP-RD	6000K/3000K/4000K	10	400/-
3W Square	LED-031ESP-SQ/LED-032ESP-SQ/ LED-033ESP-SQ	6000K/3000K/4000K	10	400/-
6W Round	LED-061ESP-RD/LED-062ESP-RD/ LED-063ESP-RD	6000K/3000K/4000K	10	600/-
6W Square	LED-061ESP-SQ/LED-062ESP-SQ/ LED-063ESP-SQ	6000K/3000K/4000K	10	600/-
12W Round	LED-121ESP-RD/LED-122ESP-RD/ LED-123ESP-RD	6000K/3000K/4000K	10	800/-
12W Square	LED-121ESP-SQ/LED-122ESP-SQ/ LED-123ESP-SQ	6000K/3000K/4000K	10	800/-
15W Round	LED-151ESP-RD/LED-152ESP-RD/ LED-153ESP-RD	6000K/3000K/4000K	10	950/-
15W Square	LED-151ESP-SQ/LED-152ESP-SQ/ LED-153ESP-SQ	6000K/3000K/4000K	10	950/-
18W Round	LED-181ESP-RD/LED-182ESP-RD/ LED-183ESP-RD	6000K/3000K/4000K	10	1050/-
18W Square	LED-181ESP-SQ/LED-182ESP-SQ/ LED-183ESP-SQ	6000K/3000K/4000K	10	1050/-

Note:- Colour Temperature (CCT) Tolerance: +/-300K TBA: To Be Announced

HSN CODE: 9405



CONSUMER LIGHTING (INDOOR)

Narrow Edge Slim Panel

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
6W Round	LED-061NSEP-RD/LED-062NSEP-RD/ LED-063NSEP-RD	6000K/3000K/4000K	10	750/-
6W Square	LED-061NSEP-SQ/LED-062NSEP-SQ/ LED-063NSEP-SQ	6000K/3000K/4000K	10	750/-
12W Round	LED-121NSEP-RD/LED-122NSEP-RD/ LED-123NSEP-RD	6000K/3000K/4000K	10	1100/-
12W Square	LED-121NSEP-SQ/LED-122NSEP-SQ/ LED-123NSEP-SQ	6000K/3000K/4000K	10	1100/-
15W Round	LED-151NSEP-RD/LED-152NSEP-RD/ LED-153NSEP-RD	6000K/3000K/4000K	10	1200/-
15W Square	LED-151NSEP-SQ/LED-152NSEP-SQ/ LED-153NSEP-SQ	6000K/3000K/4000K	10	1200/-
18W Round	LED-181NSEP-RD/LED-182NSEP-RD/ LED-183NSEP-RD	6000K/3000K/4000K	10	1500/-
18W Square	LED-181NSEP-SQ/LED-182NSEP-SQ/ LED-183NSEP-SQ	6000K/3000K/4000K	10	1500/-
24W Round	LED-241NSEP-RD/LED-242NSEP-RD/ LED-243NSEP-RD	6000K/3000K/4000K	10	2100/-
24W Square	LED-241NSEP-SQ/LED-242NSEP-SQ/ LED-243NSEP-SQ	6000K/3000K/4000K	10	2100/-

DOWN LIGHTERS

Down Lights

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
6W Round	LED-061RE-DL/LED-062RE-DL/ LED-063RE-DL	6000K/3000K/4000K	10	700/-
6W Square	LED-061SE-DL/LED-062SE-DL/ LED-063SE-DL	6000K/3000K/4000K	10	700/-
9W Round	LED-091RE-DL/LED-092RE-DL/ LED-093RE-DL	6000K/3000K/4000K	10	900/-
9W Square	LED-091SE-DL/LED-092SE-DL/ LED-093SE-DL	6000K/3000K/4000K	10	900/-
12W Round	LED-121RE-DL/LED-122RE-DL/ LED-123RE-DL	6000K/3000K/4000K	10	1000/-
12W Square	LED-121SE-DL/LED-122SE-DL/ LED-123SE-DL	6000K/3000K/4000K	10	1000/-
15W Round	LED-151RE-DL/LED-152RE-DL/ LED-153RE-DL	6000K/3000K/4000K	10	1200/-
15W Square	LED-151SE-DL/LED-152SE-DL/ LED-153SE-DL	6000K/3000K/4000K	10	1200/-
18W Round	LED-181RE-DL/LED-182RE-DL/ LED-183RE-DL	6000K/3000K/4000K	10	1500/-
18W Square	LED-181SE-DL/LED-182SE-DL/ LED-183SE-DL	6000K/3000K/4000K	10	1500/-
24W Round	LED-241RE-DL/LED-242RE-DL/ LED-243RE-DL	6000K/3000K/4000K	10	2200/-
24W Square	LED-241SE-DL/LED-242SE-DL/ LED-243SE-DL	6000K/3000K/4000K	10	2200/-

Junction Box Down lights

New Arrival

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL/BLUE)	CASE LOT	MRP ₹
3W Round	LED-JB031-DL/LED-JB032-DL/ LED-JB033-DL/LED-JB034-DL LED-JB035-DL/LED-JB036-DL	6500K/3000K/4000K RED/GREEN/BLUE	20	240/-



CONSUMER LIGHTING (INDOOR)

Full Diffuser Down Light

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
5W	LED-051-FDDL/LED-052-FDDL/ LED-053-FDDL/LED-054-FDDL/ LED-055-FDDL/LED-056-FDDL	6500K/3000K/4000K Red/ Green/ Blue	20	300/-

Down Lights - Delight (Retrofit Range)

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
5W Round	LED-005001-DL/LED-005002-DL/ LED-005003-DL/LED-005004-DL/ LED-005005-DL/LED-005006-DL	6000K/3000K/4000K Red/Green/Blue	10	600/-
10W Round	LED-010001-DL/LED-010002-DL/ LED-010003-DL	6000K/3000K/4000K	10	850/-

LED Mini Down Lights - Delight

3W Round	LED-MDL-33101R/LED-MDL-33102R/ LED-MDL-33103R	6000K/3000K/4000K	12	450/-
5W Round	LED-MDL-33104R/LED-MDL-33105R/ LED-MDL-33106R	6000K/3000K/4000K	12	550/-
5W Square	LED-MDL-33107S/LED-MDL-33108S/ LED-MDL-33109S	6000K/3000K/4000K	12	550/-

Note:- Suitable for Metal Conduit boxes.

SURFACE DOWN LIGHTERS

Surface Mount Lights (AL.Die casting)

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
6W Round	LED-061RSC/LED-062RSC/ LED-SM-35103R	6000K/3000K/4000K	10	900/-
6W Square	LED-061SSC/LED-062SSC/ LED-SM-35106S	6000K/3000K/4000K	10	900/-
12W Round	LED-121RSC/LED-122RSC/ LED-SM-35109R	6000K/3000K/4000K	10	1200/-
12W Square	LED-121SSC/LED-122SSC/ LED-SM-35112S	6000K/3000K/4000K	10	1200/-
15W Round	LED-151RSC/LED-152RSC/ LED-SM-35120R	6000K/3000K/4000K	10	1400/-
15W Square	LED-151SSC/LED-152SSC/ LED-SM-35119S	6000K/3000K/4000K	10	1400/-
18W Round	LED-181RSC/LED-182RSC/ LED-SM-35115R	6000K/3000K/4000K	10	1600/-
18W Square	LED-181SSC/LED-182SSC/ LED-SM-35118S	6000K/3000K/4000K	10	1600/-
24W Round	LED-241RSC/LED-242RSC/ LED-243RSC	6000K/3000K/4000K	10	2100/-
24W Square	LED-241SSC/LED-242SSC/ LED-243SSC	6000K/3000K/4000K	10	2100/-

Ceiling Lights (Inbuilt Driver) Classic - PC

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
6W Round	LED-CEL-36201R/LED-CEL-36202R/ LED-CEL-36203R	6000K/3000K/4000K	10	900/-
6W Square	LED-CEL-36204S/LED-CEL-36205S/ LED-CEL-36206S	6000K/3000K/4000K	10	900/-
12W Round	LED-CEL-36207R/LED-CEL-36208R/ LED-CEL-36209R	6000K/3000K/4000K	10	1400/-
12W Square	LED-CEL-36210S/LED-CEL-36211S/ LED-CEL-36212S	6000K/3000K/4000K	10	1400/-
18W Round	LED-CEL-36213R/LED-CEL-36214R/ LED-CEL-36215R	6000K/3000K/4000K	10	2400/-
18W Square	LED-CEL-36216S/LED-CEL-36217S/ LED-CEL-36218S	6000K/3000K/4000K	10	2400/-

Note:- Colour Temperature (CCT) Tolerance - +/- 300K TBA: To Be Announced

HSN CODE: 9405



Rimless Surface Down Lights

New Arrival

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
8W Round	LED-081RDL-RD/LED-082RDL-RD/ LED-083RDL-RD	6000K/3000K/4000K	10	900/-
8W Square	LED-081RDL-SQ/LED-082RDL-SQ/ LED-083RDL-SQ	6000K/3000K/4000K	10	900/-
15W Round	LED-151RDL-RD/LED-152RDL-RD/ LED-153RDL-RD	6000K/3000K/4000K	10	1400/-
15W Square	LED-151RDL-SQ/LED-152RDL-SQ/ LED-153RDL-SQ	6000K/3000K/4000K	10	1400/-
20W Round	LED-201RDL-RD/LED-202RDL-RD/ LED-203RDL-RD	6000K/3000K/4000K	10	1900/-
20W Square	LED-201RDL-SQ/LED-202RDL-SQ/ LED-203RDL-SQ	6000K/3000K/4000K	10	1900/-

RETAIL & HOSPITALITY

Spot Lights (MR / PAR)

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
7W MR 16- (GU5.3 Base)	LED-007531-GU/LED-007532-GU/ LED-007533-GU	6000K/3000K/4000K	12	650/-
4W PAR 16 (GU10 Base)	LED-004101-GU/LED-004102-GU/ LED-004103-GU	6000K/3000K/4000K	12	600/-
7W PAR 16 (GU10 Base)	LED-007101-GU/LED-007102-GU/ LED-007103-GU	6000K/3000K/4000K	12	675/-
10W PAR 16 (GU10 Base)	LED-010101-GU/LED-010102-GU/ LED-010103-GU	6000K/3000K/4000K	12	1200/-
Fitting Swivel Version (Rotating For PAR/ MR)	LED-00001-DL		12	250/-

Optional:- spot lights PAR-16 lamps are also available in Dimmable operational
Note:- MR 16 lamps operate with external driver only.

SMD/ COB Mini Spot Lights

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
2W Round	LED-MSP-34001R/LED-MSP-34002R/ LED-MSP-34003R/LED-MSP-34013R/ LED-MSP-34014R/LED-MSP-34015R	6000K/3000K/4000K/ RED/GREEN/BLUE	50	235/-
2W Square	LED-MSP-34004S/LED-MSP-34005S/ LED-MSP-34006S	6000K/3000K/4000K	50	235/-
4W Round	LED-MSP-34007R/LED-MSP-34008R/ LED-MSP-34009R	6000K/3000K/4000K	50	600/-
4W Square	LED-MSP-34010S/LED-MSP-34011S/ LED-MSP-34012S	6000K/3000K/4000K	50	600/-

COB Surface Down Lights

New Arrival

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
2W Round	LED-021RSC/LED-022RSC/ LED-023RSC	6000K/3000K/4000K	20	500/-
2W Square	LED-021SSC/LED-022SSC/ LED-023SSC	6000K/3000K/4000K	20	500/-
4W Round	LED-041RSC/LED-042RSC/ LED-043RSC	6000K/3000K/4000K	20	800/-
4W Square	LED-041SSC/LED-042SSC/ LED-043SSC	6000K/3000K/4000K	20	800/-

Note:- Colour Temperature (CCT) Tolerance - +/- 300K TBA: To Be Announced

HSN CODE: 9405



COB Surface Down Light

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
10W	LED-101COB-RSC/LED-102COB-RSC/ LED-103COB-RSC	6000K/3000K/4000K	10	2500/-
15W	LED-151COB-RSC/LED-152COB-RSC/ LED-153COB-RSC	6000K/3000K/4000K	10	3500/-
20W	LED-201COB-RSC/LED-202COB-RSC/ LED-203COB-RSC	6000K/3000K/4000K	10	4200/-
25W	LED-251COB-RSC/LED-252COB-RSC/ LED-253COB-RSC	6000K/3000K/4000K	10	4800/-
30W	LED-301COB-RSC/LED-302COB-RSC/ LED-303COB-RSC	6000K/3000K/4000K	10	5200/-

COB Spot Down Lights

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
3W Round	LED-031RS/LED-032RS/ LED-033RS	6000K/3000K/4000K	10	700/-
3W Square	LED-031SS/LED-032SS/ LED-033SS	6000K/3000K/4000K	10	700/-
6W Round	LED-061RS/LED-062RS/ LED-063RS	6000K/3000K/4000K	10	1000/-
6W Square	LED-061SS/LED-062SS/ LED-063SS	6000K/3000K/4000K	10	1000/-
8W Round	LED-081RS/LED-082RS/ LED-083RS	6000K/3000K/4000K	10	1300/-
8W Square	LED-081SS/LED-082SS/ LED-083SS	6000K/3000K/4000K	10	1300/-
13W Round	LED-131RS/LED-132RS/ LED-133RS	6000K/3000K/4000K	10	2000/-
13W Square	LED-131SS/LED-132SS/ LED-133SS	6000K/3000K/4000K	10	2000/-
18W Round	LED-CSP-34201R/LED-CSP-34202R/ LED-CSP-34203R	6000K/3000K/4000K	10	3200/-
18W Square	LED-CSP-34204S/LED-CSP-34205S/ LED-CSP-34206S	6000K/3000K/4000K	10	3200/-

COB High Wattage Down Lights

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
24W Round	LED-CSP-34207R/LED-CSP-34208R/ LED-CSP-34209R	6000K/3000K/4000K	10	4000/-
24W Square	LED-CSP-34210S/LED-CSP-34211S/ LED-CSP-34212S	6000K/3000K/4000K	10	4000/-
30W Round	LED-CSP-34213R/LED-CSP-34214R/ LED-CSP-34215R	6000K/3000K/4000K	10	4800/-
30W Square	LED-CSP-34216S/LED-CSP-34217S/ LED-CSP-34218S	6000K/3000K/4000K	10	4800/-
40W Round	LED-CSP-34219R/LED-CSP-34220R/ LED-CSP-34221R	6000K/3000K/4000K	10	6500/-
40W Square	LED-CSP-34222S/LED-CSP-34223S/ LED-CSP-34224S	6000K/3000K/4000K	10	6500/-

Track Lights

New Arrival

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
10W	LED-101-TRKL/LED-102-TRKL/ LED-103-TRKL	6000K/3000K/4000K	05	2800/-
15W	LED-151-TRKL/LED-152-TRKL/ LED-153-TRKL	6000K/3000K/4000K	05	3200/-
20W	LED-201-TRKL/LED-202-TRKL/ LED-203-TRKL	6000K/3000K/4000K	05	3400/-

Note:- Colour Temperature (CCT) Tolerance - +/- 300K T

HSN CODE: 9405



Track Lights

New Arrival

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
25W	LED-251-TRKL/LED-252-TRKL LED-253-TRKL	6000K/3000K/4000K	05	3800/-
30W	LED-301-TRKL/LED-302-TRKL LED-303-TRKL	6000K/3000K/4000K	05	4200/-
40W	LED-401-TRKL/LED-402-TRKL LED-403-TRKL	6000K/3000K/4000K	05	4900/-

Track Lights Patti

New Arrival

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
1.0 Mtr 2 Wires	LED-TRKPT2-1M	-	50	800/-
1.5 Mtr 2 Wires	LED-TRKPT2-1M5	-	50	1200/-
2.0 Mtr 2 Wires	LED-TRKPT2-2M	-	50	1850/-

Zoom Lights (Wall Washers)

New Arrival

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
10W	LED-101RSZL/102RSZL/ 103RSZL	6000K/3000K/4000K	05	2800/-
15W	LED-151RSZL/LED-152RSZL/ LED-153RSZL	6000K/3000K/4000K	05	3200/-
20W	LED-201RSZL/LED-202RSZL/ LED-203RSZL	6000K/3000K/4000K	05	3400/-
25W	LED-251RSZL/LED-252RSZL/ LED-253RSZL	6000K/3000K/4000K	05	3800/-
30W	LED-301RSZL/LED-302RSZL/ LED-303RSZL	6000K/3000K/4000K	05	3950/-
40W	LED-401RSZL/LED-402RSZL/ LED-403RSZL	6000K/3000K/4000K	05	5290/-
50W	LED-501RSZL/LED-502RSZL/ LED-503RSZL	6000K/3000K/4000K	05	6500/-

COB Design Lights (Shiny Black)

New Arrival

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
6W	LED-061CD-SBB/LED-062CD-SBB/ LED-063CD-SBB	6000K/3000K/4000K	10	1200/-
10W	LED-101CD-SBB/LED-102CD-SBB/ LED-103CD-SBB	6000K/3000K/4000K	10	1450/-
15W	LED-151CD-SBB/LED-152CD-SBB/ LED-153CD-SBB	6000K/3000K/4000K	10	1800/-
20W	LED-201CD-SBB/LED-202CD-SBB/ LED-203CD-SBB	6000K/3000K/4000K	10	2400/-
25W	LED-251CD-SBB/LED-252CD-SBB/ LED-253CD-SBB	6000K/3000K/4000K	10	2900/-
30W	LED-301CD-SBB/LED-302CD-SBB/ LED-303CD-SBB	6000K/3000K/4000K	10	3300/-

COB Design Lights (Rose Gold)

New Arrival

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
6W	LED-061CD-RG/LED-062CD-RG/ LED-063CD-RG	6000K/3000K/4000K	10	1200/-
10W	LED-101CD-RG/LED-102CD-RG/ LED-103CD-RG	6000K/3000K/4000K	10	1450/-
15W	LED-151CD-RG/LED-152CD-RG/ LED-153CD-RG	6000K/3000K/4000K	10	1800/-
20W	LED-201CD-RG/LED-202CD-RG/ LED-203CD-RG	6000K/3000K/4000K	10	2400/-
25W	LED-251CD-RG/LED-252CD-RG/ LED-253CD-RG	6000K/3000K/4000K	10	2900/-
30W	LED-301CD-RG/LED-302CD-RG/ LED-303CD-RG	6000K/3000K/4000K	10	3300/-

Note:- Colour Temperature (CCT) Tolerance - +/-300K TBA: To Be Announced

HSN CODE: 9405



COB Design Lights (Satin Nickel)

New Arrival

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
6W	LED-061CD-SNB/LED-062CD-SNB/ LED-063CD-SNB	6000K/3000K/4000K	10	1200/-
10W	LED-101CD-SNB/LED-102CD-SNB/ LED-103CD-SNB	6000K/3000K/4000K	10	1450/-
15W	LED-151CD-SNB/LED-152CD-SNB/ LED-153CD-SNB	6000K/3000K/4000K	10	1800/-
20W	LED-201CD-SNB/LED-202CD-SNB/ LED-203CD-SNB	6000K/3000K/4000K	10	2400/-
25W	LED-251CD-SNB/LED-252CD-SNB/ LED-253CD-SNB	6000K/3000K/4000K	10	2900/-
30W	LED-301CD-SNB/LED-302CD-SNB/ LED-303CD-SNB	6000K/3000K/4000K	10	3300/-

COB Design Lights (Gold)

New Arrival

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
6W	LED-061CD-GB/LED-062CD-GB/ LED-063CD-GB	6000K/3000K/4000K	10	1200/-
10W	LED-101CD-GB/LED-102CD-GB/ LED-103CD-GB	6000K/3000K/4000K	10	1450/-
15W	LED-151CD-GB/LED-152CD-GB/ LED-153CD-GB	6000K/3000K/4000K	10	1800/-
20W	LED-201CD-GB/LED-202CD-GB/ LED-203CD-GB	6000K/3000K/4000K	10	2400/-
25W	LED-251CD-GB/LED-252CD-GB/ LED-253CD-GB	6000K/3000K/4000K	10	2900/-
30W	LED-301CD-GB/LED-302CD-GB/ LED-303CD-GB	6000K/3000K/4000K	10	3300/-

COB Deep down Lights

New Arrival

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
5W	LED-051CDD-TRM/LED-052CDD-TRM/ LED-053CDD-TRM	6000K/3000K/4000K	10	380/-
10W	LED-101CDD-TRM/LED-102CDD-TRM/ LED-103CDD-TRM	6000K/3000K/4000K	10	990/-
15W	LED-151CDD-TRM/LED-152CDD-TRM/ LED-153CDD-TRM	6000K/3000K/4000K	10	1320/-
20W	LED-201CDD-TRM/LED-202CDD-TRM/ LED-203CDD-TRM	6000K/3000K/4000K	10	1900/-
25W	LED-251CDD-TRM/LED-252CDD-TRM/ LED-253CDD-TRM	6000K/3000K/4000K	10	2200/-

COMMERCIAL (Lighting)

GRID Slim Panels (Edge Lit)

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
1 X 1 22W Square	LED-221GSSP/LED-222GSSP/ LED-223GSSP	6000K/3000K/4000K	05	2600/-
1 X 2 32W Rectangle	LED-321GSRP/LED-322GSRP/ LED-323GSRP	6000K/3000K/4000K	05	3900/-
2 X 2 36W Square	LED-361GSSP/LED-362GSSP/ LED-363GSSP	6000K/3000K/4000K	05	3200/-
2x2 40W Square	LED-401GSSP/LED-402GSSP/ LED-403GSSP	6000K/3000K/4000K	05	3600/-
2 X 2 45W Square	LED-451GSSP/LED-452GSSP/ LED-453GSSP	6000K/3000K/4000K	05	4000/-

Note:- Suitable for Armstrong ceiling (Recessed)

HSN CODE: 9405

Note:- Colour Temperature (CCT) Tolerance - +/- 300K TBA: To Be Announced



Grid Slim Panel 1x4 (Edge Lit)

New Arrival

DESCRIPTION	PRODUCT CODE (Recessed)	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
1X4 36W	LED-361-1X4GSSP LED-362-1X4GSSP LED-363-1X4GSSP	6000K/3000K/4000K	04	3400/-

Note:- Suitable for Armstrong ceiling (Recessed)

Cubic CRCA Panel (Back Lit)

(Recessed/Surface/Suspended)

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
2X2 36W	LED-CUCR-37119/LED-CUCR-37120/ LED-CUCR-37121	6000K/3000K/4000K	02	3000/-
2X2 40W	LED-CUCR-37122/LED-CUCR-37123/ LED-CUCR-37124	6000K/3000K/4000K	02	3400/-
2X2 45W	LED-CUCR-37125/LED-CUCR-37126/ LED-CUCR-37127	6000K/3000K/4000K	02	3800/-

Note:- Suitable for Armstrong Ceiling / Gypsum ceiling with Clamps

Recess Mounting Techzone

New Arrival

DESCRIPTION	PRODUCT CODE (Recessed)	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
36W - 4'	LED-361-TXZN / LED-362-TXZN LED-363-TXZN	6000K/3000K/4000K	02	4200/-

Note:- Suitable for Techzone Ceiling.

Linear Soft Recessed

New Arrival

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
40W - 4'	LED-401-LRS / LED-402-LRS/ LED-403-LRS	6000K/3000K/4000K	02	5800/-

Note:- Suitable for Gypsum Ceiling.

Linear Soft Suspended

New Arrival

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
40W - 4'	LED-LLS-35301/ LED-LLS-35302/ LED-LLS-35303	6000K/3000K/4000K	02	4800/-

Linear Trilight Soft-Suspended

New Arrival

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
40W - 4'	LED-401-LLTS / LED-402-LLTS/ LED-403-LLTS	6000K/3000K/4000K	02	5400/-



Circular Suspended

New Arrival

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
25W	LED-251C-300-50/LED-252C-300-50/ LED-253C-300-50	6000K/3000K/4000K	02	5500/-
32W	LED-321C-450-50/LED-322C-450-50/ LED-323C-450-50	6000K/3000K/4000K	02	7500/-
40W	LED-401C-600-50/LED-402C-600-50/ LED-403C-600-50	6000K/3000K/4000K	02	11800/-
60W	LED-601C-900-100/LED-602C-900-100/ LED-603C-900-100	6000K/3000K/4000K	02	15500/-
90W	LED-901C1M2-100/LED-902C1M2-100/ LED-903C1M2-100	6000K/3000K/4000K	02	20500/-
120W	LED-1201C1M2-100/LED-1202C1M2- 100/LED-1203C1M2-100	6000K/3000K/4000K	02	28500/-

Accessories

3 IN 1 SUSPENDED CABLE 1.5 MTR	SUS-ACC-1M5-3-1	-		750/-
3 SINGLE CABLE SUSPENDED 1 MTR	SUS-ACC-1M-1-S3	-		1180/-
SUSPENDED ROD 2 MTR	SUS-ACC-1M-1-S4	-		660/-

OUTDOOR LIGHTING

Street Light (Premium)

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL)	CASE LOT	MRP ₹
18W	LED-STL-38001/LED-STL-38002	6000K/3000K	05	2400/-
24W	LED-STL-38003/LED-STL-38004	6000K/3000K	05	3200/-
36W	LED-STL-38005/LED-STL-38006	6000K/3000K	05	5200/-
40W	LED-STL-38011/LED-STL-38012	6000K/3000K	05	5600/-
48W	LED-STL-38007/LED-STL-38008	6000K/3000K	05	5800/-
60W	LED-STL-38013/LED-STL-38014	6000K/3000K	05	7800/-
72W	LED-STL-38009/LED-STL-38010	6000K/3000K	05	9800/-
80W	LED-STL-38025/LED-STL-38026	6000K/3000K	02	10200/-
90W	LED-STL-38015/LED-STL-38016	6000K/3000K	02	10600/-
100W	LED-STL-38017/LED-STL-38018	6000K/3000K	02	14600/-
120W	LED-STL-38019/LED-STL-38020	6000K/3000K	02	15600/-
150W	LED-STL-38021/LED-STL-38022	6000K/3000K	02	18500/-
180W	LED-STL-38027/LED-STL-38028	6000K/3000K	02	22000/-
200W	LED-STL-38023/LED-STL-38024	6000K/3000K	02	19600/-
250W	LED-STL-38029/LED-STL-38030	6000K/3000K	02	23000/-

Note:- Colour Temperature (CCT) Tolerance - +/- 300K TBA: To Be Announced

HSN CODE: 9405



Street Lights			New Arrival	
DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL)	CASE LOT	MRP ₹
15W	LED-STLERKT-151/LED-STLERKT-152	6000K/3000K	10	1800/-
20W	LED-STLERKT-201/LED-STLERKT-202	6000K/3000K	10	1900/-
25W	LED-STLERKT-251/LED-STLERKT-252	6000K/3000K	10	2200/-
30W	LED-STLERKT-301/LED-STLERKT-302	6000K/3000K	10	2500/-
36W	LED-STLERKT-361/LED-STLERKT-362	6000K/3000K	10	2800/-
45W	LED-STLERKT-451/LED-STLERKT-452	6000K/3000K	10	4800/-
60W	LED-STLERKT-601/LED-STLERKT-602	6000K/3000K	06	5200/-

Flood Lights			New Arrival	
DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL)	CASE LOT	MRP ₹
10W	LED-101FLD-ECO/LED-102FLD-ECO	6000K/3000K	10	1100/-
20W	LED-201FLD-ECO/LED-202FLD-ECO	6000K/3000K	10	1500/-
30W	LED-301FLD-ECO/LED-302FLD-ECO	6000K/3000K	10	2100/-
50W	LED-501FLD-ECO/LED-502FLD-ECO	6000K/3000K	06	2800/-
70W	LED-701FLD-ECO/LED-702FLD-ECO	6000K/3000K	06	3800/-
100W	LED-1001FLD-ECO/LED-1002FLD-ECO	6000K/3000K	06	4900/-

Flood Lights (Premium)				
DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
10W	LED-FLD-39001/LED-FLD-39002/ LED-FLD-39003	6000K/3000K/4000K	05	1200/-
20W	LED-FLD-39004/LED-FLD-39005/ LED-FLD-39006	6000K/3000K/4000K	05	1600/-
30W	LED-FLD-39007/LED-FLD-39008/ LED-FLD-39009	6000K/3000K/4000K	05	2800/-
50W	LED-FLD-39010/LED-FLD-39011/ LED-FLD-39012	6000K/3000K/4000K	05	3400/-
70W	LED-FLD-39013/LED-FLD-39014/ LED-FLD-39015	6000K/3000K/4000K	05	6000/-
100W	LED-FLD-39016/LED-FLD-39017/ LED-FLD-39018	6000K/3000K/4000K	02	11000/-
120W	LED-FLD-39019/LED-FLD-39020/ LED-FLD-39021	6000K/3000K/4000K	02	12000/-
150W	LED-FLD-39022/LED-FLD-39023/ LED-FLD-39024	6000K/3000K/4000K	02	13000/-
200W	LED-FLD-39025/LED-FLD-39026/ LED-FLD-39027	6000K/3000K/4000K	02	16000/-
250W	LED-FLD-39028/LED-FLD-39029/ LED-FLD-39030	6000K/3000K/4000K	02	18500/-

Bulk Head -PC				
DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
5W	LED-051BLKD-OVL/LED-052BLKD-OVL/ LED-053BLKD-OVL	6500K/3000K/4000K	10	1000/-
10W	LED-101BLKD-OVL/LED-102BLKD-OVL/ LED-103BLKD-OVL	6500K/3000K/4000K	10	1300/-



PC-PC Batten

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
20W - 4'	LED-201PC-BATTN/LED-202PC-BATTN/ LED-203PC-BATTN	6500K/3000K/4000K	04	3000/-
40W - 4'	LED-401PC-BATTN/LED-402PC-BATTN/ LED-403PC-BATTN	6500K/3000K/4000K	04	3400/-

Note:- Suitable for Suspended & Surface

INDUSTRIAL LIGHTING

Industrial Batten

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
40W - 4'	LED-401-IND-BTN/LED-402-IND-BTN LED-403-IND-BTN	6500K/3000K/4000K	04	3400/-

Note:- Suitable for Suspended & Surface.

High Bay Lights with Reflector

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
60W	LED-601-HBY/LED-602-HBY/ LED-603-HBY	6000K/3000K/4000K	02	10000/-
80W	LED-801-HBY/LED-802-HBY/ LED-803-HBY	6000K/3000K/4000K	02	11000/-
100W	LED-1001-HBY/LED-1002-HBY/ LED-1003-HBY	6000K/3000K/4000K	02	12000/-
120W	LED-1201-HBY/LED-1202-HBY/ LED-1203-HBY	6000K/3000K/4000K	02	15000/-
150W	LED-1501-HBY/LED-1502-HBY/ LED-1503-HBY	6000K/3000K/4000K	02	17000/-
180W	LED-1801-HBY/LED-1802-HBY/ LED-1803-HBY	6000K/3000K/4000K	02	19000/-
200W	LED-2001-HBY/LED-2002-HBY/ LED-2003-HBY	6000K/3000K/4000K	02	21000/-

UP / Down Lights

New Arrival

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
5W	LED-051-UPDNL/LED-052-UPDNL/ LED-053-UPDNL	6000K/3000K/4000K	05	2600/-
7W	LED-071-UPDNL/LED-072-UPDNL/ LED-073-UPDNL	6000K/3000K/4000K	05	4000/-
10W	LED-101-UPDNL/LED-102-UPDNL/ LED-103-UPDNL	6000K/3000K/4000K	05	4400/-
14W	LED-141-UPDNL/LED-142-UPDNL/ LED-143-UPDNL	6000K/3000K/4000K	05	5400/-

Non-Flame Proof Well Glass Lights

New Arrival

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
20W	LED-201-NFPWGLS/LED-202- NFPWGLS/LED-203-NFPWGLS	6000K/3000K/4000K	05	4000/-
30W	LED-301-NFPWGLS/LED-302- NFPWGLS/LED-303-NFPWGLS	6000K/3000K/4000K	05	5000/-
36W	LED-361-NFPWGLS/LED-362- NFPWGLS/LED-363-NFPWGLS	6000K/3000K/4000K	05	5500/-
45W	LED-451-NFPWGLS/LED-452- NFPWGLS/LED-453-NFPWGLS	6000K/3000K/4000K	05	6000/-

Note:- Colour Temperature (CCT) Tolerance - +/- 300K TBA: To Be Announced

HSN CODE: 9405



SENSOR BASED LIGHTS

Tube Light-T8

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
20W-T8 (4') (Sensor Tube)	LED-2015NSR-TL/LED-2025NSR-TL/ LED-2035NSR-TL	6500K/3000K/4000K	10	1600/-

GAS STATION/PETROL PUMP LIGHTS

Canopy Lights

New Arrival

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
80W	LED-801-CNY/LED-802-CNY/ LED-803-CNY	6000K/3000K/4000K	02	13500/-
100W	LED-1001-CNY/LED-1002-CNY/ LED-1003-CNY	6000K/3000K/4000K	02	15000/-

LANDSCAPE LIGHTING

Bollard Lights

New Arrival

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
8W	LED-081-BLRD/LED-082-BLRD/ LED-083-BLRD	6000K/3000K/4000K	05	4800/-
11W	LED-111-BLRD/LED-112-BLRD/ LED-113-BLRD	6000K/3000K/4000K	05	5500/-

Step Lights (In-direct)

New Arrival

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
5W	LED-STEPLT-051/LED-STEPLT-052/ LED-STEPLT-053	6000K/3000K/4000K	10	1800/-
8W	LED-STEPLT-081/LED-STEPLT-082/ LED-STEPLT-083	6000K/3000K/4000K	10	2800/-

Strip Lights

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
24W 2835 IP20 5Mtr	LED-241STP-20/LED-242STP-20/ LED-243STP-20	6000K/3000K/4000K	10	700/-
24W 2835 IP65 5Mtr	LED-241STP-65/LED-242STP-65/ LED-243STP-65	6000K/3000K/4000K	10	900/-
24W 3528 IP20 5Mtr	LED-245STP-RGB20	RGB	10	1200/-
24W 3528 IP65 5Mtr	LED-245STP-RGB65	RGB	10	1450/-
5050 IP20 5Mtr	LED-721STP-20/LED-722STP-20/ LED-723STP-20	6000K/3000K/4000K	10	1100/-
5050 IP65 5Mtr	LED-721STP-65/LED-722STP-65/ LED-723STP-65	6000K/3000K/4000K	10	1400/-
5050 IP20 5Mtr	LED-721STP-RGB20	RGB	10	1800/-
5050 IP65 5Mtr	LED-721STP-RGB65	RGB	10	2100/-

Strip Light Drivers CV (Constant Voltage)

DESCRIPTION	PRODUCT CODE	COLOUR TEMP. (CDL/WDL/DL)	CASE LOT	MRP ₹
12V/2A -24W	DRV-STP-12V2A	-	20	700/-
12V/3A -36W	DRV-STP-12V3A	-	20	765/-
12V/4A -48W	DRV-STP-12V4A	-	20	850/-
12V/5A -60W	DRV-STP-12V5A	-	20	950/-
12V/6A -72W	DRV-STP-12V6A	-	20	1100/-
12V/8A -96W	DRV-STP-12V8A	-	20	1500/-
12V/10A -120W	DRV-STP-12V10A	-	20	1650/-

Note:- Colour Temperature (CCT) Tolerance: +/- 300K TBA: To Be Announced

HSN CODE: 9405





THE
SUPER POWER
TO **PROTECT**



MCB | RCCB | DB

MCB



HSN CODE: 8536

B SERIES

Rating	SP Cat. No.	MRP ₹
6A-32A	601006MB - 32MB	175/-
40A	601040MB	390/-

C SERIES

Rating	SP Cat. No.	MRP ₹	SPN Cat. No.	MRP ₹	DP Cat. No.	MRP ₹
6A-32A	601006MC - 32MC	185/-	601106MC - 32MC	590/-	601206MC - 32MC	615/-
40A	601040MC	405/-	601140MC	810/-	601240MC	870/-
63A	601063MC	470/-	601163MC	920/-	601263MC	1030/-
Rating	TP Cat. No.	MRP ₹	TPN Cat. No.	MRP ₹	FP Cat. No.	MRP ₹
6A-32A	601306MC - 32MC	935/-	601406MC - 32MC	1225/-	601506MC - 32MC	1380/-
40A	601340MC	1340/-	601440MC	1675/-	601540MC	1815/-
63A	601363MC	1510/-	601463MC	1895/-	601563MC	2020/-

Isolator

HSN CODE: 8536

Rating	SP Cat. No.	MRP ₹	DP Cat. No.	MRP ₹
32A	NA	-	602232IS	370/-
40A	602140IS	250/-	602240IS	370/-
63A	602163IS	305/-	602263IS	480/-
Rating	TP Cat. No.	MRP ₹	FP Cat. No.	MRP ₹
32A	NA	-	602432IS	845/-
40A	602340IS	735/-	602440IS	845/-
63A	602363IS	810/-	602463IS	855/-

RCCB



HSN CODE: 8536

Rating (DP)	30mA Cat. No.	MRP ₹	100mA Cat. No.	MRP ₹	300mA Cat. No.	MRP ₹
16A	603216030R	2350/-	603216100R	2290/-	603216300R	2290/-
25A	603225030R	2350/-	603225100R	2290/-	603225300R	2290/-
32A	603232030R	2350/-	603232100R	2290/-	603232300R	2290/-
40A	603240030R	2445/-	603240100R	2405/-	603240300R	2405/-
63A	603263030R	3275/-	603263100R	3180/-	603263300R	3180/-
Rating (FP)	30mA Cat. No.	MRP ₹	100mA Cat. No.	MRP ₹	300mA Cat. No.	MRP ₹
25A	603425030R	3025/-	603425100R	2910/-	603425300R	2910/-
32A	603432030R	3025/-	603432100R	2910/-	603432300R	2910/-
40A	603440030R	3060/-	603440100R	2955/-	603440300R	2955/-
63A	603463030R	3415/-	603463100R	3330/-	603463300R	3330/-

* Note :- Standard PKD of MCBs, Isolator & RCCBs - SP-12, SPN/DP-6, TP-4, TPN/FP-3

MCB Distribution Board - Premium

HSN CODE: 8537

MCB Enclosures

No. of Way	Sheet Steel	MRP ₹	Pkd
2 Way	6042ME	280/-	10
4 Way	6044ME	325/-	5
6 Way	6046ME	350/-	5

Plug & Socket Enclosures

Rating	Code	MRP ₹	Pkd
20A SP	604220PS	840/-	10
20A TP	604320PS	1670/-	5
30A TP	604330PS	2410/-	5

SPN & TPN Double Door Horizontal DB

SP & N

HSN CODE: 8537

No. of Way	SPN DD DB (IP-42)	MRP ₹	Pkd
4	604104DD	1095/-	10
6	604106DD	1335/-	10
8	604108DD	1470/-	5
12	604112DD	1805/-	5
16	604116DD	2405/-	5

No. of Way	TPN DD DB (IP-42)	MRP ₹	Pkd
4 (8 + 12)	604204DD8	3415/-	10
6 (8 + 18)	604206DD8	3795/-	10
8 (8 + 24)	604208DD	4385/-	5
12 (8 + 36)	604212DD	6330/-	5

SP & N

No. of Way	SPN SD DB (IP-30)	MRP ₹	SPN DD DB (IP-42)	MRP ₹	Pkd
4	604104SDE	575/-	604104DDE	1015/-	10
6	604106SDE	660/-	604106DDE	1175/-	10
8	604108SDE	755/-	604108DDE	1290/-	5
12	604112SDE	995/-	604112DDE	1675/-	5
16	604116SDE	1265/-	604116DDE	2125/-	5

TP & N

No. of Way Incomer & outgoing	TPN SD DB (IP-30)	MRP ₹	TPN DD DB (IP-42)	MRP ₹	Pkd
4 (4 + 12)	604204SDE	1890/-	604204DDE	2670/-	10
6 (4 + 18)	604206SDE	2235/-	604206DDE	3305/-	10
8 (4 + 24)	604208SDE	2670/-	604208DDE	4090/-	5
12 (4 + 36)	604212SDE	3475/-	604212DDE	5545/-	5

TP & N Vertical

No. of Way Incomer & outgoing	TPN SD Vertical DB (IP-30)	MRP ₹	TPN DD Vertical DB (IP-42)	MRP ₹
4 (8 + 12)	604204VDD	5295/-	604204VDD	7750/-
6 (8 + 18)	604206VDD	6555/-	604206VDD	8365/-
8 (8 + 24)	604208VDD	7450/-	604208VDD	9690/-
12 (8 + 36)	604212VDD	9575/-	604212VDD	12265/-

TP & N Per Phase Isolation (PPI)

No. of Way Incomer & outgoing	TPN Horizontal DD DB (IP-42)	MRP ₹	No. of Way Incomer & outgoing	TPN Vertical DD DB (IP-42)	MRP ₹
4 (8 + 6 + 12)	604204PPHDD	4870/-	6 (8 + 6 + 18)	604206PPVDD	7560/-
6 (8 + 6 + 18)	604206PPHDD	6105/-	8 (8 + 6 + 24)	604208PPVDD	8850/-
10 (8 + 6 + 30)	604210PPHDD	7335/-	12 (8 + 6 + 36)	604212PPVDD	10975/-

8-Segment Double Door (IP-42) DB

No. of Way	Code	MRP ₹
4 (I/C 8P)	6042048SDD	7445/-
6 (I/C 8P)	6042068SDD	8735/-
8 (I/C 8P)	6042088SDD	11145/-
12 (I/C 8P)	6042128SDD	12310/-

Phase Selector Vertical Double Door (IP-42) DB

No. of Way	40A Phase Selector	MRP ₹	63A Phase Selector	MRP ₹
4 (I/C 8P)	60420440PS	9465/-	60420463PS	11035/-
6 (I/C 8P)	60420640PS	9910/-	60420663PS	11595/-
8 (I/C 8P)	60420840PS	11140/-	60420863PS	12490/-
12 (I/C 8P)	60421240PS	12305/-	60421263PS	13945/-

SecureX



3 Triple Layer

THE **POWER**
OF **3**

WIRES & CABLES

SecureX[®]

Triple layered with 105°C base Insulation



ARE YOUR SURROUNDINGS TRULY PROTECTED?

How safe do you feel in your living spaces that are surrounded by live wires - some visible while most of them hidden in concealed wiring?

Though the modern age grants us many ways of fire suppression and hazard control, prevention will always remain the remedy against threats to life and property.

With three times the protection that ordinary Cables offer, SecureX comes with Triple layered Insulation, a core made of the purest grade of copper, a base insulation of 105°C rating and excessive overload withstanding capacity.



TRIPLE LAYER INSULATION FOR TRIPLE PROTECTION

SecureX Cables come with a unique triple layer insulation to ensure three times the protection - a one of its kind feature unique to SecureX wires



105°C BASE INSULATION

The base layer consist of 105°C temperature rating as against the 70°C of any ordinary cable. The middle and top layers are exceptionally flame retardant (FR). SecureX thus ensures Triple protection of your life and property.



PURE COPPER - PUREST TO THE CORE

At the core of SecureX Cables is the highest purity Electrolytic Grade Copper as against lower grade copper used in ordinary cables that offer poor conductivity. With greater than 100% conductivity as per IACS (International Annealed Copper Standard), the energy losses are minimal resulting in lower power bills



PURE PVC INSULATION

Pure, superior grade PVC resin and compounding ingredients are used to produce the in-house specially formulated and tailor-made PVC compound for each type of cable that has higher insulation resistance, thermal stability and exceptional fire retarding properties. The purity inside ensures safety, reliability and long cable life.



SecureX
FR-PVC with 105°C Base Insulation



SecureX Plus
FR-LSI with 105°C Base Insulation




SecureX Ultra
2HFR with 105°C Base Insulation

SecureX[®]

Triple layered with 105°C base Insulation

INTRODUCING THE SecureX[®] FAMILY

With over 50 years of experience in electrical solutions, we understand the importance of cables in electrical installation, as it connects various devices and appliances. The most important criterion for a cable is its suitability for a particular application and level of Safety and Protection. This is why we have 3 distinct categories of cable, ranging from normal/regular to the special use as opposed to 'one solution for all' approach, and guarantee effective Safety.



SecureX

FR-PVC with 105°C base Insulation

SUPERIOR MULTI LAYERED PROTECTION

SecureX Cables are manufactured on the state-of-the-art insulating lines employing the most advance technology for its perfectly bonded triple layer insulation.

The first Heat Resistant Flame Retardant (HRFR) layer primarily tackles heat generation caused by current flow. It also possesses flame retarding properties. The middle and top FR (Flame Retardant) layers fight and retard the fire propagation in the event of an accidental fire.

The HRFR PVC layer withstands temperature rise up to 105°C which may be caused due to excessive power draw, voltage fluctuation or spike. In addition, it acts as barrier to excessive heat transfer to the FR middle and top layer.



Single Core Non-Sheathed 1100V PVC insulation copper conductor cable as per IS 694

HSN CODE: 85441110

Product Code	Nominal Area of Copper Conductor mm ²	Nos. / Nom Diameter of Wire Nos. / mm	Nominal Thickness of Insulation mm	Approx Overall Diameter mm	Max DC Resistance at 20°C Ohm / km	Current Rating 2 Cable Single Phase AC/DC Amp	MRP Rs (90m)	Std Pkg 90m/180m
FR-0050	0.50	16/0.2	0.6	2.2	39.00	4	Please refer to the Price List	NA/20
FR-0075	0.75	24/0.2	0.6	2.4	26.00	7		16/12
FR-0100	1	14/0.3	0.7	2.7	18.10	12		16/12
FR-0150	1.5	22/0.3	0.7	3.0	12.10	16		12/8
FR-0250	2.5	38/0.3	0.8	3.6	7.41	22		8/6
FR-0400	4	56/0.3	0.8	4.1	4.95	29		6/4
FR-0600	6	84/0.3	0.8	4.7	3.30	37		4/3
FR-1000	10	140/0.3	1.0	6.2	1.91	51		2/NA
FR-1600	16	126/0.4	1.0	7.3	1.21	69		2/NA
FR-2500	25	196/0.4	1.2	9.2	0.78	91		1
FR-3500	35	278/0.4	1.2	10.2	0.554	111		1
FR-5000	50	396/0.4	1.4	12.3	0.386	140		1
FR-7000	70	360/0.5	1.4	14.1	0.272	215		1

Colours : Red, Yellow, Blue, Black, Green

Supplied in 90m Box Packing
0.75sq mm To 6sq mm also available in 180m project packing
25sq mm To 70sq mm supplied in 100m

SecureX Plus

FR-LSH with 105°C base Insulation

FLAME RETARDANT - LOW SMOKE & HALOGEN WITH 105°C BASE INSULATION. (FR-LSH)

With all the properties of FR, the insulation of SecureX Plus Cables is further fortified with low smoke and low halogen emission characteristics. These Cables emit 50% less smoke as compared to other cables and with even lesser amounts of corrosive halogen acid and toxic gases. These are good to use in modern homes using multiple electrical appliances with high power draw, high rise residential buildings, commercial complex, public place, schools, hospitals, etc.



Single Core Non-Sheathed 1100V PVC Insulation copper conductor cable as per IS 694							HSN CODE: 85411110	
Product Code	Nominal Area of Copper Conductor mm ²	Number / Nominal Diameter of Wire Nos. / mm	Nominal Thickness of Insulation mm	Approx Overall Diameter mm	Max DC Resistance at 20°C Ohm / km	Current Rating 2 Cable Single Phase AC/DC Amp	MRP Rs 180m	Std Pkg 180m
FL-0100	1	14/0.3	0.7	2.7	18.10	12	Please refer to the Price List	12
FL-0150	1.5	22/0.3	0.7	3.0	12.10	16		8
FL-0250	2.5	36/0.3	0.8	3.6	7.41	22		6
FL-0400	4	56/0.3	0.8	4.1	4.95	29		4
FL-0600	6	84/0.3	0.8	4.7	3.30	37		3
FL-1000	10	140/0.3	1.0	6.2	1.91	51		2/90m
FL-1600	16	126/0.4	1.0	7.3	1.21	69		2/90m

SecureX Ultra

ZHFR with 105°C base Insulation

ZERO HALOGEN FLAME RETARDANT (ZHFR).

Made with best grade imported ZHFR insulation, SecureX Ultra Cables guarantee absolute zero emission of smoke and harmful toxic gases like halogen in an event of fire. Thus, SecureX Ultra Cables are best suited for superior safety of residential and commercial complexes, theatres, metro railways, chemical and nuclear plants, high security and defence installations, etc.



ZHFR with 105°C base Insulation							HSN CODE: 85411110	
Product Code	Nominal Area of Copper Conductor mm ²	Number / Nominal Diameter of Wire Nos. / mm	Nominal Thickness of Insulation mm	Approx Overall Diameter mm	Max DC Resistance at 20°C Ohm / km	Current Rating 2 Cable Single Phase AC/DC Amp	MRP Rs 180m	Std Pkg 180m
ZH-0100	1	14/0.3	0.7	2.7	18.10	12	Please refer to the Price List	12
ZH-0150	1.5	22/0.3	0.7	3.0	12.10	16		8
ZH-0250	2.5	36/0.3	0.8	3.6	7.41	22		6
ZH-0400	4	56/0.3	0.8	4.1	4.95	29		4
ZH-0600	6	84/0.3	0.8	4.7	3.30	37		3
ZH-1000	10	140/0.3	1.0	6.2	1.91	51		2/90m
ZH-1600	16	126/0.4	1.0	7.3	1.21	69		2/90m

Flexible Cables

With a highly flexible class 5 conductor and specially designed Flame Retardant (FR) flexible PVC insulation compound that imparts exceptional flexibility, these cables can be used in confined and constricted spaces. Our flexible cables assure maximum stretch endurance and zig zag / sharp hairpin bends without any stress to the insulation.



Sharp Hair Pin Bend



Zig Zag Bends



Maximum Stretch Endurance



No Invisible Hairline Crack

Flexible Cables

Single Core Non-sheathed 1100V PVC insulation flexible cable as per IS 694

HSN CODE: 85441110

Product Code	Nom Area of Cond sq mm	Nos./Nom Dia of wire Nos. / mm	Nom Ins Thickness mm	Approx O/all Dia mm	Max DC Resist at 20°C Ohm / km	Current Rating 2 Cables, 1-Phase AC / DC Amp	MRP Rs (100m)
FRFX - 0050	0.5	16/0.20	0.6	2.20	39	4	Please refer to the Price List
FRFX - 0075	0.75	24/0.20	0.6	2.40	26	7	
FRFX - 0100	1	32/0.20	0.6	2.60	19.5	11	
FRFX - 0150	1.5	30/0.25	0.6	2.90	13.3	14	
FRFX - 0250	2.5	50/0.25	0.7	3.50	7.98	19	
FRFX - 0400	4	56/0.30	0.8	4.10	4.95	26	
FRFX - 0600	6	84/0.30	0.8	4.07	3.3	31	
FRFX - 1000	10	140/0.30	1.0	6.02	1.91	42	
FRFX - 1600	16	126/0.40	1.0	7.30	1.21	57	
FRFX - 2500	25	196/0.40	1.2	9.20	0.78	71	
FRFX - 3500	35	276/0.40	1.2	10.20	0.554	111	

Round Multi-Core Cables

GreatWhite Multi-Core Cables are available for a wide range of applications. These cables are manufactured with special FR grade highly flexible PVC insulation and matching flexible sheathing compound that imparts superior flexibility, ability to withstand stretch and compressive force for electrical appliances. These are suitable for multifarious industrial uses.

Round Multi-Core

1100V PVC Insulated & Sheathed Industrial Cable As Per IS 694

HSN CODE: 85441110

Nom Area of Cond sq mm	Nos./Nom Dia of wire Nos. / mm	Radial Thickness of Ins mm	Max DC Resist at 20°C Ohm / km	2 Core		3 Core		4 Core	
				Product Code	MRP Rs	Product Code	MRP Rs	Product Code	MRP Rs (100m)
0.5	16/0.20	0.6	39	RDFR 2CX0.50-100	Please refer to the Price List	RDFR 3CX0.50-100	Please refer to the Price List	RDFR 4CX0.50-100	Please refer to the Price List
0.75	24/0.20	0.6	26	RDFR 2CX0.75-100		RDFR 3CX0.75-100		RDFR 4CX0.75-100	
1	32/0.20	0.6	19.5	RDFR 2CX1.0-100		RDFR 3CX1.0-100		RDFR 4CX1.0-100	
1.5	30/0.25	0.6	13.3	RDFR 2CX1.5-100		RDFR 3CX1.5-100		RDFR 4CX1.5-100	
2.5	50/0.25	0.7	7.98	RDFR 2CX2.5-100		RDFR 3CX2.5-100		RDFR 4CX2.5-100	
4	56/0.30	0.8	4.95	RDFR 2CX4.0-100		RDFR 3CX4.0-100		RDFR 4CX4.0-100	
6	84/0.30	0.8	3.3	RDFR 2CX6.0-100		RDFR 3CX6.0-100		RDFR 4CX6.0-100	
10	80/0.40	1.0	1.91	RDFR 2CX10.0-100		RDFR 3CX10.0-100		RDFR 4CX10.0-100	
16	126/0.40	1.0	1.21	RDFR 2CX16.0-100		RDFR 3CX16.0-100		RDFR 4CX16.0-100	
25	196/0.40	1.2	0.78	RDFR 2CX25.0-100		RDFR 3CX25.0-100		RDFR 4CX25.0-100	

Supplied in 100m Polybag Packing

Flat Submersible Cables

Greatwhite Flat Submersible Cables are made with tailor-made PVC compound, designed to prevent water ingress, and perform for years under water.

Flat Three Core									
1100V PVC Insulated & Sheathed Cable for Submersible Motor / Pump as per IS 894									
HSN CODE: 85441110									
Product Code	Nom Cross Sec Area of Conductor	Nos & Dia of wire	Nom Ins Thickness	Nom Sheath Thickness	Approx O/all Dimension	Max DC Resistance at 20°C	Current Rating	Water Permeability/ Penetration	MRP Rs
*100m	sq mm	Nos. / mm	mm	mm	W x H mm	Ohm / km	Amp	Nil	(*100m)
FTFR 3CX1.5-100	1.5	22/0.3	0.7	1.0	11.2 x 5.1	13.3	16		Please refer to the Price List
FTFR 3CX2.5-100	2.5	36/0.3	0.8	1.1	13.3 x 5.9	7.98	20		
FTFR 3CX4.0-100	4	56/0.3	0.85	1.2	15.3 x 6.7	4.95	27		
FTFR 3CX6.0-100	6	84/0.3	0.85	1.2	17.4 x 7.4	3.3	34		
FTFR 3CX10.0-100	10	80/0.4	1.05	1.3	22.8 x 9.4	1.91	44		
FTFR 3CX16.0-100	16	126/0.4	1.05	1.4	26.3 x 10.7	1.21	61		
Supplied in 100m Polybag Packing									
* Longer Length in Multiples of 100m can be supplied upto 1000m									

Telephone Cables

Solid annealed, highly pure and conductive bare copper of 0.4 / 0.5 diameter insulated with high density polyethylene, is designed for voice clarity, elimination of cross-talk and echo. GreatWhite Telephone Cables ensure improved transmission quality, unimpaired and clear reproduction of voice.



Telephone & Switch Board Cable									
HSN CODE: 85444992									
0.4					0.5				
Nos. of Pair	Product Code	Nom Dia mm	MRP Rs (100m)	Std Pkg (100m)	Product Code	Nom Dia mm	MRP Rs (100m)	Std Pkg (100m)	
1	TC-1P-0.4-100	2.4	Please refer to the Price List	12	TC-1P-0.5-100	3.1	Please refer to the Price List	12	
2	TC-2P-0.4-100	3.1		8	TC-2P-0.5-100	3.9		8	
3	TC-3P-0.4-100	3.5		6	TC-3P-0.5-100	4.2		6	
4	TC-4P-0.4-100	3.9		6	TC-4P-0.5-100	5.1		6	
5	TC-5P-0.4-100	4.3		4	TC-5P-0.5-100	5.6		4	
Electrical Parameter									
Nominal Conductor Diameter mm	DC Resistance Max at 20°C Ohm / km	Mutual Capacitance Max nF / km	Insulation Resistance in Air, Min M - Ohm			Capacitance Unbalance Max pair to pair pF / km			
0.5	92.2	50	10,000			250			

Co-axial Cable

Manufactured using electrolytic grade 99.97% and above pure solid bare inner copper, conductor for better signal transmission, insulated with gas injected foam polyethylene, jelly flooded and 2-layer shielding, our co-axial cables offer high bandwidth, excellent sound quality and high fidelity picture clarity.

Co-Axial Cable						  					
(Gas Injected Physical Foam)											
Type & Physical Parameters					Electrical Parameter		HSN CODE: 85442010				
Type of Cable	Product code	Conductor Nominal Dia mm	Nom O/A Dia mm	Minimum Bending Radius mm	DC Resistance Max at 20°C Ohm / 100m	Nominal Capacitance pf / m	Nominal Impedance Ohm	Nominal Velocity Ratio %	Standard Packing Coil Length m	MRP Rs	Standard Box Packing Nos. of Coil
RG 6	RG-6F-0100	1.02	7	65	2.13	53	75	85	100	Please refer to the Price List	4
	RG-6F-0305			75	9.20				305		1
	RG-6F-0100CCS								100		4
	RG-6F-0305CCS								305		1
RG 11	RG-11F-0100	1.63	10.3	75	0.84	53	75	85	100		4
	RG-11F-0305CCS			114	3.61				305		1

LAN Cable - Cat5E 100 MHz/Cat6 300MHz

ANSI / TIA / EIA 568-B.2 compliant Category 5e UTP (Unshielded Twisted Pairs) is a high performance, high speed, 100 Ohm impedance LAN Cable with enhanced bit-rate signaling for extended distances in horizontal cabling, signal amplifiers for a length of 100m (328ft).

Cat6 300 MHz UTP Lan Cable while possessing the performance characteristic of Cat5e, this higher category cable is designed for higher electrical performance (at 300 MHz) and higher speed data transmission capacity for mission critical LAN application or structured cabling services.

- Low Attenuation and Cross talk.
- Low NEXT (Near End Cross Talk).
- Low Powersum NEXT.
- Ideal for use in horizontal structured cabling.

CAT 5E 100 MHZ									
Electrical / Performance Characteristic									
HSN CODE: 85442010									
Product Code	Frequency	Attenuation Max (dB/100m)	NEXT Min (dB)	ACR Min (dB)	PS NEXT Min (dB)	PS ACR Min (dB)	ELFEXT Min (dB/100m)	PS ELFEXT Min (dB/100m)	RL Min (dB)
CAT 5E	1	2.0	65.3	63.3	62.3	60.8	63.8	60.8	20.0
	4	4.1	56.3	52.2	53.3	49.2	51.7	48.7	23.0
	8	5.8	51.8	46.0	48.8	43.0	45.7	42.7	24.5
	10	6.5	50.3	43.8	47.3	40.8	43.8	40.8	25.0
	16	8.2	47.3	39.1	44.3	36.1	39.7	36.7	25.0
	20	9.3	45.8	36.5	42.8	33.5	37.8	34.8	25.0
	25	10.4	44.3	33.9	41.3	30.9	35.8	32.8	24.3
	31.25	11.7	42.9	31.2	39.9	28.2	33.9	30.9	23.6
	62.5	17.0	38.4	21.4	35.4	18.4	27.8	24.8	21.5
	100	22.0	35.3	13.3	32.3	10.3	23.8	20.8	20.1
Please refer to the Price List									Std Pkg 305m
									1

CAT 6 300 MHZ

Electrical / Performance Characteristic

HSN CODE: 85442010

Product Code	Frequency (MHz)	Attenuation Max (db/100m)	NEXT Min (db)	ACR Min (db)	PS NEXT Min (db)	ACR PSNEXT Min (db)	ELFEXT Min (db/100m)	PS ELFEXT Min (db/100m)	Return Loss Min (db)	MRP Rs	Std Pkg 305m
CAT 6	1.00	1.98	76.81	74.79	75.54	73.56	70.75	67.75	42.27	Please refer to the Price List	1
	4.00	3.70	67.78	64.00	66.51	62.81	58.71	55.71	38.05		
	8.00	5.20	63.27	57.95	62.00	56.80	52.69	49.69	35.95		
	10.00	5.82	61.81	55.86	60.54	54.73	50.75	47.75	35.27		
	16.00	7.38	58.75	51.20	57.48	50.10	46.67	43.67	33.84		
	20.00	8.28	57.30	48.83	56.03	47.75	44.73	41.73	33.16		
	25.00	9.29	55.85	46.34	54.58	45.28	42.79	39.79	32.48		
	31.25	10.43	54.39	43.72	53.12	42.69	40.86	37.86	31.80		
	62.50	15.04	49.88	34.49	48.61	33.56	34.83	31.83	29.70		
	100.00	19.37	46.81	27.01	45.54	26.17	30.75	27.75	28.27		
	120.00	21.40	45.63	23.76	44.36	22.96	29.17	26.17	27.71		
	140.00	23.28	44.62	20.83	43.35	20.07	27.83	24.83	27.24		
	175.00	26.34	43.17	16.26	41.90	15.56	25.89	22.89	26.57		
	200.00	28.38	42.30	13.32	41.03	12.65	24.73	21.73	26.16		
	220.00	29.94	41.68	11.11	40.41	10.47	23.90	20.90	25.87		
	240.00	31.44	41.11	9.01	39.84	8.40	23.15	20.15	25.61		
	250.00	32.17	40.85	8.00	39.58	7.40	22.79	19.79	25.48		
	300.00	35.69	39.66	3.23	38.39	2.70	21.21	18.21	21.93		

LIST PRICE No.06/ 2017-18 Effective from 05.01.2018.

Secure FR		Secure FR-FX		HSN CODE 85441110	
Product Code	MRP 90 Mtrs.	Product Code	MRP 90 Mtrs.	Size (sq.mm)	Coil Per Box
FR-0050	625	N/A	N/A	0.5	20
FR-0075	800	FRFX-0075	788	0.75	12
FR-0100	1050	FRFX-0100	998	1	12
FR-0150	1560	FRFX-0150	1482	1.5	8
FR-0250	2515	FRFX-0250	2389	2.5	6
FR-0400	3700	FRFX-0400	3645	4	4
FR-0600	5600	FRFX-0600	5516	6	3
FR-1000	9945	N/A	N/A	10	NA
FR-1600	15940	N/A	N/A	16	NA

Secure FR		HSN CODE 85441110	
Product Code	Size (sq.mm)	100Mtr	Coil Per Box
FR-2500	25	29200	1
FR-3500	35	39900	1
FR-5000	50	57200	1
FR-7000	70	79300	1

Secure Plus FR-LSH		HSN CODE 85441110			
FRLSH					
Product Code	Size (sq.mm)	90 Mtrs.	Std. Pkg.	180 Mtrs.	Std. Pkg.
FL-0100	1	1103	16	2205	12
FL-0150	1.5	1638	12	3276	8
FL-0250	2.5	2642	8	5283	6
FL-0400	4	3884	6	7767	4
FL-0600	6	5879	4	11759	3
FL-1000	10	10442	2	NA	NA
FL-1600	16	16736	2	NA	NA

Secure **Ultra** ZHFR

HSN CODE 85441110

Call toll free 1800 400 0000

ZHFR

Product Code	180Mtr	Coil Per Box
ZHFR-0100	2320	12
ZHFR-0150	3460	8
ZHFR-0250	5538	6
ZHFR-0400	8218	4
ZHFR-0600	12114	3

ZHFR

Product Code	90 Mtr	Coil Per Box
ZHFR-1000	10778	2
ZHFR-1600	17307	2

Single Core Non Sheathed 1100V PVC insulation Copper Conductor Cable as per IS : 694

Round Multi -Core		HSN CODE 85441110		
Nominal Area Of Conductor (sq.mm)	100 Mtr.			
	2 CORE	3 CORE	4 CORE	
0.5	1955	2620	3375	
0.75	2605	3545	4410	
1	3180	4340	5570	
1.5	4245	5925	7790	
2.5	6830	9575	12400	
4	10400	14800	19200	
6	14900	21600	28000	
10	25800	37400	48300	
16	41800	60500	79600	
1100V PVC Insulated & Sheathed Industrial Cable As per IS : 694				

Flat Three Core		HSN CODE 85441110	
Nominal Area Of Conductor (sq.mm)	100 mtr		
1.5	6565		
2.5	10600		
4	15400		
6	23900		
10	41000		
16	67300		
1100V PVC insulated & Sheathed Cable for Submersible Motor / Pump As per IS : 694			

Telephone & Switch Board Cable		HSN CODE: 85444992	
No. Of Pairs & Size	Rate (100 Mtrs.)		
	0.4 mm	0.5 mm	Std. Pkg
1 Pair	635	765	12
2 Pair	1080	1320	8
3 Pair	1445	1955	6
4 Pair	1775	2560	6
5 Pair	2225	3195	4

CAT 5E & CAT 6		HSN CODE: 85442010
Pair Unshielded Twisted pair (UTP) LAN (computer) Cables:		
Size	305 Mtr.	Std.Pkg.
CAT 5 E	8175	1
CAT 6	8925	1

Co-Axial Cable		HSN CODE: 85442010			
(Gas Insulated Physical Foam)					
Size	100 Mtr.	Std. Pkg.	305 Mtr.	Std. Pkg.	
RG-6	2240	4	6830	1	
RG-6F-CCS	1595	4	4865	1	
Notes					
■ 1.All Price are in Indian Rupees. ■ 2.GST As Applicable. ■ 3.This Price list is subject to change without Notice. ■ 4.Disputes, If any, are subject to Mumbai Jurisdiction only.					
An ISO 14001:2004 ISO 9001:2008 OHSAS 18001:2007 Certified Company					

SELF ADHESIVE PVC ELECTRICAL INSULATION TAPE



Code	
Replicat [®] not with	
WH-White BK-Black RD-Red YI-Yellow	Tape-7m-xx
GR-Green BL-Blue	
Size OD (mm)	7 Mtr
Standard Pkd	30
Master Pkd	540
MRP, Per Tape	12
xx - Please put color code for your choice of colour	
* WH-White BK-Black RD-Red YI-Yellow GR-Green BL-Blue	

uPVC
**CONDUITS &
TRUNKING SYSTEM**



INTRODUCTION

GreatWhite uPVC Round Conduit are manufactured from a specially formulated unplasticized polyvinyl chloride (uPVC) to meet the most stringent Indian and International standards. Made from extra virgin uPVC, the conduits have High Impact Strength and can withstand the toughest installation environment. All raw materials used are Lead Free and thus the conduits are RoHS compliant. Available in different diameters and grades with light, medium and heavy mechanical stress to suit various site conditions.

GreatWhite uPVC Round Conduits come with one Socketed end that help in fast and easy installation. Durable, Fire Retardant, Corrosion Free and Thermal Resistant from -5°C to +60°C are some of the other properties along with a smooth finish from inside makes pulling of wires easier.

DIMENSIONS OF uPVC CONDUIT

Nominal Size mm	Outside Diameter mm	Tolerance on Outside Diameter mm	Inside Diameter (Min) mm		
			Light	Medium	Heavy
20	20	-0.3	17.4	16.9	15.8
25	25	-0.4	22.1	21.4	20.6
32	32	-0.4	28.6	27.8	26.6
40	40	-0.4	35.8	35.4	34.4
50	50	-0.5	45.1	44.3	43.2



uPVC CONDUITS (Socketed) HSN:39172310

Code Replace 'xx' with WH-White / BK-Black GY-Grey / IV-Ivory	Size OD (mm)	Standard pack	MRP/PC (₹)
LMS (Light Mechanical Stress) FR			
LMS-xx-20	20	75 x 3m	TBA
LMS-xx-25	25	50 x 3m	TBA
LMS-xx-32	32	25 x 3m	TBA
LMS-xx-40	40	25 x 3m	TBA
LMS-xx-50	50	15 x 3m	TBA

xx - Please put color code for your choice of colour
* WH-White, BK-Black, GY-Grey, IV-Ivory

Code Replace 'xx' with WH-White / BK-Black GY-Grey / IV-Ivory	Size OD (mm)	Standard pack	MRP/PC (₹)
HMS (Heavy Mechanical Stress) FR			
HMS-xx-20	20	75 x 3m	TBA
HMS-xx-25	25	50 x 3m	TBA
HMS-xx-32	32	25 x 3m	TBA
HMS-xx-40	40	25 x 3m	TBA
HMS-xx-50	50	15 x 3m	TBA

xx - Please put color code for your choice of colour
* WH-White, BK-Black, GY-Grey, IV-Ivory

Code Replace 'xx' with WH-White / BK-Black GY-Grey / IV-Ivory	Size OD (mm)	Standard pack	MRP/PC (₹)
MMS (Medium Mechanical Stress) FR			
MMS-xx-20	20	75 x 3m	TBA
MMS-xx-25	25	50 x 3m	TBA
MMS-xx-32	32	25 x 3m	TBA
MMS-xx-40	40	25 x 3m	TBA
MMS-xx-50	50	15 x 3m	TBA

xx - Please put color code for your choice of colour
* WH-White, BK-Black, GY-Grey, IV-Ivory

uPVC MINI TRUNKING HSN:39162019

Code	Size OD (mm)	Standard pack	MRP/PC (₹)
MT (Mini Trunking System)			
MT-xx-20/12	20	100 x 2m	TBA
MT-xx-25/12	25	100 x 2m	TBA
MT-xx-32/12	32	100 x 2m	TBA
MT-xx-32/16 Box	32	100 x 2m	TBA
MT-xx-38/25	38	50 x 2m	TBA

xx - Please put color code for your choice of colour
* WH-White, IV-Ivory



GreatWhite
Electricals

AIRUS

CEILING FANS

EXHAUST FANS

VENTILATING FANS



E1 & E2



Sweep	Speed (RPM)	Power Input (230V)	Air Delivery	MRP	
				E1	E2
900 mm	430	60W	145 M ³ /Hr.	₹ 1454	₹ 1536
1050mm	405	68W	180 M ³ /Hr.	₹ 1454	₹ 1536
1200mm	390	75W	205 M ³ /Hr.	₹ 1454	₹ 1536

*E2 is also available in Smoke Brown color 1200mm - ₹ 1619

Special Features

Hi-Speed Motor | Full Copper Motor | Lustrous Powder Coated Finish

S1 & S2

Sweep	Speed (RPM)	Power Input (230V)	Air Delivery	MRP	
				S1	S2
600 mm	850	62W	160 M ³ /Hr.	₹ 1553	NA
900mm	430	60W	145 M ³ /Hr.	₹ 1857	₹ 1956
1050 mm	405	68W	180 M ³ /Hr.	₹ 1857	₹ 1956
1200 mm	390	75W	220 M ³ /Hr.	₹ 1857	₹ 1956

Special Features

Hi-Speed Motor & Full Copper Motor | Aerodynamically Design | Longer Life



V1 & V2



Sweep	Speed (RPM)	Power Input (230V)	Air Delivery	MRP - V1
150 mm-6"	1400	35 W	170 M ³ /Hr.	₹ 1264
200 mm-8"	1350	40 W	500 M ³ /Hr.	₹ 1332
250 mm-10"	1300	42 W	800 M ³ /Hr.	₹ 1411
Sweep	Speed (RPM)	Power Input (230V)	Air Delivery	MRP - V2
225 mm-9"	1340	50 W	780 M ³ /Hr.	₹ 1246
300 mm-12"	1300	65 W	1300 M ³ /Hr.	₹ 1328

Special Features

V1- Polymer Resin body and Blade | Compact High-Speed motors | Super silent and smooth running
V2 - Powdered Coated Metal Frame & Blade | Strong Motor | Safety Guard



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

3rd floor, Nardevan Anand Jayanti
Bharat Nagar Vidyapath
Off Ashram Road
Ahmedabad
380014
079-27540014, 27540017-020,
27540036
Fax: ahbis@bis.gov.in
E-mail: ahbis@bis.gov.in
Web: http://www.bis.org.in

Ahmedabad Branch Office

ATTACHMENT TO LICENCE NO. CML- 3869184

CML NO	NAME OF THE LICENSEE WITH ADDRESS	PRODUCT	IS NO
3869184	GREAT WHITE GLOBAL PVT.LTD. P.NO. S.NO.32/292, 352, 367, 387, 392, N.H.4, VILLAGE-GUNDALV DIST: VALSAD GUJARAT	PVC Insulated cables for working voltages up to and including 1100 v	IS 694: 2018

ENDORSEMENT NO. 8 Dated 26/9/17

Renewed for a further period of one year from Twelfth September Two Thousand and Seventeen to Eleventh September Two Thousand and Eighteen.

Other terms and conditions of Licence remain the same.

(ALOK SINGH)
Scientist-E

अभिलेख प्राप्त / ALOK SINGH
Scientist E / INSPECTION
ब्यूरो ऑफ इंडियन स्टैंडार्ड्स
आफिस, नवीन एश्रम रोड, अहमदाबाद
380014
079-27540014, 27540017-020,
27540036
Fax: ahbis@bis.gov.in
E-mail: ahbis@bis.gov.in
Web: http://www.bis.org.in



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

देहरादून Dehradun Branch Office

पता: प्लॉट-1, ईस्ट, नवीन अहमदाबाद,
देहरादून, 249401
E-mail: dehis@bis.gov.in
Office: Dehra Dun - 249401
0135-2661229
0135-2661228
0135-2661227
0135-2661226
0135-2661225
0135-2661224
0135-2661223
0135-2661222
0135-2661221
0135-2661220
0135-2661219
0135-2661218
0135-2661217
0135-2661216
0135-2661215
0135-2661214
0135-2661213
0135-2661212
0135-2661211
0135-2661210
0135-2661209
0135-2661208
0135-2661207
0135-2661206
0135-2661205
0135-2661204
0135-2661203
0135-2661202
0135-2661201
0135-2661200

आवृत्ति संख्या की समाप्ति - 28/07/17 की संवत्सरी
ATTACHMENT TO LICENCE NO. CML- 4842771

सी एमएल संख्या CML/NO	आवृत्ति संख्या का पता सहित नाम NAME OF THE LICENSEE WITH THE ADDRESS	उत्पाद का नाम NAME OF THE PRODUCT	मा मा संख्या IS NO.
4842771	M/s Great White Global Pvt. Ltd. Plot No.62 to 65, Padartha, Dhapura Dist: Haridwar Uttarakhand-249404	Electrical accessories-electric breakers for over current protection for household and similar installations Part 1-Circuit breakers for ac operation	IS:6184 series Part 1, 2002

ENDORSEMENT NO. 1, Dated: 28-07-2018

एक वर्ष की एक अवधि में इस्तेमाल करने की एक अवधि तक एक वर्ष की अवधि के लिए नवीकृत किया जाता है।
Renewed for a further period of one year from First February Two Thousand and Eighteen to Thirty First

January Two Thousand and Nineteen

आवृत्ति की अन्य शर्तें निम्नानुसार हैं।
Other terms and conditions of Licence remain the same.

(अभिलेख प्राप्त करने वाले)
अहमदाबाद
(एन.के.सहाय)
देहरादून ई एच ब्यूरो



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

देहरादून शाखा कार्यालय
DEHRADUN BRANCH OFFICE

पता: प्लॉट-1, ईस्ट, नवीन अहमदाबाद,
देहरादून, 249401
E-mail: dehis@bis.gov.in
Office: Dehra Dun - 249401
0135-2661229, 2661230
0135-2661227
0135-2661226
0135-2661225
0135-2661224
0135-2661223
0135-2661222
0135-2661221
0135-2661220
0135-2661219
0135-2661218
0135-2661217
0135-2661216
0135-2661215
0135-2661214
0135-2661213
0135-2661212
0135-2661211
0135-2661210
0135-2661209
0135-2661208
0135-2661207
0135-2661206
0135-2661205
0135-2661204
0135-2661203
0135-2661202
0135-2661201
0135-2661200

आवृत्ति संख्या की समाप्ति - 31/2/2029 की संवत्सरी
ATTACHMENT TO LICENCE NO. CML- 3122029

सी एमएल संख्या CML/NO	आवृत्ति संख्या का पता सहित नाम NAME OF THE LICENSEE WITH THE ADDRESS	उत्पाद का नाम NAME OF THE PRODUCT	मा मा संख्या IS NO.
3122029	M/s Great White Global Pvt. Ltd. Plot No.62 to 65, Padartha, Dhapura, Dist: Haridwar, Uttarakhand-249404	Switches for domestic and similar purposes	IS 3854:1997

ENDORSEMENT NO. 17 DATED 12-2-18

एक वर्ष की एक अवधि में इस्तेमाल करने की एक अवधि तक एक वर्ष की अवधि के लिए नवीकृत किया जाता है।
Renewed for a further period of one year from First February Two Thousand and Eighteen to Thirty First January Two Thousand and Nineteen.

आवृत्ति की अन्य शर्तें निम्नानुसार हैं।
Other terms and conditions of Licence remain the same.

(अभिलेख प्राप्त करने वाले)
अहमदाबाद
(एन.के.सहाय)
देहरादून ई एच ब्यूरो



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

देहरादून शाखा कार्यालय
DEHRADUN BRANCH OFFICE

पता: प्लॉट-1, ईस्ट, नवीन अहमदाबाद,
देहरादून, 249401
E-mail: dehis@bis.gov.in
Office: Dehra Dun - 249401
0135-2661229, 2661230
0135-2661227
0135-2661226
0135-2661225
0135-2661224
0135-2661223
0135-2661222
0135-2661221
0135-2661220
0135-2661219
0135-2661218
0135-2661217
0135-2661216
0135-2661215
0135-2661214
0135-2661213
0135-2661212
0135-2661211
0135-2661210
0135-2661209
0135-2661208
0135-2661207
0135-2661206
0135-2661205
0135-2661204
0135-2661203
0135-2661202
0135-2661201
0135-2661200

आवृत्ति संख्या की समाप्ति - 31/6/2009 की संवत्सरी
ATTACHMENT TO LICENCE NO. CML- 3168659

सी एमएल संख्या CML/NO	आवृत्ति संख्या का पता सहित नाम NAME OF THE LICENSEE WITH THE ADDRESS	उत्पाद का नाम NAME OF THE PRODUCT	मा मा संख्या IS NO.
3168659	M/s Great White Global Pvt. Ltd. Plot No.62 to 65, Padartha, Dhapura, Dist: Haridwar, Uttarakhand-249404	PLUGS AND SOCKET OUTLETS OR WATER CO. FUSE UP TO 100 AMPERES OR WATER AND WATER CO. FUSE UP TO 100 AMPERES OR 100 AMPERES	IS 1293:2005

ENDORSEMENT NO. 15 DATED 15-6-2008

एक वर्ष की एक अवधि में इस्तेमाल करने की एक अवधि तक एक वर्ष की अवधि के लिए नवीकृत किया जाता है।
Renewed for a further period of one year from First February Two Thousand and Eighteen to Thirty First January Two Thousand and Nineteen.

आवृत्ति की अन्य शर्तें निम्नानुसार हैं।
Other terms and conditions of Licence remain the same.

(अभिलेख प्राप्त करने वाले)
अहमदाबाद
(एन.के.सहाय)
देहरादून ई एच ब्यूरो



BSCIC Certifications Pvt. Ltd.

Certificate Of Registration

C E R T I F I C A T E O F C O M P L I A N C E

This is to certify that:

GREAT WHITE GLOBAL PVT. LTD.

**KHASRA NO. 62 TO 65, PADARTHA,
DHANPURA, HARIDWAR - 249 404
UTTARAKHAND, INDIA**



Hereby granted the Certificate Number: **BU1093/0899:1214**

Product Requirements of this firm has been assessed in accordance with the Directive applicable o following Products for:



**Manufacture and Supply of Domestic Electrical Wiring Devices and
Accessories like Switches, Sockets and MCBs**

EAC Code/ Standard: 73/23/EEC

Originally Registered: **17-Dec-2014**

Latest issue: **17-Dec-2017**

Expiry Date: **16-Dec-2020**

For BSCIC CERTIFICATIONS PVT. LTD.

Page 1 of 1

Sanjay Seth
Managing Director

This certificate is issued against the Product sample conforming to the Essential Product safety Requirements as per te Directive. The Testing of the product Sample has been done as per 73/23/EEC vide Test reports dated 17-Dec-2017.

This Certificate is the result of Tests Carriedout on product Samples and does not represent the serial production of these Products.

This Certificate of Registration is granted subject to relevant provisions of the BSCIC Certifications Pvt. Ltd. Contract Terms & Scheme for Registration Form B 018 (Latest Version). Please see B 018 at our website www.bsc-icc.com

The Certificate of Registration remains the property of BSCIC Certifications Pvt. Ltd. and shall be returned immediately upon request.

BSCIC Headquarters: IInd Floor, SCO 150, Sector - 21 C, Faridabad 121001 Haryana, India.

The Status of this Certificate may be checked at www.bsc-icc.com





Certificate of Compliance

RoHS Directive (2011/65/EU) of the European Parliament and of the Council on the restriction of use of certain Hazardous Substances in Electrical and Electronic Equipments.

Certificate No.: UQ-5455

Manufacturer

Name : GREATWHITE GLOBAL PVT. LTD.

Address

: Survey No. 36/1, Nh-8, Opp. Gaushala, Gundlav Char Rasta,
Valsad - 396001, Gujarat, India

Product

: PVC Insulated (Unsheathed) Single Core Cable / Cords, PVC
Insulated Unsheathed & Sheathed Multicore Cable / Cords, Communication Cables

This is to state that the above mentioned product is in compliance with RoHS Directive (20/95/EC) of the European Parliament and Commission Decision 2005/618/EC on the restriction of use of certain Hazardous Substances [Lead (Pb), Mercury (Hg), Cadmium (Cd), Hexavalent Chromium (Cr6+), Polybrominated biphenyls (PBBs) and Polybrominated Diphenyl ethers (PBDEs)] in Electrical and Electronic Equipments.

Statement:

This certificate declares that the product type / model described above complies with the mentioned above European Standard(s).

Remarks:

This certificate of complies is based on the evaluation of a sample of the above mentioned products. It does not imply and assessment of the mass-production of the product. This certificate holder may use this certificate in connection with the test report. The certification body should be informed (revision of technical file) for any modification or alterations made to the aforementioned product type(s), including design and manufacture and /or extension to the existing scope of application.

The certificate is valid for three years if the company applies the technical construction file which has been stored in UKCert office. This certificate includes declaration of manufacturer. Certificate remains property of UKCert (UK Certification and Inspection Ltd.) to whom it must be returned upon request. The certificate validity is conditioned by positive results or surveillance audits.

Validity of this Certificate can be verified at www.ukcertifications.co.uk/verify

Date of certification: 13th April 2017

2nd Surveillance Audit Due: 12th April 2019

1st Surveillance Audit Due: 12th April 2018

Date of Expiry: 12th April 2020

(subject to the company maintaining its system to the required standard)


Authorised Signatory



This certificate is the property of UK Certification & Inspection Limited and shall be returned immediately on request.
5 Jupiter House, Calvea Park, Aldermaston, Reading Berkshire RG7 8NN. UK
Website:- www.ukcertifications.co.uk



Greatwhite Electricals is the vision of a man who embarked on an entrepreneurial odyssey by introducing the first 'Piano' switch in 1963. About 5 decades later, the same passion has been reborn. Greatwhite Electricals under the visionary guidance of Jadavjibhai Anchorwala has interests in five major categories; Electrical Wiring Devices, Wires and Cables, and Circuit Protection Systems, Lighting, Fans and UPVC Conduits. The group has further diversified into Realty, Writing Instruments and Paints. Our brightness and brilliance is now recognised by all of Asia. GreatWhite is proud to be rewarded as one of Asia's top fifty fastest growing brands.



Switches



Lighting



MCB



Wires & Cables



Fans



Conduits

GreatWhite Global Pvt. Ltd.

13th Floor, B-Wing, Peninsula Business Park, Senapati Bapat Marg,
Lower Parel (West), Mumbai - 400 013. T: (022) 30036565 F: (022) 30036564
Toll Free : 1800 300 25252 email:- info@myanchor.in, www.myanchor.in

- All Prices are in Indian Rupees.
- The prices are inclusive of all Government levies.
- Disputes, if any, are subject to Mumbai jurisdiction only.
- Prices are subject to change without notice.

Dealer Stamp

Jadavji Anchorwala Enterprise