

NEPTUNE - Bals

An Indo - German Joint Venture



Industrial Plugs & Sockets

Product Preview & Price List 2020

LEADING PROJECT
SUPPLIER & STOCKIST
OF ALL TYPES OF
ELECTRICAL GOODS



Chandan Electric Corporation
Since 1985

Office Add. / 89, Princess Street, 2nd Flr., Peerbhoy Building, Pathak Wadi, Lohar Chawl, Mum-02.

Telephone / 022 - 2208 7580 / 3956 7492 / 4003 9101 Fax / 022 - 2201 9101

Mobile / 91 - 9820486600 / 9029895008 Website / www.chandanelectric.in

Email / chandanelectric@hotmail.co.in / info.chandanelectric@gmail.com

WHO WE ARE

Energy efficiency is one of the rising needs in the **urbanized world and many products are introduced** to fulfill this demand.

One of the crucial advantages that energy efficiency products bring is the reduction of cost. For implementing cost saving measures, industries are looking forward to products that will also help them in maintaining their position in the growing market.

A Leader in the Energy Saving, Power Quality & Power Distribution Management Sector of India, Neptune India set its foot in the market with a dedicated approach and a strong vision to become a specialist in the field of energy saving. Today, the company strives forth with its love for energy and has taken huge steps to implement best solutions in all aspects of energy.

Established in the year 1989, Neptune India; with over 30,000 plus installations across the country and having a pan-India sales & support network. Neptune is a known brand in the Power Factor Correction, Energy Management, Harmonic Filtration & Power Distribution Products & Management.

Our Business Units


POWER
DISTRIBUTION
MANAGEMENT

SMART ENERGY
MANAGEMENT

POWER QUALITY
MANAGEMENT

SECURITY & ACCESS
MANAGEMENT

POWER DISTRIBUTION MANAGEMENT



Industrial
Plugs & Sockets

INDUSTRIAL PLUGS & SOCKETS HSN-8536

SURFACE MOUNTING



Surface Mounting Socket



Surface Mounting Socket

Ampere	2P+ $\frac{1}{2}$ 230V Part No.	L.P. ₹	3P+ $\frac{1}{2}$ 415V Part No.	L.P. ₹	3P+N+ $\frac{1}{2}$ 230/415V Part No.	L.P. ₹
SPLASH PROOF IP-44						
16/20	111	830	11645	910	100	910
32	11651	1,030	11646	1,110	101	1,110
63	1104	4,040	1127	4,100	1124	4,100
WATER TIGHT IP-67						
16/20	1133	1,380	1137	1,780	1143	1,780
32	1145	1,740	1149	2,150	1155	2,150
63	1157	5,300	1161	5,180	1112	5,180
125	11427	16,800	11441	18,400	11447	18,400

PANEL MOUNTING



Panel Mounting Socket



Panel Mounting Socket



Panel Mounting Socket



Panel Mounting Socket

Ampere	2P+ $\frac{1}{2}$ 230V Part No.	L.P. ₹	3P+ $\frac{1}{2}$ 415V Part No.	L.P. ₹	3P+N+ $\frac{1}{2}$ 230/415V Part No.	L.P. ₹
SOCKET-OUTLET ANGLED SPLASH PROOF IP-44						
16/20	1217	510	1221	830	12078	830
32	12310	860	1233	1,020	1215	1,020
63	12135	3,560	-	3,640	12380	3,640
SOCKET-OUTLET STRAIGHT SPLASH PROOF IP-44						
16/20	131	510	1324	830	132001	830
32	13007	860	13011	1,020	1333	1,020
63	1307	3,560	134	3,640	136	3,640
SOCKET-OUTLET ANGLED WATER TIGHT IP-67						
16/20	1266	1,070	1270	1,170	1276	1,170
32	1278	1,340	1282	1,510	1288	1,510
63	12001	4,250	1200	3,990	129	3,990
125	12100	13,650	12104	13,700	12108	13,700
SOCKET-OUTLET STRAIGHT WATER TIGHT IP-67						
16/20	1372	1,070	1376	1,170	1382	1,170
32	13024	1,340	13028	1,510	1370	1,510
63	1396	4,250	13100	3,990	13104	3,990
125	13452	13,650	13447	13,700	13451	13,700

INDUSTRIAL PLUGS & SOCKETS HSN-8536

PANEL MOUNTING

socket-outlet
schuko



Plug-schuko



Angled-Plug,
with short cable



Ampere	2P+ 230V	3P+ 415V	3P+N+ 230/415V			
	Part No.	L.P. ₹	Part No.	L.P. ₹	Part No.	L.P. ₹
SPLASH PROOF IP-44						
16/20	71094	510	-	-	-	-
16/20	7370	450	-	-	-	-
16/20	231	650	-	-	-	-

PLUG



Plug



Plug water tight



GT Connector



GT Connector

Ampere	2P+ 230V	3P+ 415V	3P+N+ 230/415V			
	Part No.	L.P. ₹	Part No.	L.P. ₹	Part No.	L.P. ₹
SPLASH PROOF IP-44						
16/20	21001	430	21005	580	203	580
32	21013	710	21017	830	204	830
63	2104	3,670	2151	3,360	21590	3,360
WATER TIGHT IP-67						
16/20	210576	940	21349	1,280	21239	1,280
32	210594	1,450	21351	1,540	210607	1,540
63	2181	4,250	2185	3,920	2189	3,920
125	2191	12,500	2195	12,300	2199	12,300
SPLASH PROOF IP-44						
16/20	31001	640	31005	760	303	760
32	31013	830	31017	1,040	304	1,040
63	3104	4,320	3151	4,390	3112	4,390
WATER TIGHT IP-67						
16/20	310333	1,370	31241	1,650	31243	1,650
32	31244	1,890	31245	2,100	310364	2,100
63	3181	4,680	3185	4,480	3124	4,480
125	3191	14,400	3195	14,640	3199	14,640

INDUSTRIAL PLUGS & SOCKETS HSN-8536

SURFACE MOUNTING



Socket-outlet with
MCB Provision



Socket-outlet
interlocked

Ampere	2P+⊥ 230V Part No.	 L.P. ₹	3P+⊥ 415V Part No.	 L.P. ₹	3P+N+⊥ 230/415V Part No.	 L.P. ₹
SPLASH PROOF IP-44						
16/20	15019	5,440	-	6,000	15059	6,000
32	15030	6,120	-	7,100	1585	7,100
63	-	-	-	14,600	15036	14,600
WATER TIGHT IP-67						
16/20	15024	5,540	15098	6,200	15028	6,200
32	15352	6,220	15111	7,370	15112	7,370
63	-	-	15000	14,820	15001	14,820
125	-	-	15158	44,960	15160	44,960
SPLASH PROOF IP-44						
16/20	1619	7,150	1610	10,250	1611	10,250
32	16097	9,490	16596	11,490	16043	11,490
63	-	-	16605	21,800	16603	21,800
WATER TIGHT IP-67						
16/20	1600	7,150	1602	10,340	1604	10,340
32	16104	9,990	160178	12,430	160177	12,430
63	-	-	16604	23,210	16602	23,210
125	-	-	16621	76,000	16622	76,000

DOMESTIC AC/ INDUSTRIAL OUTLET

Plug/Socket
combined in
metal enclosure



Plug/Socket
combined in
Polycarbonate
enclosure



Appliance Inlet



Ampere	2P+⊥ 230V Part No.	 L.P. ₹	3P+⊥ 415V Part No.	 L.P. ₹	3P+N+⊥ 230/415V Part No.	 L.P. ₹
SPLASH PROOF IP-44						
16/20	1201 SP/DP	1,510/1,520	-	2,160	3201	2,160
32	1202 SP/DP	2,090	-	2,450	3202	2,720
63	1203	8,740	-	8,580	3203	8,580
PLUG SOCKET COMBINED IN POLYCARBONATE						
16/20	901	1,780	-	2,530	903	2,530
32	911	2,420	-	2,990	913	2,990
SPLASH PROOF IP-44						
16/20	261	1,250	-	1,310	2612	1,310
32	2662	1,860	-	2,550	2600	2,550

VARIABOX The new generation of distributors HSN-8537

The new VARIABOX from Bals meets all requirements for a modern distributor housing and can be individually configured in 5 different sizes with versions S, M, L, & XXL as surface mounting or mobile combination. We have the right distributor for every user. Configuration according to individual specifications on the basis of pre-defined, encoded flanges, which offer a maximum level of safety during the initial installation & /or maintenance. With their robust design in a high grade & durable, quality plastic, their good seal, the modular expansion option & many Innovative extra features, the new VARIABOX proves itself even under the most adverse conditions.



Features

- Ready wired for installation
- Housing made of high-grade, impact-resistant plastic
- Top and bottom can be sealed together
- Permanently attached cover screws
- All CEE socket outlets with screw less, maintenance-free QUICK-CONNECT connection technology
- Colors, bottom-black. top-electro grey (Housing top optionally available in the colors yellow, red, blue or silver)
- With high quality handle
- Coded flange system for maximum safety during initial installation and maintenance
- Fuse elements arranged below transparent, lockable operating window with user friendly OTC mechanics (one touch close)

Item Code	Dimensions	L.P. ₹
Variabox-Small	130 x 230 mm	8,550/-
Variabox-Medium	260 x 230 mm	10,350/-
Variabox-Large	390 x 230 mm	13,950/-
Variabox-Extra Large	520 x 230 mm	17,550/-
10 Way Window	-	1,620/-
4 Way Window	-	1,575/-

ECO BOX ENCLOSURE & JUNCTION BOXES HSN-8538

Modular Distribution Board – IP 65



Modular Distribution Board



Modular Enclosure



Junction Boxes

Dimensions LxWxH (mm)	Part No.	L.P. ₹
MODULAR DISTRIBUTION BOARDS		
150 x 300 x 210	9150	2,550/-
300 x 300 x 210	9300	3,250/-
450 x 300 x 210	9450	4,890/-
600 x 300 x 210	9600	6,230/-
MODULAR ENCLOSURE		
180 x 180 x 135	6180	1,380/-
180 x 240 x 135	6260	1,620/-
240 x 320 x 135	6320	2,940/-
320 x 420 x 135	6420	4,050/-
420 x 640 x 160	6520	8,910/-
JUNCTION BOXES		
90 x 90 x 50	1001	300/-
100 x 100 x 60	1002	350/-
110 x 140 x 70	1003	600/-
130 x 130 x 100	1004	720/-
130 x 170 x 80	1005	790/-
170 x 210 x 100	1006	1550/-

DESCRIPTION

Modular Enclosure

- Impact resistant modular polycarbonate distribution boards
- Chemical resistant
- Solid and Stable
- Self-extinguishing
- Weather Resistant
- Corrosion free screws

Eco Box Modular Distribution Boards

- Impact resistant modular polycarbonate enclosures
- Chemical resistant
- Solid and stable
- Self-extinguishing
- Weather resistant
- Corrosion free screws
- Self internal fixing center / fixing center outside
- Cable entry to client's specifications

Mobile Distribution Rubber Boards HSN-8537



Customized IP 65 L.V. Distribution Panels & Feeder Pillar HSN-8537




Enclosures HSN-8538 IP-65



Part No.	Rating	LxWxH (mm)	L.P. ₹
3004	4 Way	160 x 225 x 100	1,490/-
3008	8 Way	225 x 225 x 100	2,350/-
3304	12 Way	300 x 225 x 100	3,290/-
3308	24 Way	300 x 400 x 100	5,900/-
3312	36 Way	300 x 600x 100	8,700/-

Rubber distribution & IP 65 L.V. Distribution Panel- Price as per specification on request

Windows HSN-8538



No. of ways	Part No.	L.P. ₹
2 Way	5882	570/-
4 Way	5891	590/-
8 Way	58010	760/-
12 Way	58019	910/-



**LEADING PROJECT
SUPPLIER & STOCKIST
OF ALL TYPES OF
ELECTRICAL GOODS**



Chandan Electric Corporation

Since 1985

Office Add. / 89, Princess Street, 2nd Flr., Peerbhoy Building, Pathak Wadi, Lohar Chawl, Mum-02.

Telephone / 022 - 2208 7580 / 3956 7492 / 4003 9101 **Fax** / 022 - 2201 9101

Mobile / 91 - 9820486600 / 9029895008 **Website** / www.chandanelectric.in

Email / chandanelectric@hotmail.co.in / info.chandanelectric@gmail.com

