



The Trend of Lighting

LEADING PROJECT
SUPPLIER & STOCKIST
OF ALL TYPES OF
ELECTRICAL GOODS



Chandan Electric Corporation

Since 1985

Office Add. 89, Princess Street, 2nd Flr., Peerbhoy Building, Pathak Wadi, Lohar Chawl, Mum-02.

Telephone 022 - 2208 7580 / 3956 7492 / 4003 9101 Fax 022 - 2201 9101

Mobile 91 - 9820486600 / 9029895008 Website www.chandanelectric.in

Email chandan_electric@hotmail.co.in / info.chandanelectric@gmail.com

A TRUSTED
NAME FOR
QUALITY
SERVICE

Looking for high quality & low cost lighting, It's either us or the sun!



Luminaries Price List - April 2013

36 years of Experience in
Lighting Industries

An ISO 9001:2008 Certified Co.



Regn No QAIC / IN / 655 - A

introduction

Shri Chandrakant N. Shah founder of **Darshan Electrical Industries** takes pride in completing 5 years successfully in new personal venture "**NAMAN LUMINAIRES INDIA**" for manufacturing complete range of Lighting solution. "**NAMAN LUMINAIRES INDIA**" will have the advantage of **36 years** of rich experience, besides the wide contacts and established relations with various indian and multinational companies in the luminaires industry.

Three decades of business experience will enable '**NAMAN**' to keep pace with the changing demands and lifestyles of consumers. It will enable '**NAMAN**' to develop cutting edge technologies, and innovate new concepts and designs, besides improving the existing products.

'**NAMAN LUMINAIRES INDIA**' COMMITS TO OFFER :-

- (A) The Best Quality Product:- The manufactured products will be durable and long lasting, since it will be made up to IS standards.
- (B) On Time Deliveries :- Being a direct manufacturer, we will adhere to promise delivery schedules and provide uninterrupted supplies.
- (C) Affordable Pricing :- All our products without compromising the quality, will be competitively priced.
- (D) Innovative Product & Designs :- Before our competitor does, our R & D department is constantly working for it.
- (E) Easy Availability :- Through the widely spread distribution network, it will also provide after sales service.
- (F) Total Project Designing Solutions by expert designers.

'**NAMAN LUMINAIRES INDIA**' will fulfill the above commitments by creating an efficient production an agile marketing and a sincere after sales service teams.

Our Achievements are :

- Over 500 type of products.
- Products as per IS specification.
- All powder coating fittings are with 9 tank powder process.
- All electrical contacts are with full brass material.
- All "**NAMAN**" brand fittings are with Imported Anodized aluminium reflector.

Products Offered :- Fluorescent Chokes, Patti, Starters, Fixtures, M.V., S.V., & M.H.D. Chokes & Fittings, Down Light Range, L.E.D. Range & T-5 Range

Customer Profile :- (A) Merchant Exporters, (B) Architect & Interior Designers, (C) Builders & Developers, (D) Project Consultants, (E) Government Sectors, (F) Corporate Offices, (G) Industries.

Partial List of Satisfied Customers :- (A) International Airport - Mumbai (B) Maxus Mall (C) Siemens Ltd. (D) Next Retail (Videocon Group) (E) Wadhwa Group (F) Satellite Developers Pvt. Ltd. (G) HDIL (H) JBCN International School

Quality Policy :- '**NAMAN**' reaffirms its stringent quality standards. We will follow TOTAL QUALITY MANAGEMENT principle which will be applicable to all the spheres in the manufacturing process like:-

- (A) Procurement of quality raw materials and components from registered and established vendors,
- (B) Manufacturing product lines and processes,
- (C) Product, packing and packaging,

'**NAMAN**' will follow 'SOP' (Standard Operating Procedures)

Company Vision :- '**NAMAN**' with its global outlook is confident to cover major market share in all it's product lines in both the domestic and export markets.

'**NAMAN**' will set quality standards in the luminaires industry which will be a bench mark for others to follow.



[A] Commercial Lights : 01-02



[B] T-5 Range (Energy Saving) : 03



[C] Decorative Lights : 04-07



[D] Down Lights : 08-09



[E] M.H.D. & C.D.M.T. Fitting Lights : 10-11



[F] Industrial Indoor Outdoor Lights : 12-16



[G] Clean Room Lights : 17



[H] Garden Light & Gate Lights : 18-19



[I] Ballast : 20-21



[J] Accessories : 22

Approved By :
B.P.T., P.W.D., B.M.C., M.I.D.C., MHADA, Indian Airlines & S.S.I. unit

"NAMAN" means total lighting solution. We at "NAMAN" Manufacture widest range of Ballast & light fitting in Mumbai.

[A] Commercial Lights



DELUXE PATTI



P. Code No.	Specification	Description	M.R.P. Per Pc.
A-9	2 ft - 1x20W	with full polyester Deluxe Ballast	305.00
A-10	4 ft - 1x40 W	With full polyester Deluxe Ballast	305.00
A-11	2 ft - 1x20 W	With full polyester A-1 Copper Ballast	525.00
A-12	4 ft - 1x40 W	With full polyester A-1 copper Ballast	525.00

SLIM PATTI



A-13	2ft - 1x20 W	with VPIT OC copper ballast	390.00
A-14	4 ft - 1x40 W	With VPIT OC copper ballast	390.00

ELECTRONIC CHOK PATTI



A-15	2 ft - 1x18W	With Electronic ballast	335.00
A-16	4ft - 1x36 W	With Electronic Ballast	335.00

MICRO MIROLTA



A-17	2ft - 1x18 W	With Electronic Ballast	380.00
A-18	4 ft - 1x36 W	With Electronic Ballast	380.00
A-19	2 ft - 1x18 W	With VPIT Micro copper Ballast	420.00
A-20	4 ft - 1x36 W	With VPIT Micro Copper Ballast	420.00

PHILIPS TYPE MIROLTA



SIDE CAP COLOUR ■ ■

A-21	2ft - 1x18 W	With Electronic Ballast	400.00
A-22	4ft - 1x36 W	With Electronic Ballast	400.00
A-23	2ft - 1x18w	With VPIT Micro copper ballast	440.00
A-24	4ft - 1x36 w	With VPIT micro copper ballast	440.00

BOX FITTING



A-25	2ft - 1x20 W	With full polyester Deluxe Ballast	525.00
A-26	4ft - 1x40 W	With full polyester Deluxe Ballast	700.00
A-27	4ft - 1x40 W	With electronic Ballast	740.00

Features :

- 9 tank powder coated heavy CRCA MS Box • Full Brass holder & connector
- Deluxe ballast with aluminum wire & CRNO Lamination • Electronic Ballast with high P.F & efficiency

BOX FITTING



A-28	2ft - 2x20 W	With full polyester Deluxe ballast	780.00
A-29	4ft - 2x40 W	With full polyester deluxe Ballast	950.00
A-30	4ft - 2x40 W	With Electronic Ballast	1050.00

Features :

- 9 tank powder coated heavy CRCA MS Box • Full Brass holder & connector
- Deluxe ballast with aluminum wire & CRNO Lamination • Electronic Ballast with high P.F & efficiency

[A] Commercial Lights

JANTA FITTING



Diffuser : Milky/ Clear

PL JANTA



Diffuser : Milky/ Clear

PL MIROLTA



SIDE CAP COLOUR ☐ ☐

Diffuser : Clear/ Lining/ Crystal

P. Code No.	Specification	Description	M.R.P. Per Pc.
A-31	2 ft -1x20 W	With full polyester Deluxe ballast	735.00
A-32	4ft-1x40 W	With full polyester Deluxe Ballast	1000.00
A-33	4ft-1x40 W	With Electronic Ballast	1075.00
A-34	2 ft - 2x20 W	With full polyester Deluxe Ballast	1050.00
A-35	4 ft - 2x40 W	With full polyester Deluxe Ballast	1475.00
A-36	4 ft - 1x40 W	With Electronic Ballast	1575.00

Features : • 9 tank powder coated heavy CRCA MS Box • Full brass holder & connector
• Acrylic made up of high quality IMP Sheet • Deluxe ballast with aluminum wire & CRNO lamination

A-37	1x11 W PL	With VPIT OC copper Ballast	465.00
------	-----------	-----------------------------	--------

Features : • 9 tank powder coated heavy CRCA MS Box • Full brass holder & connector
• Acrylic made up of high quality IMP. sheet

A-38	1x11 W PL	With VPIT OC copper ballast	440.00
------	-----------	-----------------------------	--------

Features : • 9 tank powder coated heavy CRCA MS Box • Full brass holder & connector



[B] T-5 Range (Energy Saving)



T-5 WITHOUT COVER (LINKABLE)



P. Code No.	Specification	Description	M.R.P. Per Pc.
B-9	1 ft- 1x8 W	with Electronic PCB	370.00
B-10	2 ft- 1x14 W	with Electronic PCB	410.00
B-11	3 ft- 1x21 W	with Electronic PCB	440.00
B-12	4ft- 1x28 W	with Electronic PCB	515.00

Feature : • Aluminum Housing • Electronic PCB with high P.F and efficiency.

T-5 WITH COVER (NON LINKABLE)



B-13	4ft-1x28 W	With Electronic PCB	570.00
------	------------	---------------------	--------

Feature : • PVC Housing • Electronic PCB with high P.F and efficiency

T-5 BOX FITTING



B-14	1x28 W	With Electronic Ballast	660.00
B-15	2x28 W	With Electronic Ballast	990.00

Feature : Electronic ballast with high P.F and efficiency

T-5 INDUSTRIAL FITTING



B-16	1x28 W	With Electronic Ballast	840.00
B-17	2x28 W	With Electronic Ballast	1210.00

Feature : Electronic ballast with high P.F and efficiency • With Aluminium Reflector

T-5 X-TEND



P. Code No.	Specification	Description	Dimension L x W x H (mm)	M.R.P. Per Pc.
B-18	4x14 W	With Electronic Ballast	575x575x65	3900.00

Feature : Electronic ballast with high P.F and efficiency

T-5 STREET LIGHT



B-19	4x14 W	With Electronic Ballast	P.O.R.
B-20	4x24 W	With Electronic Ballast	P.O.R.

T-5 MIRROR OPTIC



P. Code No.	Specification	Description	Dimension L x W x H (mm)	M.R.P. Per Pc.
B-21	4x14W	with Electronic Ballast	575x575x75	P.O.R.

[C] Decorative Lights



SIMI LIGHT CORNER



P. Code No.	Specification	Description	M.R.P. Per Pc.
C-9	1x11 W PL	with VPIT OC copper ballast	525.00
C-10	1x36 W PLL	With VPIT OC copper ballast	800.00
C-11	1x40 W TLD	With VPIT OC copper ballast	1260.00

SIMI LIGHT S.S CORNER



C-12	1x11 W PL	With VPIT OC copper Ballast	580.00
C-13	1x36 W PLL	With VPIT OC copper Ballast	840.00
C-14	1x40 W TLD	With VPIT OC copper Ballast	1420.00

Note : SS finish on MS housing

SIMI LIGHT WITH COVER



C-15	1x11 W PL	With VPIT OC copper Ballast	500.00
C-16	1x36 W PLL	With VPIT OC copper Ballast	780.00
C-17	1x40 W TLD	With VPIT OC copper Ballast	1200.00
C-18	2x40 W TLD	With VPIT OC copper Ballast	1475.00

SIMI LIGHT SS WITH COVER



C-19	1x11 W PL	With VPIT OC copper Ballast	485.00
C-20	1x36 W PLL	With VPIT OC copper Ballast	790.00
C-21	1x40 W TLD	With VPIT OC copper Ballast	1370.00
C-22	2x40 W TLD	With VPIT OC copper Ballast	1685.00

Note : SS finish on MS housing

MIRROR OPTIC RECESSED



P. Code No.	Specification	Description	Dimension L x W x H (mm)	M.R.P. Per Pc.
C-23	1x40 W TLD	With VPIT OC copper Ballast	1225x168x100	1735.00
C-24	2x40 W TLD	With VPIT OC copper Ballast	1225x230x100	2370.00

MIRROR OPTIC SURFACE



C-25	1x40 W TLD	With VPIT OC copper Ballast	1685.00
C-26	2x40 W TLD	With VPIT OC copper Ballast	2420.00

VX FITTING



P. Code No.	Specification	Description	Dimension L x W x H (mm)	M.R.P. Per Pc.
C-27	1x40 W TLD	With VPIT OC copper ballast	1230x135x100	1475.00

[C] Decorative Lights

DP- LX FITTING



P. Code No.	Specification	Description	Dimension L x W x H (mm)	M.R.P. Per Pc.
C-28	1x40 W TLD	With VPIT OC copper ballast	1325x120x50	1180.00

PERFORATED RECESS

C-29



C-30



C-29	1x36 W PLL	With VPIT OC copper ballast	505x220x50	1370.00
C-30	2x36 W PLL	With VPIT OC copper ballast	580x280x50	1580.00

PERFORATED RECESS (2 x 2)



C-31	2x36 W PLL	With VPIT OC copper ballast	580x580x50	2000.00
C-32	3x36 W PLL	With VPIT OC copper ballast	580x580x50	2315.00

SQUARE LX WITH GLASS



C-33	3x36 W PLL	With VPIT OC copper ballast	465x465x50	P.O.R.
------	------------	-----------------------------	------------	--------

PARA SOFT LIGHT (DIRECT-INDIRECT)



C-34	2x36 W PLL	With VPIT OC copper ballast	580x580x75	2210.00
------	------------	-----------------------------	------------	---------

SOFT LIGHT (INDIRECT)



C-35	2x36 W PLL	With VPIT OC copper ballast	580x580x75	2100.00
------	------------	-----------------------------	------------	---------

CRESCENT



C-36	2x36 W PLL	With VPIT OC copper Ballast	580x580x50	2315.00
C-37	3x36 W PLL	With VPIT OC copper Ballast	580x580x50	2630.00



[C] Decorative Lights

X-TEND



P. Code No.	Specification	Description	Dimension L x W x H (mm)	M.R.P. Per Pc.
C-38	3x36 W PLL	With VPIT OC copper Ballast	575x575x65	P.O.R.

PYRAMID SURFACE SS WITH GLASS



C-39	1x18 W PL	With VPIT OC copper Ballast		980.00
C-40	2x18 W PL	With VPIT OC copper Ballast		1210.00

Note : Pure SS Housing

PYRAMID SURFACE SS WITH GLASS



C-41	1x36 W PLL	With VPIT OC copper Ballast		1265.00
C-42	2x36 W PLL	With VPIT OC copper Ballast		1895.00
C-43	3x36 W PLL	With VPIT OC copper Ballast		2630.00

Note : Pure SS Housing

PLL LX FITTING WITH LOUVERS



P. Code No.	Specification	Description	Dimension L x W x H (mm)	M.R.P. Per Pc.
C-44	1x36 W PLL	With VPIT OC copper Ballast	505x135x50	735.00
C-45	2x36 W PLL	With VPIT OC copper Ballast	505x205x50	1265.00

PLL LX SS FITTING WITH LOUVERS



P. Code No.	Specification	Description	Dimension L x W x H (mm)	M.R.P. Per Pc.
C-46	1x36 W PLL	With VPIT OC copper Ballast	505x135x50	790.00
C-47	2x36 W PLL	With VPIT OC copper Ballast	505x205x50	1370.00

Note : SS finish on MS housing

PLL LX FITTING WITH GLASS



P. Code No.	Specification	Description	Dimension L x W x H (mm)	M.R.P. Per Pc.
C-48	1x36 W PLL	With VPIT OC copper Ballast	505x135x50	790.00
C-49	2x36 W PLL	With VPIT OC copper Ballast	505x205x50	1370.00


PLL LX SS FITTING WITH GLASS



P. Code No.	Specification	Description	Dimension L x W x H (mm)	M.R.P. Per Pc.
C-50	1x36 W PLL	With VPIT OC copper Ballast	505x135x50	840.00
C-51	2x36 W PLL	With VPIT OC copper Ballast	505x205x50	1475.00

Note : SS finish on MS housing

[C] Decorative Lights



PLL LX S-CUT WITH GLASS



P. Code No.	Specification	Description	Dimension L x W x H (mm)	M.R.P. Per Pc.
C-52	1x36 W PLL	With VPIT OC copper Ballast	505x135x50	840.00

CEILING LIGHT ROUND



C-53	1x10 W PL	With VPIT OC copper ballast		735.00
C-54	Direct CFL	Without ballast		580.00

CEILING LIGHT ROUND



C-55	1x9/13/18 W PL	With VPIT OC copper ballast		840.00
C-56	2x9/13/18 W PL	With VPIT OC copper ballast		1000.00
C-57	Direct CFL	Without ballast		630.00

CEILING LIGHT ROUND



C-58	1x9/13/18 W PL	With VPIT OC copper ballast		1050.00
C-59	2x9/13/18 W PL	With VPIT OC copper ballast		1265.00
C-60	1x26 W PL	With VPIT OC copper ballast		1160.00
C-61	2x26 W PL	With VPIT OC copper ballast		1370.00
C-62	Direct CFL	Without ballast		900.00

BOWL SURFACE FITTING



C-63	1x26 W PL	With VPIT O.C copper Ballast		950.00
C-64	2x26 W PL	With VPIT O.C copper Ballast		1210.00

FOOT LIGHT



P. Code No.	Specification	Description	Dimension L x W x H (mm)	M.R.P. Per Pc.
C-65	GLS/ CFL foot light	without ballast	130x75x55	180.00

FOOT LIGHT WITH SS FRAME



P. Code No.	Specification	Description	Dimension L x W x H (mm)	M.R.P. Per Pc.
C-66	1x13/18W PL	With VPIT OC copper ballast	200x130x65	905.00

[D] Down Lights

PL DOWN LIGHT BOWL



P. Code No.	Specification	Description	Dimension D x H (mm)	M.R.P. Per Pc.
D-9	1x13 /18 W PL	With VPIT OC copper ballast	155x100	610.00
D-10	2X13/18 W PL	With VPIT OC copper ballast	155x100	800.00
D-11	Direct CFL	Without Ballast	155x100	420.00

Feature : Fitting is duly wired up to a suitable connector with provision for earthing on G.I. tray.

DOWN LIGHT BOWL WITH SAND REFLECTOR



D-12	1x13/18 W PL	With VPIT OC copper ballast	165x125	685.00
D-13	2x13/18 W PL	With VPIT OC copper ballast	165x125	900.00
D-14	Direct CFL	Without Ballast	165x125	525.00

Feature : Fitting is duly wired up to a suitable connector with provision for earthing on G.I. tray.

PL TOURBO



D-15	2x13/18 W PL	With VPIT OC copper ballast	160x125	P.O.R.
------	--------------	-----------------------------	---------	--------

Feature : Fitting is duly wired up to a suitable connector with provision for earthing on G.I. tray.

PL DIFFUSER



D-16	1x13/18 W PL	With VPIT OC copper ballast	165x85	840.00
D-17	2x13/18 W PL	With VPIT OC copper ballast	165x85	1000.00
D-18	Direct CFL	Without Ballast	165x85	610.00

Feature : Fitting is duly wired up to a suitable connector with provision for earthing on G.I. tray.

BOWL MOVEMENT FITTING



D-19	1x13/18 W PL	With VPIT O.C copper Ballast	160x105	735.00
D-20	2x13/18 W PL	With VPIT O.C copper Ballast	160x105	905.00
D-21	1x26 W	With VPIT O.C copper Ballast	190x105	1000.00
D-22	2x26 W	With VPIT O.C copper Ballast	190x105	1265.00
D-23	Direct CFL	Without Ballast	160x105	530.00
D-24	Direct CFL	Without Ballast	190x105	735.00

Feature : Fitting is duly wired up to a suitable connector with provision for earthing on G.I. tray.

SS BOWL MOVEMENT FITTING



D-25	1x13/18 W PL	With VPIT O.C copper Ballast	160x105	760.00
D-26	2x13/18 W PL	With VPIT O.C copper Ballast	160x105	950.00
D-27	1x26 W	With VPIT O.C copper Ballast	190x105	1085.00
D-28	2x26 W	With VPIT O.C copper Ballast	190x105	1370.00
D-29	Direct CFL	Without Ballast	160x105	570.00
D-30	Direct CFL	Without Ballast	190x105	820.00

Feature : Fitting is duly wired up to a suitable connector with provision for earthing on G.I. tray.

SQ WHITE BOWL WITH INNER GLASS



D-31	1x13/18 W PL	With VPIT O.C copper Ballast	140x70	760.00
D-32	2x13/18 W PL	With VPIT O.C copper Ballast	140x70	950.00
D-33	1x26 W	With VPIT O.C copper Ballast	185x65	950.00
D-34	2x26 W	With VPIT O.C copper Ballast	185x65	1220.00
D-35	Direct CFL	Without Ballast	140x70	580.00
D-36	Direct CFL	Without Ballast	185x65	685.00

Feature : Fitting is duly wired up to a suitable connector with provision for earthing on G.I. tray.

[D] Down Lights

SQ SS BOWL WITH INNER GLASS



P. Code No.	Specification	Description	Dimension D x H (mm)	M.R.P. Per Pc.
D-37	1x13/18 W PL	With VPIT O.C copper Ballast	140x70	800.00
D-38	2x13 /18 W PL	With VPIT O.C copper Ballast	140x70	970.00
D-39	1x26 W	With VPIT O.C copper Ballast	185x65	1010.00
D-40	2x26 W PL	With VPIT O.C copper Ballast	185x65	1310.00
D-41	Direct CFL	Without Ballast	140x70	610.00
D-42	Direct CFL	Without Ballast	185x65	790.00

Feature : Fitting is duly wired up to a suitable connector with provision for earthing on G.I. tray.

PL CONE MOVEMENT WITH GLASS



D-43	Direct CFL	Without Ballast	90x125	265.00
D-44	Direct CFL	Without Ballast	115x180	370.00

PL CONE MOVEMENT SS WITH GLASS



D-45	Direct CFL	Without Ballast	90x125	295.00
D-46	Direct CFL	Without Ballast	115x180	400.00

PL CONE w/o GLASS



D-47	Direct CFL	Without Ballast	90x125	275.00
D-48	Direct CFL	Without Ballast	115x180	475.00

PL CONE SS w/o GLASS



D-49	Direct CFL	Without Ballast	90x125	305.00
D-50	Direct CFL	Without Ballast	115x180	610.00



[E] M.H.D. & C.D.M.T. Lights



MHD BOWL MOVEMENT



P. Code No.	Specification	Description	Dimension D x H (mm)	M.R.P. Per Pc.
E-9	70 W Double Ended	Without Ballast	155x75	610.00
E-10	150 W Double Ended	Without Ballast	155x75	610.00

MHD SS BOWL MOVEMENT



E-11	70 W Double Ended	Without Ballast	155x75	655.00
E-12	150 W Double Ended	Without Ballast	155x75	655.00

MHD SQ BOWL



E-13	70 W Double Ended	Without Ballast	140x70	P.O.R.
E-14	150 W Double Ended	Without Ballast	140x70	P.O.R.

MHD SQ SS BOWL



E-15	70 W Double Ended	Without Ballast	140x70	P.O.R.
E-16	70 W Double Ended	Without Ballast	140x70	P.O.R.

CDMT ZOOM FITTING



E-17	70 W Double Ended	Without Ballast	180x160	1370.00
E-18	150 W Double Ended	Without Ballast	180x160	1370.00

CDMT SQ ZOOM FITTING



E-19	70 W Double Ended	Without Ballast		1370.00
E-20	150 W Double Ended	Without Ballast		1370.00

MHD SQ ZOOM INDOOR FITTING



P. Code No.	Specification	Description	Dimension L x W x H (mm)	M.R.P. Per Pc.
E-21	70 W Double Ended	Without Ballast	225x130x120	P.O.R.
E-22	150 W Double Ended	Without Ballast	225x130x120	P.O.R.

[E] M.H.D. & C.D.M.T. Lights



MHD SQ SS ZOOM INDOOR FITTING



P. Code No.	Specification	Description	Dimension L x W x H	M.R.P. Per Pc.
E-23	70 W Double Ended	Without Ballast	225x130x120	P.O.R.
E-24	150 W Double Ended	Without Ballast	225x130x120	P.O.R.

MHD OUTDOOR FITTING



E-25	70 W Double Ended	Without Ballast		685.00
E-26	150 W Double Ended	Without Ballast		685.00

MHD OUTDOOR BACK CHOKE FITTING



E-27	70 W Double Ended	With Full Polyester Copper Ballast		2700.00
E-28	150 W Double Ended	With Full Polyester Copper Ballast		3000.00

QR 111 FITTING



E-29		Without Ballast		P.O.R.
E-30		Without Ballast		P.O.R.



[F] Industrial Indoor Outdoor Lights



CHALK BOARD FITTING



P. Code No.	Specification	Description	M.R.P. Per Pc.
F-9	4 Ft-1x40 W	With full Polyester deluxe ballast And half reflector	1055.00

Note : Application on school black board

INDUSTRIAL FITTING



F-10	4 Ft-1x40 W	With full Polyester deluxe ballast	1095.00
F-11	4 ft-2x40 W	With full Polyester deluxe ballast	1370.00
F-12	4 ft-1x40 W	With full Polyester deluxe ballast & imported aluminum reflector	1740.00
F-13	4 ft-2x40 W	With full Polyester deluxe ballast & imported aluminum reflector	2160.00

Feature : • 9 tank powder coated heavy MS Housing & Reflector • Full brass holder & connector
• Deluxe ballast with aluminum wire & CRNO lamination.

MV/SV HIGH BAY INTEGRAL FITTING



F-14	250 W MV	With Full polyester copper ballast	3620.00
F-15	400W MV	With Full polyester copper ballast	4040.00
F-16	150W SV	With Full polyester copper ballast	3790.00
F-17	250W SV	With Full polyester copper ballast	4315.00
F-18	400 W SV	With Full polyester copper ballast	4840.00

Feature : • Heavy aluminum die cast housing • Anodized aluminum reflector

MHD HIGH BAY INTEGRAL FITTING



F-19	150 W MHD	With Full polyester copper ballast	3790.00
F-20	250 W MHD	With Full polyester copper ballast	4315.00
F-21	400 W MHD	With Full polyester copper ballast	4840.00

Feature : • Heavy aluminum die cast housing • Anodized aluminum reflector.

MV/SV HIGH BAY INTEGRAL FITTING WITH GLASS



F-22	250 W MV	With Full polyester copper ballast	4335.00
F-23	400 W MV	With Full polyester copper ballast	4770.00
F-24	150W SV	With Full polyester copper ballast	4440.00
F-25	250W SV	With Full polyester copper ballast	5000.00
F-26	400W SV	With Full polyester copper ballast	5420.00

Feature : • Heavy aluminum die cast housing • Anodized aluminum reflector • With toughened glass

MHD HIGH BAY INTEGRAL FITTING WITH GLASS



F-27	150 W MHD	With Full polyester copper ballast	4440.00
F-28	250 W MHD	With Full polyester copper ballast	5000.00
F-29	400 W MHD	With Full polyester copper ballast	5420.00

Feature : • Heavy aluminum die cast housing • Anodized aluminum reflector • With toughened glass

[F] Industrial Indoor Outdoor Lights



NON INTEGRAL HOOK BOWL HIGH BAY



P. Code No.	Specification	Description	M.R.P. Per Pc.
F-30	Direct CFL	Without Ballast	1210.00

NON INTEGRAL HOOK BOWL HIGH BAY WITH GLASS



F-31	Direct CFL	Without Ballast	2105.00
------	------------	-----------------	---------

TEMPO FLOOD LIGHT



F-32	70 W MHD	With Full polyester copper ballast	3160.00
F-33	150W MHD	With Full polyester copper ballast	3790.00
F-34	250W MHD	With Full polyester copper ballast	5370.00
F-35	400W MHD	With Full polyester copper ballast	5735.00

Feature :

- Heavy aluminum die cast housing • Full Brass porcelain holder and connector
- Igniter with aluminum housing • With Toughened glass

SQ. FLOOD LIGHT



F-36	250W MHD	Without CGB	P.O.R.
F-37	400W MHD	Without CGB	P.O.R.

GENERAL PURPOSE FLOOD LIGHT



F-38	without CGB	P.O.R.
F-39	without CGB	P.O.R.
F-40	without CGB	P.O.R.

HALOGEN FITTING



F-41	500 W	Without ballast	1050.00
F-42	1000 W	Without ballast	1370.00

Feature : • Heavy aluminum die cast housing • With toughened glass

BULKHEAD FITTING



F-43	100 W GLS / direct CFL	Without Ballast	295.00
------	------------------------	-----------------	--------

Feature : • Heavy Aluminium casting body lock type • With high quality porcelain 2 pin brass holder

[F] Industrial Indoor Outdoor Lights



BULKHEAD FITTING CAPSULE BODY



P. Code No.	Specification	Description	M.R.P. Per Pc.
F-44	100 W GLS / direct CFL	Without Ballast	380.00

Feature : • Plastic housing • With high quality porcelain 2 pin brass holder

M.V STREET LIGHT SHEET METAL



F-45	125 W MV	With Full polyester copper ballast	2420.00
F-46	250W MV	With Full polyester copper ballast	3580.00
F-47	400W MV	With Full polyester copper ballast	4000.00

Feature :

• One piece heavy aluminum housing • Full Brass porcelain holder and connector
• Mounting Pipe Size : 1.5" - 2.0" ID

SV STREET LIGHT SHEET METAL



F-48	70 W SV	With Full polyester copper ballast	2750.00
F-49	150W SV	With Full polyester copper ballast	3580.00
F-50	250W SV	With Full polyester copper ballast	4105.00
F-51	400W SV	With Full polyester copper ballast	4735.00

Feature : • One piece heavy aluminum housing • Full Brass porcelain holder and connector
• Igniter with aluminum housing • Mounting Pipe Size : 1.5" - 2.0" ID

M.V STREET LIGHT DIE CAST



F-52	125 W MV	With Full polyester copper ballast	2840.00
F-53	250 W MV	With Full polyester copper ballast	5000.00
F-54	400 W MV	With Full polyester copper ballast	5420.00

Feature :

• One piece aluminum die cast housing • Full Brass porcelain holder and connector
• Mounting Pipe Size : 1.5" - 2.0" ID

S.V. STREET LIGHT DIE CAST



F-55	70 W SV	With Full polyester copper ballast	3150.00
F-56	150 W SV	With Full polyester copper ballast	3790.00
F-57	250 W SV	With Full polyester copper ballast	5630.00
F-58	400 W SV	With Full polyester copper ballast	6160.00

Feature : • One piece aluminum die cast housing • Full Brass porcelain holder and connector
• Igniter with aluminum housing • Mounting Pipe Size : 1.5" - 2.0"

M.V POT OPTIC STREETLIGHT



F-59	125 W MV	With Full polyester copper ballast	2630.00
F-60	250 W MV	With Full polyester copper ballast	3580.00
F-61	400 W MV	With Full polyester copper ballast	4000.00

Feature : • One piece aluminum die cast housing • Full Brass porcelain holder and connector
• Igniter with aluminum housing • With Toughened Glass • Mounting Pipe Size : 1.5" ID

S.V. POT OPTIC STREET LIGHT



F-62	70 W SV	With Full polyester copper ballast	2780.00
F-63	150 W SV	With Full polyester copper ballast	3630.00
F-64	250 W SV	With Full polyester copper ballast	4320.00
F-65	400 W SV	With Full polyester copper ballast	4740.00

Feature : • One piece heavy aluminum housing • Full Brass porcelain holder and connector
• Igniter with aluminum housing • with toughened glass • Mounting Pipe Size : 1.5" ID

[F] Industrial Indoor Outdoor Lights



MHD POT OPTIC STREET LIGHT



P. Code No.	Specification	Description	M.R.P. Per Pc.
F-66	150 W MHD	With Full polyester copper ballast	3630.00
F-67	250 W MHD	With Full polyester copper ballast	4320.00
F-68	400 W MHD	With Full polyester copper ballast	4740.00

Feature : • One piece heavy aluminum housing • Full Brass porcelain holder and connector
• Igniter with aluminum housing • with toughened glass • Mounting Pipe Size : 1.5" ID

TLD STREET LIGHT



F-69	1x40 w side	With full polyester Deluxe Ballast	1210.00
F-70	1x40 w top	With full polyester Deluxe Ballast	1210.00

Feature : • Heavy aluminum housing • Full brass holder and connector
• Pure SS screws for mounting GI pipe • Mounting Pipe Size : 1" ID

PLL STREET LIGHT



F-71	1x36 W PLL	With VPIT OC Coper Ballast	1000.00
F-72	2x36 W PLL	With VPIT OC Coper Ballast	1525.00

Feature : • One piece heavy aluminum housing • Full Brass holder and connector • Pure SS Screws for mounting G.I pipe • Mounting Pipe Size : 1" ID

CFL STREET LIGHT FITTING



F-73	32 W CFL	Without Ballast	790.00
F-74	85 W CFL	Without Ballast	970.00

Feature : • One piece heavy aluminum housing. • With high quality Porcelain 2 pin brass holder • Pure SS Screws for mounting G.I pipe • Mounting Pipe Size : 1" ID

JET PROOF FITTING



F-75	1x36 W TLD	With VPIT OC Copper ballast	P.O.R.
F-76	2x36 W TLD	With VPIT OC Copper ballast	P.O.R.

CONTROL GEAR BOX FOR HP MV LAMP



F-77	80W MV	With full polyester copper ballast	P.O.R.
F-78	125W MV	With full polyester copper ballast	1630.00
F-79	250W MV	With full polyester copper ballast	2210.00
F-80	400W MV	With full polyester copper ballast	2685.00

Note : With Capacitor and Fuse

CONTROL GEAR BOX FOR HPSV LAMP



F-81	70 W SV	With full polyester copper ballast	1790.00
F-82	150W SV	With full polyester copper ballast	2315.00
F-83	250 W SV	With full polyester copper ballast	2840.00
F-84	400W SV	With full polyester copper ballast	3370.00

Note : With Igniter, Capacitor and Fuse

[F] Industrial Indoor Outdoor Lights



CONTROL GEAR BOX FOR MHD LAMP



P. Code No.	Specification	Description	M.R.P. Per Pc.
F-85	70 W MHD	With full polyester copper ballast	1895.00
F-86	150 W MHD	With full polyester copper ballast	2320.00
F-87	250 W MHD	With full polyester copper ballast	2840.00
F-88	400 W MHD	With full polyester copper ballast	3475.00

Note : With Igniter, Capacitor and Fuse

INTEGRAL WELL GLASS FITTING WITH SIDE GUN



F-89	70 W SV	With full polyester copper ballast	2735.00
F-90	125 W MV	With full polyester copper ballast	2525.00

INTEGRAL WELL GLASS FITTING



F-91	70 W SV	With full polyester copper ballast	2735.00
F-92	125 W MV	With full polyester copper ballast	2475.00

NON INTEGRAL WELL GLASS FITTING



F-93	GLS/Direct CFL	Without ballast	950.00
------	----------------	-----------------	--------



[G] Clean Room Lights



CLEAN ROOM BOTTOM OPENING



P. Code No.	Specification	Description	M.R.P. Per Pc.
G-9	2x36 W PLL	With VPIT OC Copper Ballast	P.O.R.

CLEAN ROOM BOTTOM OPENING



G-10	2X40 W TLD	With VPIT OC Copper Ballast	P.O.R.
------	------------	-----------------------------	--------

CLEAN ROOM TOP OPENING



G-11	2 x 36 W PLL	With VPIT OC Copper ballast	P.O.R.
------	--------------	-----------------------------	--------

CLEAN ROOM TOP OPENING



G-12	2 x 40 W TLD	With VPIT OC Copper ballast	P.O.R.
------	--------------	-----------------------------	--------

Note : we manufacture clean room Luminaires as per the customer's Requirements



[H] Garden & Gate Lights



GARDEN LIGHT GOLA



P. Code No.	Specification	Description	M.R.P. Per Pc.
H-9	6" empty	with die cast base	265.00
H-10	8" empty	with die cast base	315.00
H-11	10" empty	with die cast base	400.00
H-12	12" empty	with die cast base	475.00
H-13	15" empty	with die cast base	840.00

Feature : • Plastic housing • With high quality porcelain 2 pin brass holder • Pure SS screws at bottom of base for mounting pipe • For 6" Gola mounting pipe size : 1.5" ID
• For 8"/10"/12"/15" Gola mounting Pipe size : 1.5" - 2.0" ID

GARDEN LIGHT DIAMOND



H-14	8" empty	with die cast base	335.00
H-15	10" empty	with die cast base	400.00
H-16	12" empty	with die cast base	485.00
H-17	15" empty	with die cast base	840.00
H-18	24" empty	with die cast base	2210.00

Feature : • Plastic housing • With high quality porcelain 2 pin brass holder • Pure SS screws at bottom of base for mounting pipe. • Mounting Pipe Size : 1.5" - 2.0" ID

PL GARDEN LIGHT (PTL)



Top: clear / black

H-19	1x11 W PL	with VPIT OC copper ballast	1630.00
H-20	2x11 W PL	with VPIT OC copper ballast	2265.00
H-21	Empty For CFL	Without ballast	1160.00

Feature : • Acrylic Housing • Pure S.S. Screws at bottom of base for mounting pipe
• Mounting Pipe size : For 1x11 W : 1.5" - 2.0" ID, For 2x11 W : 2.5" - 3.0" ID

PL GARDEN LIGHT MANDIR (P.T.L)



H-22	1x11 W PL	with VPIT OC copper ballast	1790.00
H-23	2x11 W PL	with VPIT OC copper ballast	2740.00
H-24	Empty For CFL	without ballast	1315.00

Feature : • Acrylic Housing • Pure SS screws at bottom of base for mounting pipe.
• Mounting Pipe size : For 1x11 W : 1.5" - 2.0" ID, For 2x11 W : 2.5" - 3.0" ID

PL GARDEN LIGHT MANDIR (LOTUS)



H-25	1x11 W PL	with VPIT OC copper ballast	1840.00
H-26	2x11 W PL	with VPIT OC copper ballast	2840.00
H-27	Empty For CFL	without ballast	1370.00

Feature : • Acrylic Housing • Pure SS screws at bottom of base for mounting pipe.
• Mounting Pipe size : For 1x11 W : 1.5" - 2.0" ID, For 2x11 W : 2.5" - 3.0" ID

[H] Garden & Gate Lights



AVIATION LIGHT



P. Code No.	Specification	Description	M.R.P. Per Pc.
H-28	GLS single	Without ballast	1580.00
H-29	GLS double	Without ballast	3160.00

POLL TRAY LIGHT



H-30	1x11 W PL	with VPIT copper ballast	P.O.R.
------	-----------	--------------------------	--------

SPIKE LIGHT



H-31	GLS	Without Ballast	P.O.R.
------	-----	-----------------	--------

Note : Aluminum Die Cast housing

BOLLARD



H-32	GLS Bollard	Without Ballast	P.O.R.
------	-------------	-----------------	--------

WINGS LIGHT - SYMMETRIC



H-33	70/150 W MHD	With Full Polyester Copper Ballast	P.O.R.
------	--------------	------------------------------------	--------

WINGS LIGHT - ASYMMETRIC



H-34	70/150 W MHD	With Full Polyester Copper Ballast	P.O.R.
------	--------------	------------------------------------	--------



ALUMINUM DELUXE BALLAST



P. Code No.	Specification	Description	M.R.P. Per Pc.
I-9	20 W	Polyester filled ballast with aluminum wire and CRNO lamination	155.00
I-10	40 W	Polyester filled ballast with aluminum wire and CRNO lamination	155.00

Note : CRNO lamination is used specially to improve quality and maintain low watt loss

A-1 COPPER BALLAST



I-11	20 W	Polyester filled ballast with Copper wire and CRNO lamination	375.00
I-12	40 W	Polyester filled ballast with Copper wire and CRNO lamination	375.00

Note : CRNO lamination is used specially to improve quality and maintain low watt loss

MINI COPPER BALLAST



I-13	20 W	Polyester filled ballast with Copper wire and CRNO lamination	315.00
I-14	40 W	Polyester filled ballast with Copper wire and CRNO lamination	315.00

Note : CRNO lamination is used specially to improve quality and maintain low watt loss

PL VPIT O.C COPPER BALLAST



I-15	9/11W PL	Open type ballast with copper wire and CRNO lamination	158.00
I-16	13 W PL	Open type ballast with copper wire and CRNO lamination	158.00
I-17	18 W PL	Open type ballast with copper wire and CRNO lamination	158.00

Note : CRNO lamination is used specially to improve quality and maintain low watt loss

VPIT O.C COPPER BALLAST



I-18	20 W	Open type ballast with copper wire and CRNO lamination	220.00
I-19	26 W	Open type ballast with copper wire and CRNO lamination	220.00
I-20	36 W	Open type ballast with copper wire and CRNO lamination	220.00
I-21	40 W	Open type ballast with copper wire and CRNO lamination	220.00

Note : CRNO lamination is used specially to improve quality and maintain low watt loss

CLASSIC VPIT OC COPPER BALLAST (PHILIPS TYPE)



I-22	20 W	Open type ballast with copper wire and CRCA lamination	200.00
I-23	26 W	Open type ballast with copper wire and CRCA lamination	200.00
I-24	36 W	Open type ballast with copper wire and CRCA lamination	200.00
I-25	40 W	Open type ballast with copper wire and CRCA lamination	200.00

ELECTRONIC BALLAST

I-26, I-27



I-28, I-29



I-26	1x18 W TLD	Micro Ballast	220.00
I-27	1x36 W TLD	Micro Ballast	220.00
I-28	1x18 W TLD	Sumo Ballast	220.00
I-29	1x36 W TLD	Sumo Ballast	220.00

ELECTRONIC BALLAST WITH HOLDER



I-30	1x18 W TLD	Micro Ballast with Holder	240.00
I-31	1x36 W TLD	Micro Ballast with Holder	240.00



INDUSTRIAL ELECTRONIC BALLAST



P. Code No.	Specification	Description	M.R.P. Per Pc.
I-32	1x18 W TLD	Micro Ballast	315.00
I-33	1x36 W TLD	Micro Ballast	315.00

Feature : • Power Factor > 0.95 • THD < 20% • With High Efficiency

PLL ELECTRONIC BALLAST



I-34	9/11 W PL	Match Box	200.00
I-35	18 W PL	Match Box	200.00
I-36	36 W PLL	Match Box	200.00

T-5 ELECTRONIC BALLAST



I-37	14 W T-5	Micro Ballast	315.00
I-38	24 W T-5	Micro Ballast	315.00
I-39	28 W T-5	Micro Ballast	315.00

Feature : • Power Factor > 0.95 • THD < 20% • With High Efficiency

HEAVY DUTY HPMV COPPER BALLAST



I-40	80 W MV	Polyester filled ballast with copper wire and CRCA lamination	800.00
I-41	125W MV	Polyester filled ballast with copper wire and CRCA lamination	800.00
I-42	250 W MV	Polyester filled ballast with copper wire and CRCA lamination	1295.00
I-43	400 W MV	Polyester filled ballast with copper wire and CRCA lamination	1725.00

HEAVY DUTY HPSV COPPER BALLAST



I-44	70W SV	Polyester filled ballast with copper wire and CRCA lamination	885.00
I-45	150W SV	Polyester filled ballast with copper wire and CRCA lamination	1240.00
I-46	250W SV	Polyester filled ballast with copper wire and CRCA lamination	1665.00
I-47	400W SV	Polyester filled ballast with copper wire and CRCA lamination	2160.00

IN BUILD MHD BALLAST



I-48	70W SV	Polyester filled ballast with copper wire and CRCA lamination	1220.00
I-49	150W SV	Polyester filled ballast with copper wire and CRCA lamination	1620.00
I-50	250W SV	Polyester filled ballast with copper wire and CRCA lamination	2210.00
I-51	400W SV	Polyester filled ballast with copper wire and CRCA lamination	2580.00

Note : In build MHD ballast comes with ballast, aluminum Igniter & Suitable capacitor.

VPIT O.C MV COPPER BALLAST



I-52	80 W MV	Open type ballast with copper wire and CRCA lamination	735.00
I-53	125W MV	Open type ballast with copper wire and CRCA lamination	735.00
I-54	250W MV	Open type ballast with copper wire and CRCA lamination	1160.00
I-55	400 W MV	Open type ballast with copper wire and CRCA lamination	1685.00

VPIT O. C SV COPPER BALLAST



I-56	70W SV	Open type ballast with copper wire and CRCA lamination	790.00
I-57	150W SV	Open type ballast with copper wire and CRCA lamination	1210.00
I-58	250W SV	Open type ballast with copper wire and CRCA lamination	1580.00
I-59	400W SV	Open type ballast with copper wire and CRCA lamination	1840.00

[J] Accessories



FLUORESCENT & PL TUBE HOLDER



P. Code No.	Specification	Description
J-9	MS Rotor Holder	
J-10	Brass Rotor holder	
J-11	Push Holder	
J-12	PL 2 Pin Holder	
J-13	PLL 4 Pin Holder	

M.R.P. Per Pc.
11.00
22.00
10.00
20.00
22.00

FLUORESCENT STARTER SEAT



J-14	Barrel seat
J-15	Push seat
J-16	Patti push starter seat

17.00
10.00
10.00

PORCELAIN LAMP HOLDER



J-17	2 slot/ 3 slot Porcelain holder
J-18	E 27 Porcelain Holder
J-19	E- 40 Porcelain Holder
J-20	70/150 W Double Ended Porcelain Holder

25.00
45.00
85.00
95.00

CONNECTOR



J-21	5 Amp Patti connector
J-22	10 Amp Brass connector
J-23	3 way 10 Amp Brass connector
J-24	10 Amp Brass connector
J-25	10 Amp porcelain connector
J-26	15 Amp porcelain connector

7.00
13.00
20.00
17.00
25.00
32.00

FLUORESCENT STARTER



J-27	Starter with capacitor
------	------------------------

12.00

IGNITER



J-28	Pulsar Igniter
J-29	Super Imposed Igniter

225.00
420.00

Note : Aluminium Housing

CAPACITOR



J-30	10MFD capacitor
J-31	16 MFD capacitor
J-32	20 MFD capacitor
J-33	33 MFD capacitor
J-34	42 MFD capacitor

120.00
150.00
165.00
210.00
240.00

ACCESSORIES & SPARES

(A) SIDE CAP :

Pcs.	M.R.P. Per
1) 1x20 / 1x40 W Janta Side Cap	Rs. 21.00
2) 2x20 / 2x40 W Janta Side Cap	Rs. 28.00
3) PL Janta Side Cap	Rs. 21.00
4) PL Miroalta Side Cap	Rs. 21.00
5) Micro Miroalta Side Cap	Rs. 21.00
6) Phillips type Miroalta Side Cap	Rs. 21.00

(C) ACRYLIC COVERS :

1) 1x11 W PL Miroalta Cover	Rs. 85.00
2) 1x11 W PL Janta Cover	Rs. 95.00
3) 1x40 W Janta Cover	Rs. 285.00
4) 2x40 W Janta Cover	Rs. 360.00
5) 1x36 W PLL Street Light Cover	Rs. 125.00
6) 2x36 W PLL Street Light Cover	Rs. 170.00
7) 1x40 W Street Light Cover	Rs. 150.00
8) 1x40 W Street Light Frame + Cover + Rubber	Rs. 300.00
9) 70/80/125 W MV/SV Street Light Cover	Rs. 300.00
10) 150/250/400 W MV/SV Street Light Cover	Rs. 380.00
11) 1x11 W Simi Light Cover	Rs. 75.00
12) 1x36 W Simi Light Cover	Rs. 100.00
13) 1x40 W TLD Simi Light Cover	Rs. 300.00
14) 32 W CFL Street Light Cover	Rs. 100.00
15) 85 W CFL Street Light Cover	Rs. 170.00

(B) REFLECTOR :

Pcs.	M.R.P. Per
1) 150/250/400 W MV/SV Highbay Reflector	Rs. 800.00
2) 1x40 W Industrial Reflector	Rs. 400.00
3) 2X40 W Industrial Reflector	Rs. 450.00
4) 1x40 W Imp. Aluminium Reflector	Rs. 600.00
5) 2x40 W Imp. Aluminium Reflector	Rs. 700.00
6) 1x40/2x40 W Chalk Board Reflector	Rs. 335.00

(D) GLASS :

1) 500 W. Helogen Fitting Toughened Glass.	Rs. 125.00
2) 1000 W. Helogen Fitting Toughened Glass.	Rs. 170.00
3) 70/150 W Tempo Fitting Toughened	Rs. 375.00
4) 250/400 W Tempo Fitting Toughened	Rs. 525.00
5) 70/80/125 W MV/SV Pot Optic Street Light T-Glass	Rs. 250.00
6) 150/250/400 W MV/SV Pot Optic Street Light T-Glass	Rs. 315.00
7) 1x36 W PLL LX Fitting Glass	Rs. 100.00
8) 2x18 W PL Bowl Fitting Glass	Rs. 95.00
9) 2x26 W PL Bowl Fitting Glass	Rs. 125.00
10) Bulkhead Fitting Glass	Rs. 95.00

AN ISO 9001 : 2008

Certificate of Registration



The Governing Board of
Q.A. International Certification Limited
hereby grants to:

NAMAN LUMINAIRES INDIA

Registration No. : QAIC / IN / 1093 - A

(hereinafter called the Registered Company) the right to be listed in the Directory of Registered Companies in respect of the services listed below. These services shall be offered by the Registered Company at or from only the address given below in accordance with the quality management system in compliance with ISO 9001:2008.

Address to which this Certificate refers :

Approved Scope to which this Certificate refers:

Manufacturer and Supplier of "NAMAN" Brand Fluorescent Chokes, Fixtures, Starters, M.V., S.V. Chokes, Fixtures, P.J. Range, LED Range and T-5 Range
(Further clarification regarding the Scope of this Certificate and the applicability of ISO 9001:2008 requirements may be obtained by consulting the organisation)

Signed for and on behalf of the Board


CHAIRMAN
A. I. Duffield


SCHEME MANAGER
A. Carter

Certificate Issue Date : 10th January 2013 - Certificate Expiry Date : 27th December 2015
Date of Initial Registration : 10th January 2013 - Re-assessment Date : 27th December 2015
This Certificate of Registration is granted subject to the Regulations approved by the Board.

QA INTERNATIONAL

Q.A. International Certification Ltd.
Dunfermline
Dunfermline Road
Dunfermline
Fife, Scotland
DD11 4AG

Tel: +44 (0)1323 304872
Fax: +44 (0)1323 402096
www.qai.co.uk



Guarantee :

All our **"NAMAN"** brand ballast, control gear are guaranteed against any manufacturing defect for the period of as details follows.

- Deluxe alluminium ballast 3 years guarantee.
- A-1 Big Copper ballast 5 years guarantee.
- Mini Copper ballast, PL Copper ballast, VPIT ballast, M.V., S. V. & MHD Ballast 2 years guarantee.
- Electronic Ballasts 1 year guarantee.

General notes :

- All fitting are also available with energy saving electronic ballast on request.
- All price are subject to our general terms and condition of business.
- Technical data & price are subject to change without prior notice.
- All price of luminaires are without lamps & tubes.
- Any statutory variation applicable at the time of delivery / sale will be in dealers purchasers accounts.
- Spares not covered in the price list, can be offered on receipt of specific enquiry with description and quantities, it will be charged extra.
- All wiring contact are (Brass) non corrosive.

Terms & Condition

- All the price are ex-works.
- The price are exclusive of taxes, local levies, if any when will be extra as applicable.
- Payment immediately.
- Every care is taken in packing of goods, the contains checked twice & therefor no claims will be entertained for breakage & shortage during transit.
- Delivery 8-15 days on confirmation of order.
- Packing chargers extra.
- Less Discount _____ %
- Subject to Mumbai Jurisdiction.
- All fragile parts of fittings such as plastic, acrylic, louvers etc. Are dispatched at buyers risk.

NAMAN Luminaires is constantly developing and improving its products. For this reason, all products description, in this brochure are intended as a general guide. All specifications are subject to change without prior notice for further developments / improvements of the products

This **"NAMAN"** catalogue cum price list has been totally designed to help you more easily to select the **"NAMAN"** Luminaires range of products to meet your requirement and specifications.



MFG By :

NAMAN
Lighting Luminaires



The Trend of Lighting

QUALITY POLICY

M/s. NAMAN luminaires India is committed to achieve customer satisfaction by ensuring that everyone understand and meet customer's requirement by providing luminaires & related accessories of best quality. Our belief is that our success can be measured only by the continuing success of our customers. This policy is implemented on the production floor and is continually monitored at the highest level of management.

Our Philosophy of continual improvement relies on an intensive training program, which emphasizes the employee's direct involvement. Our aim is to respond to our customer's ever changing needs in the most cost effective way. We care our customers most and try to solve their queries instantly.

We are committed to maintain an effective Quality Management System through the active involvement of all employees.

AUTHORISED DEALER



The Trend of Lighting


An ISO 9001 : 2008 Certified Co.

NAMAN

LUMINAIRES INDIA

Light up Your World

MADE IN INDIA



SINCE 40 YEARS

LED Catalogue- 2018



Company Profile



Sri. Chandrakant N. Shah Founder of Darshan Electrical Industries takes pride in completing 10 years successfully in new venture **"Naman Luminares India"** for Manufacturing complete range of lighting solutions.

"Naman Luminares India" has the advantage of **40 years** of rich experience with the wide contacts and established relations across various Indian and multinational companies in the luminares industry.

Four decades of business experience will enable **"Naman Luminares India"** to keep pace with the changing demands and lifestyles of consumers. It will enable us to develop cutting edge technologies and innovate new concepts and designs, besides improving the existing products.

The advancement in LED technology being experienced in lighting world today is probably the biggest development in lighting technology in the past few years.

"Naman Luminares India" has been steadily growing despite tough competition from global players in the Indian market. this fact is proof of our customer focus and our management expertise of more than 40 years! We will continue to bring innovation in the field of manufacturing and thus remain pioneers in the years to come.

We offer a selection of high end indoor, outdoor LED range suitable for general lighting, ceiling lighting, surface lighting, spot lighting, cove lighting, industrial lighting, street lighting and flood lighting etc.

It is an pleasure to convey thanks to our customers for their continuous support to our company as result now we are continuously growing with our LED range.

VISION :


"Naman Luminares India" has a vision to establish his name in the category of quality lighting manufacturers. The company is focusing to bring innovation to lighting by providing energy efficient and cost effective lighting solutions

MISSION :

Our mission is to furnish high quality products on time, and at the lowest cost. To reach our objectives we will maintain a productivity on quality with full dedication, commitment and teamwork.


We aim to provide our customers with only the best products to ensure unparallel customer satisfaction.

approved by:
P.W.D., B.P.T., B.M.C., MHADA, M.I.D.C. & SSI UNIT.





Thanks!

(A) SLIM PANEL LIGHT



Code - Watt	Cut out L x W	Outer diameter (L x W x H)	Lumens	Available Colour
NSPL - 8 w	85 x 85	100 x 100 x 25	1200	2700K-3000K Warm White
NSPL - 8 w	90 x 90	100 x 100 x 25	1200	4000K-4300K Neutral White
NSPL - 12 w	130 x 130	145 x 145 x 25	1800	6000K-6500K Cool White
NSPL - 12 w	130 x 130	145 x 145 x 25	1800	
NSPL - 15 w	155 x 155	165 x 165 x 25	2400	
NSPL - 15 w	160 x 160	175 x 175 x 25	2400	
NSPL - 22 w	195 x 195	205 x 205 x 25	3600	
NSPL - 22 w	195 x 195	210 x 210 x 25	3600	

• Housing Materials : Aluminum Die-Casting • LED Type: 0.2 W SMD LED 2835
 • LED Source: Ever light / Epistar • Available with Philips/Osram/Fulham Driver
 • IP- 20



Shape  

(B) PANEL LIGHT




Code - Watt	Cut out L x W	Outer diameter (L x W x H)	Lumens	Available Colour
NPL - 8 w	95 x 95	110 x 110 x 25	1040	2700K-3000K Warm White
NPL - 12 w	135 x 135	150 x 150 x 25	1560	4000K-4300K Neutral White
NPL - 15 w	160 x 160	180 x 180 x 25	2340	6000K-6500K Cool White
NPL - 22 w	200 x 200	220 x 210 x 25	3120	
NPL - 30 w	280 x 280	300 x 300 x 25	5200	

• Housing Materials : Aluminum Die-Casting • LED Type: 0.5 W SMD LED 2835
 • LED Source: Hongli / Epistar • IP- 20



Shape  

(C) RIMLESS PANEL LIGHT



Code - Watt	Cut out L x W	Outer diameter (L x W x H)	Lumens	Available Colour
NRPL - 8 w	75 x 75	90 x 90 x 25	1000	2700K-3000K Warm White
NRPL - 15 w	125 x 125	145 x 145 x 25	1800	4000K-4300K Neutral White
NRPL - 22 w	150 x 150	170 x 170 x 25	2700	6000K-6500K Cool White

• Housing Materials : Aluminum Die-Casting • LED Type: 0.2 W SMD LED 4014
 • LED Source: Epistar / Ever Light • IP- 20



Shape  

(D) L/X PANEL LIGHT



Code - Watt	Replacement of	Cut out L x W	Outer diameter (L x W x H)	Lumens	Available Colour
NLXPL - 24 w	2 x 11 w PL	280 x 155	305 x 180 x 25	2600	2700K-3000K Warm White
NLXPL - 30 w	1 x 36 w PLL	495 x 135	510 x 150 x 25	5200	4000K-4300K Neutral White
NLXPL - 30 w	2 x 36 w PLL	495 x 205	510 x 230 x 25	5200	6000K-6500K Cool White
NLXPL - 36 w	2 x 36 w PLL (2x2)	570 x 570	595 x 595 x 25	6240	
NLXPL - 40 w	1 x 40 w TLD	1100 x 135	1210x150 x 30		

• Housing Materials : Aluminum Die-Casting • LED Type: 0.5 W SMD LED 2835
 • LED Source: Hongli / Epistar • IP- 20

Shape  



2 NAMAN LED SURFACE PANEL LIGHT (EDGE LIT)

(A) SLIM SURFACE PANEL LIGHT (ONE Pc.)






Code - Watt	Outer diameter (L x W x H)	Lumens	Available Colour
NSSUPL - 8 w	90 x 90 x 30	1200	2700K-3000K Warm White
NSSUPL - 12 w	135 x 135 x 30	1800	4000K-4300K Neutral White
NSSUPL - 15 w	160 x 160 x 30	2400	6000K-6500K Cool White
NSSUPL - 22 w	200 x 200 x 30	3600	

• Housing Materials : Aluminum Die-Casting • LED Type: 0.2 W SMD LED 2835
 • LED Source: Ever light / Epistar • Available with Philips/Osram/Fulham Driver
 • IP- 20

Shape  




(B) SURFACE PANEL LIGHT



Code	Watt	Outer diameter (L x W X H)	Lumens	Available Colour
NSUPL - 8 w		115 x 115 x 40	1040	2700K-3000K Warm White
NSUPL - 12 w		155 x 155 x 40	1560	4000K-4300K Neutral White
NSUPL - 15 w		185 x 185 x 40	2340	6000K-6500K Cool White
NSUPL - 22 w		225 x 225 x 40	3120	
NSUPL - 30 w		305 x 305 x 40	5200	
<ul style="list-style-type: none"> Housing Materials : Aluminum Die-Cast + MS Box LED Source: Hongli / Epistar LED Type: 0.5 W SMD LED 2835 IP- 20 				Shape  

(C) L / X SURFACE PANEL LIGHT








Code	Watt	Replacement of	Outer diameter (L x W X H)	Lumens	Available Colour
NLXSPL - 30 w		1 x 36W PLL	520 x 160 X 50	5200	 2700K-3000K Warm White
NLXSPL - 30 w		2 x 36W PLL	520 X 235 X 50	5200	 4000K-4300K Neutral White
NLXSPL - 36 w		2 x 36W PLL (2x2)	600 X 600 X 65	6240	 6000K-6500K Cool White
<div><div><ul style="list-style-type: none">● Housing Materials : Aluminum Die-Cast + MS Box● LED Source: Hongli / Epistar</div><div><ul style="list-style-type: none">● LED Type: 0.5 W SMD LED 2835● IP- 20</div></div>					<div>Shape</div> <div></div>


3 NAMAN LED DOWN LIGHT (BACK LIT)






(A) SLIM DOWN LIGHT



Code	Watt	Cut out L x W	Outer diameter (L x W X H)	Lumens	Available Colour
NSDL - 8 w		95 x 95	110 x 110 x 35	1040	 2700K-3000K Warm White
NSDL - 18 w		130 x 130	140 x 140 x 35	2340	 4000K-4300K Neutral White
NSDL - 24 w		160 x 160	175 x 175 x 35	3120	 6000K-6500K Cool White
<ul style="list-style-type: none">● Housing Materials : Aluminum Die-Casting● LED Type: 0.2 W SMD LED 2835● LED Source: Hongli / Epistar● IP- 20					Shape  





(B) TOP DOWN LIGHT



Code	Watt	Cut out L x W	Outer diameter (L x W X H)	Lumens	Available Colour
NTDL - 6 w		85 x 85	100 x 100 x 40	600	 2700K-3000K Warm White
NTDL - 8 w		95 x 95	120 x 120 x 40	800	
NTDL - 15 w		125 x 125	150 x 150 x 40	1500	 4000K-4300K Neutral White
NTDL - 18 w		145 x 145	170 x 170 x 40	1800	
NTDL - 24 w		145 x 145	170 x 170 x 40	2400	
NTDL - 30 w		175 x 175	200 x 200 x 40	3000	 6000K-6500K Cool White
<ul style="list-style-type: none">● Housing Materials : Aluminum Die-Casting● LED Source: Ever Light / Bridglux● LED Type: 0.2 W SMD LED 2835● IP- 20● Available with Philips/Osram/Fulham Driver					<div>Shape</div> <div> </div>

(C) RD DOWN LIGHT



Code	Watt	Cut out L x W	Outer diameter (L x W X H)	Lumens	Available Colour
NRDDL - 12 w		90 x 90	105 x 105 x 80	1560	 2700K-3000K Warm White
NRDDL - 24 w		135 x 135	160 x 160 x 80	3120	 4000K-4300K Neutral White
NRDDL - 42 w		180 x 180	200 x 200 x 80	5460	 6000K-6500K Cool White
<div><div><ul style="list-style-type: none">● Housing Materials : Aluminum Alloy● LED Source: Epistar / Everlight</div><div><ul style="list-style-type: none">● LED Type: 0.2 W SMD LED 2835● IP- 20</div></div>					<div>Shape</div> <div></div>


(D) DEEP DOWN LIGHT



Code	Watt	Replacement of	Cut out	Outer diameter (L x W x H)	Lumens
NDDL - 10 w		1 x 11W PL	310 x 90	340 x 105 x 45	1560
NDDL - 20 w		2 x 11W PL	310 x 150	340 x 165 x 45	3120
NDDL - 24 w		1 x 36 W PLL	495 x 135	525 x 165 x 50	3900
NDDL - 30 w		2 x 36 W PLL	495 x 205	525 x 235 x 50	5200
NDDL - 36 w		2 x 36 W PLL (2 x 2)	570 x 570	595 x 595 x 60	6240
NDDL - 48 w		3 x 36 W PLL (2 x 2)	570 x 570	595 x 595 x 60	7800

- Housing Materials : MS With Powder Coating
- LED Type: 0.5 W SMD LED 2835
- LED Source: Hongli / Epistar
- IP- 20

Available Colour



Shape




4 NAMAN COB LED SPOT LIGHT

(A) COB LED SPOT LIGHT



Code	Watt	Cut out	Outer diameter (L x W x H)	Shape	Type
NCSL-F- 1 w		25 x 25	30 x 30 x 20	■/●	FIXED BUTTON
NCSL-M- 1 w		35 x 35	40 x 40 x 20	●	MOVABLE BUTTON
NCSL-F- 3 w		35 x 35	45 x 45 x 20	●	FIXED BUTTON
NCSL-M- 3 w		50 x 50	70 x 70 x 35	■/●	MOVABLE
NCSL-M- 6 w		65 x 65	85 x 85 x 40	■/●	MOVABLE
NCSL-M- 10 w		80 x 80	105 x 105 x 50	■/●	MOVABLE
NCSL-M- 15 w		110 X 110	125 x 125 x 70	■/●	MOVABLE
NCSL-M- 25 w		130 X 130	150 x 150 x 85	■/●	MOVABLE
NCSL-M- 30 w		130 X 130	150 x 150 x 85	■/●	MOVABLE
NCSL-M- 40 w		155 x 155	170 x 170 x 85	■/●	MOVABLE

- Housing Materials : Aluminum Die-Casting
- Available With Philips / Osram / Fulham Driver
- LED Source: Cree / Bridgelux / Philips
- IP- 20



Shape



5 NAMAN COB LED SURFACE SPOT LIGHT

(A) COB LED SURFACE SPOT LIGHT



Code	Watt	Outer diameter (L x W x H)	Shape
NCSSL - 3 w		65 x 65 x 25	■/●
NCSSL - 3 w Slim		60 x 60 x 10	■/●
NCSSL - 5 w		75 x 75 x 25	●

- Housing Materials : Aluminum Die-Casting
- LED Type: COB
- LED Source: Cree / Citizen
- IP- 20

Available Colour




Shape



6 NAMAN LED BATTEN LIGHT

(A) T5 LED BATTEN



Code	Watt	Dimension (L x W x H)	Lumens
NT5 - 5 w		325 x 20 x 30 (1Ft.)	670
NT5 - 10 w		590 x 20 x 30 (2Ft.)	1280
NT5 - 20 w		1190 x 20 x 30 (4Ft.)	2680

- Housing Materials : Aluminum, Non Linkable Centre wire
- LED Type: 0.2 W SMD 2835 LED
- LED Source: Everlite / Epistar
- IP- 20

Available Colour



Shape




(B) T8 LED BATTEN



Code	Watt	Dimension (L x W x H)	Lumens
NT8 - 8 w		320 x 25 x 40 (1Ft.)	840
NT8 - 15 w		590 x 25 x 40 (2Ft.)	2240
NT8 - 30 w		1150 x 25 x 40 (4Ft.)	4480
NT8 - 24 w		1180 x 20 x 35 (4Ft.)	3000

- Housing Materials : Heavy Aluminum Extrusion
- LED Type: 0.2 W SMD 2835 LED
- LED Source: Everlite / Epistar
- IP- 20

Available Colour



Shape



(A) STREET LIGHT



Available With Naman Driver



Available With Philips/Osram/Fulham Driver

Code	Watt	Dimension (L x W x H)	St. light Pipe Dia (I.D.)	Lumens
NSL -	15 w	350 x 100 x 60	45	1800
NSL -	20 w	350 x 100 x 60	45	2400
NSL -	24 w	390 x 150 x 60	45	2850
NSL -	30 w	390 x 150 x 60	45	3600
NSL -	36 w	390 x 150 x 60	45	4300
NSL -	48 w	435 x 210 x 60	53	6000
NSL -	60 w	435 x 210 x 60	53	7200
NSL -	72 w	435 x 210 x 60	53	8600
NSL -	100 w	520 x 260 x 65	53	12000
NSL -	120 w	520 x 260 x 65	53	14400
NSL -	150 w	605 x 335 x 65	57	18000
NSL -	200 w	605 x 335 x 65	57	24000

- Housing Materials : Aluminum Die-Casting
- LED Source: Osram / Philips
- IP- 65
- LED Type: 1 W SMD 3030 LED
- Available with Philips/Osram/Fulham Driver
- With 4 KV Surge Protection Device Above 50 w (SPD)

Available Colour

2700K-3000K
Warm White

6000K-6500K
Cool White

Shape



(A) NEW STREET LIGHT



Capsule Street Light

Street Light With Lens

CAPSULE STREET LIGHT			STREET LIGHT WITH LENS		
Code	Watt	Lumens	Code	Watt	Lumens
NCSL-	30 w	3600	NLSL-	20 w	2400
NCSL-	36 w	4300	NLSL-	30 w	3600
NCSL-	50 w	6000	NLSL-	50 w	6000
NCSL-	72 w	8600			

- Housing Materials : Aluminum Die-Casting
- LED Source: Osram / Philips
- IP- 65
- LED Type: 1 W SMD 3030 LED
- Available with Philips/Osram/Fulham Driver

Available Colour

2700K-3000K
Warm White

6000K-6500K
Cool White

Shape



(B) FLOOD LIGHT



Available With Naman Driver



Available With Philips/Osram/Fulham Driver

Code	Watt	Dimension (L x W x H)	Lumens
NFL -	15 w	85 x 85 x 40	1800
NFL -	20 w	85 x 85 x 40	2400
NFL -	24 w	230 x 230 x 50	2850
NFL -	30 w	230 x 230 x 50	3600
NFL -	36 w	230 x 230 x 50	4300
NFL -	48 w	290 x 280 x 60	6000
NFL -	60 w	290 x 280 x 60	7200
NFL -	72 w	290 x 280 x 60	8600
NFL -	100 w	290 x 340 x 70	12000
NFL -	120 w	290 x 340 x 70	14400
NFL -	150 w	390 x 340 x 80	18000
NFL -	200 w	390 x 340 x 80	24000

- Housing Materials : Aluminum Die-Casting
- LED Source: Osram / Philips
- IP- 65
- LED Type: 1 W SMD 3030 LED
- Available with Philips/Osram/Fulham Driver
- With 4 KV Surge Protection Device Above 50 w (SPD)

Available Colour

2700K-3000K
Warm White

6000K-6500K
Cool White

Shape



(C) HIGHBAY / LOWBAY LIGHTS INDOOR



Code	Watt	HIGHBAY	LOWBAY	Lumens
NHL -	50 w	315mm dia	420mm dia	5720
NHL -	100 w	315mm dia	420mm dia	11440
NHL -	150 w	315mm dia	420mm dia	17160

- Housing Materials : Aluminum Die-Casting
- LED Source: Osram / Philips
- IP- 20
- LED Type: 1 W SMD 3030 LED
- Available with Philips/Osram/Fulham Driver
- With 4 KV Surge Protection Device Above 50 w (SPD)

Available Colour

2700K-3000K
Warm White

6000K-6500K
Cool White

Shape



(D) INDUSTRIAL LIGHTS INDOOR



Code	Watt	Replacement of	Dimension (L x W x H)	Lumens
NIL -	24 w	1 x 40 w	1180 x 70 x 40	3000
NIL -	48 w	2 x 40 w	1180 x 100 x 40	6000

- Housing Materials : Aluminum Die-Casting
- LED Source: Everlight / Epistar
- IP- 20
- LED Type: 0.2 W SMD 2835 LED

Available Colour

6000K-6500K
Cool White

Shape



(A) ZOOM LIGHT



WATT
30 W.

Available Colour

- 2700K-3000K Warm White
- 6000K-6500K Cool White

• IP 20

(D) INGROUND / WALKOVER LIGHT



WATT
1x1 W.
3x1 W.
1x3 W.
3x3 W.
6x1 W.
6x3 W.
9x1 W.
9x3 W.
12x1 W.

• IP 65
• ALU. CASTING HOUSING

Available Colour

- 2700K-3000K Warm White
- 6000K-6500K Cool White
- RGB

(B) COB LED TRACK LIGHT



WATT
9 W.
16 W.
24 W.
30 W.

Available Colour

- 2700K-3000K Warm White
- 6000K-6500K Cool White

• IP 20

(E) UNDERWATER LIGHT



(1) SURFACE LIGHT

(2) CONCEALED LIGHT

WATT
1x1 W.
3x1 W.
3x3 W.
6x1 W.
6x3 W.
9x1 W.
9x3 W.
12x1 W.

• IP 68
• ALU. CASTING HOUSING

Available Colour

- 2700K-3000K Warm White
- 6000K-6500K Cool White
- RGB

(C) SUSPENSION LIGHT



(1) LINEAR SUSPENSION LIGHT

(2) ROUND HANGING SUSPENSION LIGHT

WATT
30 W.
45 W.

Available Colour

- 2700K-3000K Warm White
- 4000K-4300K Neutral White
- 6000K-6500K Cool White

DIAMETER
12"

• IP 20

(F) BOLLARD FITTING



1)

2)

3)

4)

5)

6)

HEIGHT
1 Ft.
2 Ft.
3 Ft.

• IP 65
• POLYCARBONATE BODY / MS BODY

Available Colour

- 2700K-3000K Warm White
- 6000K-6500K Cool White

9 NAMAN LED DECORATIVE OUTDOOR LIGHTS

(A) BULKHEAD FITTING



WATT
10 W. ONE LINE
10 W. TWO LINE
10 W. THREE LINE
10 W. FOUR LINE
8 W. CAPSULE
12 W. CAPSULE

Available Colour

- 2700K-3000K Warm White
- 6000K-6500K Cool White

• IP 65
• POLYCARBONATE BODY

(G) WALL LIGHT/ UP & DOWN LIGHT



WATT
4 W. 4 WAY
2 W. 2 WAY
3 W. 2 WAY

• IP 65

Available Colour

- 2700K-3000K Warm White
- 6000K-6500K Cool White

(B) AVIATION LIGHT



WATT LED
10 W. 302
20 W. 604
DOUBLE

Available Colour

- Red

• IP 65
• PIPE DIA: ID 20mm
PIPE DIA: ID 30mm

(H) GATE LIGHT



1)

2)

3)

4)

5)

6)

1) 12" BLACK TOPSY
2) 12" LINER LITE HOUSE
3) 8" MUSHROOM
4) 8" MUSHROOM
5) JALI TYPE
6) CUBE - 6"x8"
CUBE - 9"x11"

• IP 65

Available Colour

- 2700K-3000K Warm White
- 6000K-6500K Cool White

(C) SPIKE LIGHT & UP LIGHTER



WATT
3x1 W.
1x3 W.
6x1 W.
9x1 W.

Available Colour


- 2700K-3000K Warm White
- 6000K-6500K Cool White

• IP 65

ADVANTAGES OF LED

- long life > 50000 hours
- Economical high energy saving
- Low power consumption & Heat distribution
- LED emits more light per watt as compared to any other lamp
- LED is green and environment friendly No Lead, No mercury, No environment pollution
- LED is available with multi color temperature options for various application delivering more comfort.

(A) LED STRIP LIGHT



Lamp Type	No. of Lamp / per Meter	Watt & Lumen / Per Lamp	Watt per Meter	Available Colour
5050	30	0.25 w, 22-24 Lm	7 w	2700K-3000K Warm White
5050	60	0.25 w, 22-24 Lm	14 w	
2835	60	0.1 w, 20-22 Lm	6 w	
2835	120	0.1 w, 20-22 Lm	12 w	6000K-6500K Cool White
2835	204	0.1 w, 20-22 Lm	21 w	
3014	120	0.1 w, 10-12 Lm	12 w	
3014	204	0.1 w, 10-12 Lm	21 w	Blue
				RGB

11 NAMAN SMPS & LED DRIVER

(A) SMPS FOR LED STRIP



AMP	Dimension (L x W X H)	OUTPUT VOLTAGE	OUTPUT WATTAGE
1 AMP	80 x 25 x 25	12 V DC	12 W
2 AMP	110 x 45 x 25	12 V DC	24 W
3 AMP	170 x 35 x 35	12 V DC	36 W
4 AMP	170 x 35 x 35	12 V DC	48 W
5 AMP	190 x 40 x 35	12 V DC	60 W
6.5 AMP	195 x 40 x 35	12 V DC	72 W
8 AMP	190 x 55 x 45	12 V DC	96 W
10 AMP	190 x 55 x 45	12 V DC	120 W
12 AMP	200 x 55 x 45	12 V DC	144 W
14 AMP	200 x 105 x 85	12 V DC	168 W
20 AMP	165 x 165 x 85	12 V DC	240 W

(B) LED DRIVER



Watt	Output Voltage	Output Current
8 W- 24 W	20 V- 72 V	300 mA
12 W- 18 W	25 V- 40 V	300 mA
12 W- 18 W	25 V- 40 V	450 mA
18 W- 25 W	30 V- 54 V	450 mA
18 W- 25 W	30 V- 54 V	600 mA
20 W- 30 W	25 V- 45 V	700 mA
26 W- 36 W	40 V- 60 V	600 mA
30 W- 50 W	48 V- 85 V	600 mA
30 W- 50 W	48 V- 85 V	700 mA

TERMS & CONDITION :

- This catalogue / price list supersedes our earlier catalogue / price list.
- The company reserves the right to change the catalogue / price list without prior notice.
- Care has been taken to ensure that the information contained within is correct.
- Photograph shown here in are indicative. specifications can be changed without prior notice as led is a dynamic & evolving technology
- Given lumens are calculated by considering white led source. it may differ for other color.
- This catalogue has been totally designed to help you more easily to select the "NAMAN luminaires india" range of products to meet your requirement and specification.
- All dimension are in millimeter (mm)

WE ARE NOW AVAILABLE ON :

LIKE US ON :

FOLLOW US ON :



Mfd. By.: NAMAN LUMINAIRE INDIA

NAMAN LUMINAIRE INDIA

**[1] NAMAN BRAND LED RANGE PRICE LIST WITH
NAMAN DRIVER
DECEMBER - 2020 #**

<u>SR.NO.</u>	<u>DESCRIPTION</u>	<u>LIST PRICE</u>
(1)	<u>LED PANEL LIGHT [2 YEARS WARRANTY]</u>	
1	3 W LED PANEL LIGHT [SQ/RD] [CO- 70mm ,OT-80mm]	260/-
2	8 W LED PANEL LIGHT [SQ/RD] [CO - 85mm,OT-110mm]	400/-
3	12 W LED PANEL LIGHT [SQ/RD][CO - 135mm,OT-150mm]	500/-
4	15 W LED PANEL LIGHT [SQ/RD][CO - 155mm,OT - 170mm]	570/-
5	22 W LED PANEL LIGHT [SQ/RD][CO - 195mm,OT - 210mm]	750/-
6	30 W LED PANEL LIGHT [1 X 1 FEET] [CO - 285X285mm]	1900/-
7	30 W LED LX TYPE LIGHT [1X36W] [CO - 495 X 135 mm]	1700/-
8	35 W LED LX TYPE LIGHT [2X36W] [CO - 505 X 215 mm]	2300/-
9	40 W LED LX TYPE LIGHT [1X40W] [CO - 1175 X 135mm]	4000/-
10	40 W LED LX TYPE LIGHT [2X40W] [CO - 1175 X 275mm]	4300/-
11	8 W LED PANEL LIGHT [SQ/RD][3IN1][WHITE+WW+NW]	600/-
12	15W LED PANEL LIGHT[SQ/RD] [3IN1][WHITE+WW+NW]	850/-
13	22W LED PANEL LIGHT[SQ/RD] [3IN1] [WHITE+WW+NW]	1100/-
(2)	<u>LED SURFACE PANEL LIGHT [2 YEARS WARRANTY]</u>	
1	3 W LED SURFACE PANEL LIGHT [SQ/RD]	360/-
2	8 W LED SURFACE PANEL LIGHT [SQ/RD]	550/-
3	12 W LED SURAFCE PANEL LIGHT [SQ/RD]	650/-
4	15 W LED SURAFCE PANEL LIGHT [SQ/RD]	750/-
5	22 W LED SURAFCE PANEL LIGHT [SQ/RD]	950/-
6	30 W LED SURFACE PANEL LIGHT [1X1 FT] [SQUARE]	2400/-
7	30 W LED LX TYPE FITTING SURFACE [REP. OF 1X36 W]	2200/-
8	35 W LED LX TYPE FITTING SURFACE [REP. OF 2X36 W]	2800/-
9	8 W LED PANEL LIGHT [SQ/RD][3IN1][WHITE+WW+NW]	750/-
10	15W LED PANEL LIGHT[SQ/RD] [3IN1][WHITE+WW+NW]	1050/-
11	22W LED PANEL LIGHT[SQ/RD] [3IN1] [WHITE+WW+NW]	1350/-
(3)	<u>RIMLESS LED PANEL LIGHT [1YR WARRANTY]</u>	
1	8W LED RIMLESS PANEL LIGHT [SQUARE/ROUND]	550/-
2	15W LED RIMLESS PANEL LIGHT [SQUARE/ROUND]	850/-
3	22W LED RIMLESS PANEL LIGHT [SQUARE/ROUND]	950/-

(4)	<u>LED BACKLIT DOWNLIGHT CASTING BODY</u> <u>[2 YEARS WARRANTY]</u>		
1	8W BACKLIT DOWNLIGHT [CO-95mm,OT-105mm]		700/-
2	15W BACKLIT DOWNLIGHT [CO-135mm,OT-145mm]		950/-
3	22W BACKLIT DOWNLIGHT [CO-160mm,OT-170mm]		1100/-
(5)	<u>DEEP LED RIMLESS DOWNLIGHT CASTING BODY</u> <u>[2 YEARS WARRANTY]</u>		
1	8W DEEP LED RIMLESS DOWNLIGHT [SQ/RD]		800/-
2	18W DEEP LED RIMLESS DOWNLIGHT [SQ/RD]		1050/-
3	24W DEEP LED RIMLESS DOWNLIGHT [SQ/RD]		1250/-
(6)	<u>2X2 FITTING [2 YEARS WARRANTY]</u>		
1	36 W LED DEEP FITTING [BACK LIT] [SQ] [CO-575X575mm HT - 65mm]		2600/-
2	48 W LED DEEP FITTING [BACK LIT] [SQ] [CO-575X575mm HT - 65mm]		2800/-
3	36 W LED SLIM PANEL LIGHT [EDGE LIT] [SQ]		3000/-
4	48 W LED SLIM PANEL LIGHT [EDGE LIT] [SQ]		3200/-
(7)	<u>COB LED SPOT LIGHT [NO WARRANTY]</u>		
1	1 W COB FIXED BUTTON [RD] [CO-25mm,OT-32mm,HT-15mm]		250/-
2	3 W COB FIXED BUTTON [RD][CO-25mm,OT-40mm,HT-25mm]		400/-
3	1 W COB MOVABLE [RD] [CO-35mm,OT-42mm,HT-15mm]		300/-
4	3 W COB MOVABLE [RD] [CO-43mm,OT-52mm,HT-15mm]		500/-
(8)	<u>COB LED SURFACE SPOT LIGH [1Y WARANTY]</u>		
1	3 W SLIM COIN COB SURFACE SPOT LIGHT [RD/SQ]		200/-
2	3 W COB SURFACE SPOT LIGHT [ROUND/SQUARE]		450/-
3	5 W COB SURFACE SPOT LIGHT [RD/SQ]		550/-
(9)	<u>LED BATTEN LIGHT [1 YEAR WARRNTY]</u>		
1	5 W LED FITTING T5 [1 FEET] [PC BODY]		250/-
2	10 W LED FITTING T5 [2 FEET] [PC BODY]		300/-
3	20 W LED FITTING T5 [4 FEET] [PC BODY]		350/-
4	36 W LED FITTING T8 [4 FEET] [ALU BODY]		820/-
(10)	<u>LED STREET LIGHT [2 YEAR</u> <u>WARRANTY] [IP65 DRIVER]</u> <u>[BRIDGELUX/OSRAM LED]</u>		<u>ECO</u> <u>[SMALL</u> <u>BODY]</u>
1	15 W LED STREET LIGHT	850/-	750/-
3	24 W LED STREET LIGHT	1150/-	1000/-
5	30 W LED STREET LIGHT	1400/-	1300/-
6	36 W LED STREET LIGHT	1500/-	1400/-
8	50 W LED STREET LIGHT	2000/-	1750/-
9	72 W LED STREET LIGHT	--	3100/-
10	100 W LED STREET LIGHT	4200/-	3500/-
11	150 W LED STREET LIGHT	5700/-	--
12	200 W LED STREET LIGHT	9500/-	--

(11)	<u>LANCY LED STREET LIGHT [2 Y WTY]</u>		
1	24 W LED LANCY STREET LIGHT	1250/-	--
2	30 W LED LANCY STREET LIGHT	1600/-	--
3	50 W LED LANCY STREET LIGHT	2200/-	--
4	100 W LED LANCY STREET LIGHT	4300/-	--
(12)	<u>LED DOWN CHOKE FLOOD LIGHT WITH FRAME [BLACK BODY][2 Y WTY] [BRIDGELUX/OSRAM LED] [IP65 DRIVER]</u>		ECO [SMALL BODY]
1	30 W FLOOD LIGHT DOWN CHOKE	1500/-	1400/-
2	50 W FLOOD LIGHT DOWN CHOKE	2000/-	1800/-
3	60 W FLOOD LIGHT DOWN CHOKE	2300/-	--
4	72 W FLOOD LIGHT DOWN CHOKE	2800/-	--
5	100 W FLOOD LIGHT DOWN CHOKE	3300/-	3000/-
6	120 W FLOOD LIGHT DOWN CHOKE	4300/-	--
7	150 W FLOOD LIGHT DOWN CHOKE	4500/-	4100/-
8	200 W FLOOD LIGHT DOWN CHOKE	6700/-	5700/-
9	250 W FLOOD LIGHT DOWN CHOKE	8500/-	--
10	300 W FLOOD LIGHT DOWN CHOKE	11000/-	--
11	400 W FLOOD LIGHT DOWN CHOKE	13000/-	--
(13)	<u>LED DOWN CHOKE FLOOD LIGHT NEW DELUXE MODEL [WITHOUT FRAME] [WHITE BODY] [1Y WTY] [IP65 DRIVER]</u>		ECO [SMALL BODY]
1	30 W FLOOD LIGHT DOWN CHOKE DELUXE	1400/-	--
2	50 W FLOOD LIGHT DOWN CHOKE DELUXE	1700/-	1600/-
3	60 W FLOOD LIGHT DOWN CHOKE DELUXE	2100/-	--
4	72 W FLOOD LIGHT DOWN CHOKE DELUXE	2400/-	--
5	100 W FLOOD LIGHT DOWN CHOKE DELUXE	3000/-	2500/-
6	120 W FLOOD LIGHT DOWN CHOKE DELUXE	3600/-	--
7	150 W FLOOD LIGHT DOWN CHOKE DELUXE	4100/-	3800/-
8	200 W FLOOD LIGHT DOWN CHOKE DELUXE	6000/-	5000/-
(14)	<u>LED BACK CHOKE FLOOD LIGHT [BRIDGELUX/OSRAM LED][2 Y WTY] [IP65 DRIVER]</u>		ECO [SMALL BODY]
1	30 W FLOOD LIGHT BACK CHOKE	1700/-	--
2	50 W FLOOD LIGHT BACK CHOKE	1200/-	2000/-
3	60 W FLOOD LIGHT BACK CHOKE	2800/-	--
4	72 W FLOOD LIGHT BACK CHOKE	3200/-	--
5	100 W FLOOD LIGHT BACK CHOKE	4300/-	3700/-
6	120 W FLOOD LIGHT BACK CHOKE	5000/-	--
7	150 W FLOOD LIGHT BACK CHOKE	6200/-	5000/-
8	200 W FLOOD LIGHT BACK CHOKE	9200/-	8000/-
9	250 W FLOOD LIGHT BACK CHOKE	10500/-	--
10	300 W FLOOD LIGHT BACK CHOKE	12000/-	--
11	400 W FLOOD LIGHT BACK CHOKE	15000/-	--

(15)	<u>LED UFO HIGHBAY/WELL GLASS LIGHT</u> <u>[1 YEAR WARRANTY]</u>		ALUMINIUM REFLECTOR EXTRA
1	50 W LED HIGHBAY WITH GLASS/ACRYLIC	2900/-	400/-
2	72 W LED HIGHBAY WITH GLASS/ACRYLIC	3700/-	400/-
3	100 W LED HIGHBAY WITH GLASS/ACRYLIC	5100/-	550/-
4	150 W LED HIGHBAY WITH GLASS/ACRYLIC	6500/-	550/-
5	200 W LED HIGHBAY WITH GLASS/ACRYLIC	9500/-	800/-
6	250 W LED HIGHBAY WITH GLASS/ACRYLIC	10500/-	800/-
(16)	<u>LED TRACK LIGHT [1 YEAR WARRANTY]</u>		
1	15 W LED TRACK LIGHT [BODY - BLACK/WHITE]		1600/-
2	20 W LED TRACK LIGHT [BODY - BLACK/WHITE]		1800/-
3	30 W LED TRACK LIGHT [BODY - BLACK/WHITE]		2200/-
4	50 W LED TRACK LIGHT [BODY - BLACK/WHITE]		2800/-
5	1 MTR TRACK PATTI		
6	2 MTR TRACK PATTI		
(17)	<u>LED SPIKE LIGHT [1 YEAR WARRANTY]</u>		
1	6 W COB LED SPIKE LIGHT [IP65]		800/-
2	10 W COB LED SPIKE LIGHT [IP65]		1000/-
3	15 W COB LED SPIKE LIGHT [IP65]		1150/-
(18)	<u>LED FOOT LIGHT [1 YEAR WARRANTY]</u>		
1	4W SURFACE FOOT LIGHT [95mm X 70mm X 45mm]		650/-
2	8W SURFACE FOOT LIGHT [150mm X 70mm X 45mm]		800/-
(19)	<u>LED LINEAR HANGING LIGHT</u> <u>[1 YEAR WARRANTY]</u>		
1	18W LED HANGING LIGHT 2FT [600mm X 70mm X 50mm]		2500/-
2	36W LED HANGING LIGHT 4FT [1200mm X 70mm X 50mm]		3400/-
(20)	<u>LED BULKHEAD [1 YEAR WARRANTY]</u>		
1	6 W LED CAPSULE BULKHEAD FITTING		650/-
2	10W LED CAPSULE BULKHEAD FITTING		750/-
(21)	<u>LED AVIATION LIGHT [1 YEAR WARRANTY]</u>		
1	10 W LED AVIATION LIGHT [SINGLE] [302 LAMPS]		4300/-
2	20 W LED AVIATION LIGHT [TWIN] [604 LAMPS]		8500/-
(22)	<u>LED GATE LIGHT [1 YEAR WARRANTY]</u>		
1	20W SQ LED GATE LIGHT [PC BODY][7"X7"]		1900/-
2	20W ROUND LED GATE LIGHT [PC BODY][DIA - 7"]		2000/-

(23)	<u>LED ALUMINIUM PROFILE [W/O DRIVER] CONCEALED/SURFACE [NO WARRANTY]</u>	
1	1FT DIRECT PROFILE 4W [CO - 17mm ,W - 25mm, H - 8mm]	550/-
2	2FT DIRECT PROFILE 10W[CO - 17mm ,W - 25mm, H - 8mm]	750/-
3	3FT DIRECT PROFILE 15W[CO - 17mm ,W - 25mm, H - 8mm]	900/-
4	4FT DIRECT PROFILE 20W[CO - 17mm ,W - 25mm, H - 8mm]	1200/-
5	5FT DIRECT PROFILE 25W[CO - 17mm ,W - 25mm, H - 8mm]	1600/-
6	6FT DIRECT PROFILE 30W[CO - 17mm ,W - 25mm, H - 8mm]	1850/-
(24)	<u>ALUMINIUM PROFILE EMPTY FOR LED [LENGTH - 2MTR] CONCEALED / SURFACE</u>	PER METER
1	6mm WIDTH ALUMINIUM PROFILE[OUTER - 12mm]	220/-
2	10mm WIDTH ALUMIUM PROFILE [OUTER - 12mm]	240/-
3	17mm WIDTH ALUMIUM PROFILE [OUTER - 25mm]	150/-
4	25mm WIDTH ALUMIUM PROFILE [OUTER - 30mm]	280/-
5	35mm WIDTH ALUMIUM PROFILE [OUTER - 45mm]	800/-
(25)	<u>HIGH POWER LED STRIP [NO WARRANTY]</u>	PER METER
1	12W 2835 LED STRIP [120LED/MTR] [WIDTH - 5mm]	220/-
2	12W 2835 LED STRIP [120LED/MTR] [WIDTH - 8mm]	250/-
3	18W 2835 LED STRIP [180LED/MTR] [WIDTH - 10mm]	280/-
4	24W 2835 LED STRIP [240LED/MTR] [WIDTH - 10mm]	360/-
5	14W 5050 LED STRIP [60LED/MTR] [WIDTH - 10mm]	180/-
6	14W 5050 LED STRIP RGB [60LED/MTR] [WIDHT - 10mm]	140/-
(26)	<u>LED STRIP SMPS [1 YEAR WARRANTY]</u>	
1	12 V / 1 AMP SMPS	300/-
2	12 V / 2 AMP SMPS	400/-
3	12 V / 3 AMP SMPS	500/-
4	12 V / 5 AMP SMPS	700/-
5	12 V / 8.5 AMP SMPS	1100/-
6	12 V / 10 AMP SMPS	1200/-
7	12V / 12.5 AMP SMPS	1350/-
8	12 V / 17 AMP SMPS	1600/-
9	12 V / 25 AMP SMPS	1900/-
10	12 V / 33 AMP SMPS	3100/-
(27)	<u>LED DRIVER [2 YEAR WARRANTY]</u>	
1	8W-24W LED DRIVER [20V-72V] [300mA]	200/-
2	12W-18W LED DRIVER [25V-40V] [450mA]	250/-
3	18W-25W LED DRIVER [30V-54V] [450/600mA]	400/-
4	20W -30W LED DRIVER [25V-45V] [700mA]	400/-
5	26W-36W LED DRIVER [40V-60V] [600mA]	400/-
6	30W-50W LED DRIVER [48V-85V] [700mA]	600/-

TERMS & CONDITION:

- AN **ISO 9001:2008 CERTIFIED** CO.
- DISCOUNT : _____ + 12% GST
- THE PRICE IS EXCLUSIVE OF TAXES, LOCAL LEVIES, IF ANY WHEN WILL BE EXTRA AS APPLICABLE.
- **PAYMENT: 20 TO 30 DAYS STRICTLY**
- **DELIVERY: 2 TO 3 DAYS F.O.R. MUMBAI.**
- WARRANTY : AS MENTIONED
- PACKING CHARGE EXTRA FOR OUT OF MUMBAI.
- DAMAGE DURING TRANSPORTATION WILL NOT BE OUR RESPONSIBILITY.
- 24 CARRAT QUALITY OF **NAMAN** LED PRODUCT.

FOR,

NAMAN LUMINAIRES INDIA

BEST QUALITY IN LOWEST PRICE

GO GREEN WITH LED

ENERGY EFFICIENT LUMINAIRES HELP TO SAVE THE EARTH CLIMATE

#

NAMAN LUMINAIRE INDIA

**[2] NAMAN SUPER DELUXE LED RANGE WITH
PHILIPS/FULHAM/OSRAM LED DRIVER
#DECEMBER – 2020 #**

<u>SR.NO</u>	<u>DESCRIPTION</u>	<u>LIST PRICE</u>
(1)	<u>DEEP LED RIMLESS DOWNLIGHT CASTING BODY [1 YEAR WARRANTY]</u>	
1	8W DEEP LED RIMLESS DOWNLIGHT WITH PHILIPS DRIVER [SQ/RD]	900/-
2	18W DEEP LED RIMLESS DOWNLIGHT WITH PHILIPS DRIVER [SQ/RD]	1300/-
3	24W DEEP LED RIMLESS DOWNLIGHT WITH PHILIPS DRIVER [SQ/RD]	1700/-
(2)	<u>BACKLIT LED DOWNLIGHT CASTING BODY [1 YEAR WARRANTY]</u>	
1	8W BACKLIT DOWNLIGHT WITH PHILIPS DRIVER [SQ/RD]	800/-
2	15W BACKLIT DOWNLIGHT WITH PHILIPS DRIVER [SQ/RD]	1100/-
3	24W BACKLIT DOWNLIGHT WITH PHILIPS DRIVER [SQ/RD]	1700/-
(3)	<u>MOVABLE COB LED SPOT LIGHT [SQ/ROUND] [1 YEAR WARRANTY]</u>	
1	4 W COB SPOT LIGHT MOVABLE WITH PHILIPS DRIVER [CO-50mm OT-70mm HT- 35mm]	420/-
2	6 W COB SPOT LIGHT MOVABLE WITH PHILIPS DRIVER [CO -65mm OT – 88mm HT – 45mm]	600/-
3	10W COB SPOT LIGHT MOVABLE WITH PHILIPS DRIVER [CO-80mm OT – 105mm HT – 55mm]	800/-
4	15W COB SPOTLIGHT MOVABLE WITH PHILIPS DRIVER	1300/-
5	20W COB SPOTLIGHT MOVABLE WITH PHILIPS DRIVER	1600/-
6	25W COB SPOTLIGHT MOVABLE WITH PHILIPS DRIVER	2100/-
7	30W COB SPOTLIGHT MOVABLE WITH PHILIPS DRIVER	2300/-
8	50W COB SPOTLIGHT MOVABLE WITH PHILIPS DRIVER	3700/-

(4)	<u>NON MOVABLE COB LED SPOT LIGHT [FIXED] DEEP & CURVE MODEL ROUND [1 YR WARRANTY]</u>	
1	4 W COB SPOT LIGHT FIXED WITH PHILIPS DRIVER [CREE LAMP] [CUT OUT – 33mm, HEIGHT – 38mm, OUTER – 40mm]	550/-
2	7 W COB SPOT LIGHT FIXED WITH PHILIPS DRIVER [CREE LAMP] [CUT OUT – 75mm, HEIGHT – 62mm, OUTER – 85mm]	1000/-
3	10 W COB SPOT LIGHT FIXED WITH PHILIPS DRIVER [CREE LAMP] [CUT OUT – 75mm, HEIGHT – 62mm, OUTER – 85mm]	1050/-
4	12 W COB SPOT LIGHT FIXED WITH PHILIPS DRIVER [CREE LAMP] [CUT OUT – 75mm, HEIGHT – 80mm, OUTER – 85mm]	--
5	15 W COB SPOT LIGHT FIXED WITH PHILIPS DRIVER [CREE LAMP] [CUT OUT – 75mm, HEIGHT – 80mm, OUTER – 85mm]	1350/-
6	20 W COB SPOT LIGHT FIXED WITH PHILIPS DRIVER [CREE LAMP] [CUT OUT – 90mm, HEIGHT – 92mm, OUTER – 100mm]	2300/-
(5)	<u>LED STREET LIGHT [OSRAM/BRIDGELUX LED] [1 YEAR WARRANTY]</u>	
1	24 W LED STREET LIGHT WITH PHILIPS/FULHAM DRIVER	1700/-
2	30 W LED STREET LIGHT WITH PHILIPS/FULHAM DRIVER	1900/-
3	36 W LED STREET LIGHT WITH PHILIPS/FULHAM DRIVER	2100/-
4	50 W LED STREET LIGHT WITH PHILIPS/FULHAM DRIVER	2900/-
5	72 W LED STREET LIGHT WITH PHILIPS/FULHAM DRIVER	4800/-
6	100 W LED STREET LIGHT WITH PHILIPS/FULHAM DRIVER	5400/-
(6)	<u>LED DOWN CHOKE FLOOD LIGHT [OSRAM/BRIDGELUX LED] [1 YEAR WARRANTY]</u>	
1	30W LED FLOOD LIGHT WITH PHILIPS/FULHAM DRIVER	1900/-
2	50W LED FLOOD LIGHT WITH PHILIPS/FULHAM DRIVER	3100/-
3	72W LED FLOOD LIGHT WITH PHILIPS/FULHAM DRIVER	4300/-
4	100 W LED FLOOD LIGHT WITH PHILIPS/FULHAM DRIVER	5500/-
5	120W LED FLOOD LIGHT WITH PHILIPS/FULHAM DRIVER	6200/-
6	150 W LED FLOOD LIGHT WITH PHILIPS/FULHAM DRIVER	7000/-
7	200 W LED FLOOD LIGHT WITH PHILIPS/FULHAM DRIVER	9600/-
8	250 W LED FLOOD LIGHT WITH PHILIPS/FULHAM DRIVER	12100/-
(7)	<u>LED BACK CHOKE FLOOD LIGHT [OSRAM/BRIDGELUX LED] [1 YEAR WARRANTY]</u>	
1	30W LED FLOOD LIGHT WITH PHILIPS/FULHAM DRIVER	2200/-
2	50W LED FLOOD LIGHT WITH PHILIPS/FULHAM DRIVER	3200/-
3	72W LED FLOOD LIGHT WITH PHILIPS/FULHAM DRIVER	5000/-
4	100 W LED FLOOD LIGHT WITH PHILIPS/FULHAM DRIVER	6200/-
5	120W LED FLOOD LIGHT WITH PHILIPS/FULHAM DRIVER	7200/-
6	150 W LED FLOOD LIGHT WITH PHILIPS/FULHAM DRIVER	9000/-
7	200 W LED FLOOD LIGHT WITH PHILIPS/FULHAM DRIVER	11500/-
8	250 W LED FLOOD LIGHT WITH PHILIPS/FULHAM DRIVER	14000/-

(8)	<u>LED Highbay Light with ALU Reflector</u> <u>[1 Year Warranty]</u>	
1	50 W SMD LED Highbay with Philips/BAG Driver	4600/-
2	100 W SMD LED Highbay with Philips/BAG Driver	8000/-
3	150 W SMD LED Highbay with Philips/BAG Driver	10000/-
4	200 W SMD LED Highbay with Philips/BAG Driver	14000/-

#TERMS & CONDITION:

- AN **ISO 9001:2008 CERTIFIED** CO.
- DISCOUNT : _____ + 12% GST
- THE PRICE IS EXCLUSIVE OF TAXES, LOCAL LEVIES, IF ANY WHEN WILL BE EXTRA AS APPLICABLE.
- **PAYMENT: 20 TO 30 DAYS STRICTLY**
- **ORDER SHOULD BE AS PER STD PACKING**
- **DELIVERY: 2 TO 3 DAYS F.O.R. MUMBAI.**
- WARRANTY : AS MENTIONED
- PACKING CHARGE EXTRA FOR OUT OF MUMBAI.
- DAMAGE DURING TRANSPORTATION WILL NOT BE OUR RESPONSIBILITY.
- 24 CARRAT QUALITY OF **NAMAN** LED PRODUCT.

FOR,

NAMAN LUMINAIRES INDIA

BEST QUALITY IN LOWEST PRICE

GO GREEN WITH LED

ENERGY EFFICIENT LUMINAIRES HELP TO SAVE THE EARTH CLIMATE

SHAPING THE FUTURE OF LIGHT

ENERGY CONSERVATION IN LIGHTING AT ITS BEST